


# AIR TRAILS

MARCH 1951  
25 CENTS



*Zboyan*

**HELP MAKE AMERICA FIRST IN THE AIR!**

**Join The Air Adventurers Club — See Page 34**



# K&B

MANUFACTURING CO.

*answers popular demand*

THE K&B TORPEDO

# 19

**ENGINEERED, TESTED, PERFECTED  
TO GIVE YOU FUN OR TROPHIES**



The new K & B Torpedo .19, now being shown at the Model Industry Association annual Trade Show, will be available to you soon. Engineered and designed for today's competition, tests prove this engine will be the outstanding leader in its class. It will pay you to see the new K & B Torpedo .19. At your dealer — soon.

**NOTE:** Specifications and advanced engineering features will be included in our advertisement next month. Be looking for this informative ad.

**K&B MANUFACTURING CO.**

**TORPEDO**  
ENGINES



224 E. PALMER AVENUE  
COMPTON • CALIFORNIA  
FOR FUN OR TROPHIES



# DREAMS DO COME TRUE . . .



**Will YOU be the next dreamer whose dream plane comes true????**

Your dreams will never come true unless you have the training to put those dreams on paper. Trained aeronautical engineers dreamed up and drew up the "Convertaplane" you see in the above sketches. It was their answer to an Air Force request for an aircraft that would be both an airplane and a helicopter.

The "Convertaplane" is changed from airplane to helicopter by tilting the wings and the power is supplied by two gas turbines applied to the high speed rotors on the tips of the wings.

## PARKS COLLEGE OF AERONAUTICAL TECHNOLOGY OF SAINT LOUIS UNIVERSITY

provides complete training in aeronautical engineering through a tri-semester, three year program leading to a Bachelor of Science degree in Aeronautics, that will permit YOU to realize your dreams of an aviation future.

Of course other engineers are needed in the field of aircraft maintenance engineering and air transportation and Parks College also provides specialized training leading to degrees in these fields as well.



REMEMBER! Your training under the G. I. Bill must be in progress by July, 1951.

The Air Force ROTC program at Parks leads to a commission in the United States Air Force and assures the student an opportunity of completing his college work without interruption.

## PARKS COLLEGE OF SAINT LOUIS UNIVERSITY

3031 CAHOKIA ROAD EAST ST. LOUIS, ILL.

### PARKS COLLEGE OF ST. LOUIS UNIVERSITY

3031 Cahokia Road, East St. Louis, Illinois

I am interested in:

- ☐ Air Transportation ☐ Aeronautical Engineering  
☐ Aircraft Maintenance Engineering

Name..... Age.....

Address..... Zone.....

City..... State.....



# AIR TRAILS

MAR., 1951 • VOL. XXXV, No. 6

All communications to the Air Trails editorial offices should be addressed to Air Trails, 304 East 45th St., New York 17, N. Y.

## IN THIS ISSUE:

Cover.....	Zboyen	1
The Woman's Angle.....	Nonie Horton	10
Light/Sail Plane Parade.....		12
Airmen of Vision.....		14
Air Notes.....		16
The Navy Fighter Is Best!	Robert McLaren	21
Development Highlights.....		24
Air Progress: Development of the Military Plane.....	Doug Rolfe	26
Mr. Sikorsky and the Helicopter	Wm. S. Friedman	28
Job in Aviation: Flight Instructor..		29
Hello Two.....		30
Ahead of His Time....	Frank Tinsley	31
Air Adventurers Club.....		34
Nameless Passenger	George Gardner	36
Crowbar "56".....	Ray Matthews	37
Dope Can.....	"Dopester"	41
Petit Pete.....	Bernard O. Beck	42
Hot off the Wire.....	S. C. Smith	44
Bill Barnes' Amphib Fighter.....		45
Vought F7U Cutlass.....		48
Wakefield: Shape of Things to Come.....		50
MIG 15 Russian Jet Fighter.....		51
Motor of Month: Spitzy.....		52
Model of Month: Lift Master.....		54
Sketchbook.....		56
Western Round-up.....	Dick Everett	58
Plan Form of Future Wakefield Model.....	Frank Ehling	60
Showcase.....		64

Editor.....Albert L. Lewis  
Art Director.....W. F. Tyler  
Technical Editor.....Alexis Dawydoff  
Editorial Production.....Carl Happel  
Editorial Assistant.....Rose Barella  
Washington Correspondent: Kendall K. Hoyt

## STREET & SMITH PUBLICATIONS, Inc.

President.....Gerald H. Smith  
Vice President.....Henry W. Ralston  
Vice President.....Ralph R. Whittaker, Jr.  
Vice President and Secretary.....Arthur P. Lawler  
Treasurer.....Thomas H. Kaiser

Walter J. McBride, Advertising Mgr., 122 E. 42nd St., New York 17, N. Y.  
Entered as second class matter at the post office at New York, N. Y. Authorized as second class mail, Post Office Dept., Ottawa, Canada. Copyright, 1951, by Street & Smith Publications, Inc. 25c per copy—\$2.50 per year. \$7.50 per year in countries of the Pan-American Union; \$3.00 per year in Canada; \$10.00 per year elsewhere.

• AIR TRAILS published monthly by Street & Smith Publications, Inc., at 122 East 42nd St., New York 17, N. Y. Entered as second class matter at the post office at New York, N. Y. Authorized as second class mail, Post Office Dept., Ottawa, Canada. Copyright, 1951, by Street & Smith Publications, Inc. 25c per copy—\$2.50 per year. \$7.50 per year in countries of the Pan-American Union; \$3.00 per year in Canada; \$10.00 per year elsewhere.

• Please advise us if you move; allow four weeks for change of address. Give old and new address when notifying us.

• Subscription correspondence should be addressed to Subscription Dept., Street & Smith Publications, Inc., 304 E. 45th St., New York 17, N. Y.

• All characters used in fiction and semi-fiction stories in this magazine are fictitious. We cannot accept responsibility for unsolicited manuscripts or art work. Any material submitted must include return postage. Printed in the U. S. A.

## THE READERS WRITE:

**Popular in Japan** . . . You will be interested to know that I purchased my last copy of Air Trails in Hongkong. I have noticed Air Trails at many places during my Oriental tours and can assure you personally that it is enjoying great and growing popularity in Japan.

Dallas B. Sherman, Regional Director—Orient, Pan American World Airways System

**Hey, Betty!** . . . My very first impression upon reading the article by Betty Skelton, "Girl vs. Airplane," was to tell Miss Skelton that she need not play second fiddle to anyone, much less to an airplane.

If Miss Skelton will pardon my getting personal, I think she is the nicest thing that has happened to aviation for a long time. She is very cute, just the way I like my women and I'm sure I'm not the only male to think so. Her proportions would certainly interest me more than those of the airplane.

I follow aviation, have been building model airplanes for some years, and yet I still have the normal male appreciation of things. According to Miss Skelton I am in the possible minority. I hope not.

If she will be so good as to fly to Baltimore, my home town, I will be more than happy to buy her a hamburger, to say the least. I realize the article was written as a satire (I hope) but then, a little reassurance never hurt any woman's ego.

I'm for you one hundred percent, Miss Skelton!

Bruce Packham, Univ. of Md., College Park, Md.

**Draftings of Thompson Trophy Winners** . . . I am very interested in obtaining exact three-view drawings and photographs of all the Thompson Trophy Race winners. At present I have several sets of plans for some of the planes but they differ so widely in configuration that I don't know which ones to use. I would sincerely appreciate your help in putting me on the track of some accurate drawings containing three-views, cross-sections and airfoils of all the winners suitable for producing exact detailed models of these planes.

Roger A. McIntyre, Columbus, Ohio

• We believe you will find what you want in "National Air Race Sketchbook," by Buehl and Gann, published by Floyd Clymer, 1268 South Alvarado St., Los Angeles 6, Calif. The price is \$2.

**Anybody Seen a Midget?** . . . In reading over the Dope Can I noticed Mr. Davis' letter about the AT Cruiser. I built one and installed an OK .049, then second flight—O.O.S. That was over a month ago and it hasn't been found yet.

I also have a beef about AT, otherwise a darn good mag, but the midgets are cluttering up the joint. It has been many an issue since I've seen a model for the so-called popular B engines, scale or semi-scale preferred.

Jim Moses, Elmore, Minn.

**Flying Wing Kits?** . . . I would like to know where I could obtain a kit for a flying wing using a Class A engine (with a pusher propeller).

I like Air Trails very much because it started me on my model airplane building hobby.

Michael Volow, Kings Park, N. Y.

• Sorry, we know of no flying wing kits.

**Pleasant Idea** . . . For years the people who build model airplane engines such as Ohlson & Rice, McCoy and many others have built only two-cycle engines which use expensive fuels. What I want to know is why somebody doesn't make a four-cycle engine than can run on car gasoline.

John Stankovich, Renton, Pa.

• Far too expensive.

**A Stamp Pal** . . . I read the letter in "The Readers Write" saying you give the stamps on mail from overseas to service men in a VA hospital near New York. I used to collect foreign stamps myself but gave it up after a while. So enclosed are some foreign and U. S. stamps to be sent to service men in the hospitals and would you let me have some of their names and addresses so I could get a few pen pals to write to.

Wayne Janicki, Sharon Springs, N. Y.

• Anybody on this roster anywhere is invited to answer the request.

**Approved by Headquarters** . . . The "Link Instructor" story . . . in your magazine is a good one . . . Your series about jobs in aviation is one that will be of value to both teachers and the youth of our country. Guidance in the field of aviation can stand shots in the arm like this. Keep it up.

Philip S. Hopkins, Vice President, Link Aviation, Incorporated, Hillcrest, Binghampton, N. Y.

**Cadet Fever** . . . I am fifteen years old and an enthusiastic model builder. As I am a freshman in this hobby, I would appreciate any suggestions you can pass along to me on the following topic.

For about a year I have had in my possession two miniature gasoline engines, a McCoy 29 and a Cub 74, with airplanes to suit, the Key for the 29 and the Key-det for the 74. This is my problem. Having invested a considerable amount of money in these projects, I find myself afraid to try to fly these airplanes. What should I do?

Bob Leahy, 123-24 Lucas St., St. Albans, N. Y.

• Model builders aren't afraid of anything! On the constructive side, will some more experienced members of model clubs in Bob's vicinity contact him and help check him out on that solo?

**Different Kind of Drawing** . . . I'm afraid this is the last drawing I'll be able to do for AT for a long, long time.

Al Johns, Los Angeles, Calif.



• We salute you, Cartoonist First Class Johns!

**To Enter the Nats** . . . I think your mag is by far the best in planes, also it is a help to us youngsters. But there are a couple of things I would like to know. What does "jettisonable" mean? And a friend told me you have to fly and win in another contest to enter the "Nats," but I disagree. Can you set us right?

Pat Keating, Yankton, So. Dak.

• The National meet is open to anyone with an A.M.A. license who can pay the nominal entry fee. "Jettisonable" as applied to aircraft means that a part, usually an external wing tank, can be dropped in flight.

(Continued on page 8)



AVIATION  
AN ESSENTIAL INDUSTRY  
IN PEACE OR WAR

**AERONAUTICAL ENGINEERING**  
**MASTER AVIATION MECHANICS**  
**JET ENGINE Maintenance & Overhaul**

**AVIATION  
CAREER**

**WHERE will you be in 1951?**

in military service or preparing for a future career?

**"DO DOUBLE DUTY"**

*Duty to your country in case of military service — Duty to yourself for a successful civilian career and secure future.*  
Prepare for this DOUBLE DUTY with one overall highly contracted period of comprehensive training at Cal-Aero Technical Institute.

**IN CASE OF MILITARY SERVICE** — upon graduation — you will be prepared and in line for higher grades and ratings should you enter the U. S. Air Force. CAL-AERO trained 25,000 pilots and 7,500 technicians for the Military Air Forces during World War II.

**IN CASE OF YOUR FUTURE CIVILIAN CAREER** — upon graduation, you can step right into an AVIATION CAREER with good pay, and a secure future, without break-in.

**INVESTIGATE AND COMPARE**

CAL-AERO graduates occupy good positions at all famous plants, including Douglas, Northrup, Convair, North American, Lockheed, and Boeing. Cal-Aero graduates are in demand — 7,000 of them are on the job. Established 1929, Cal-Aero, is an independent subsidiary of Grand

Central Aircraft Co., world's largest facility for maintenance and modification of private, commercial and military aircraft.

**CAL-AERO NOW TRAINING MILITARY PERSONNEL** under contract to the U. S. Air Force, in addition to its regular civilian program. Cal-Aero was chosen as one of two, from all Aviation Schools in the nation, to do this job.

**WHAT BETTER RECOMMENDATION WOULD  
A SCHOOL HAVE?**

**BE WISE - PROTECT YOUR FUTURE**

**TRAIN IN  
SUNNY SOUTHERN  
CALIFORNIA**

**CAL - AERO**  
EST. 1929  
**TECHNICAL INSTITUTE**

**GRAND CENTRAL AIR TERMINAL**  
GLENDALE 1, Los Angeles County, CALIFORNIA

**APPROVED FOR  
VETERANS**

**DON'T DELAY - MAIL TODAY**

CAL-AERO TECHNICAL INSTITUTE, Grand Central Air Terminal,  
Glendale 1, Calif. • Send full information and free catalog, immediately.

☐ **AERONAUTICAL ENGINEERING**  
☐ **MASTER AVIATION MECHANICS**  
☐ **JET ENGINE - Maintenance and Overhaul**

**HOME STUDY COURSES**  
☐ AERONAUTICAL DRAFTING ☐ AIRCRAFT BLUEPRINT READING  
☐ STRESS ANALYSIS AND DESIGN

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ AGE \_\_\_\_\_

HIGH SCHOOL ATTENDED \_\_\_\_\_ ZONE \_\_\_\_\_ STATE \_\_\_\_\_

Check one: ☐ Veteran ☐ Non-Veteran

GRADUATED: YES ☐ NO ☐  
AT-3







# SPECIAL! BARGAIN! Complete FLYING OUTFITS

WORTH TWICE OUR COMBINATION PRICE!

**WE WILL SUPPLY**  
A complete flying outfit with  
your own choice of any ad-  
vertised engine or plane—and  
save you money. Just order  
from us or write for price.  
**IF IT'S ADVERTISED, WE HAVE IT.**

IT ISN'T OFTEN that you get the chance to buy, at less than half price, a U-Control Plane, Engine and All-Accessory Outfit with your own choice of 23 well-known FACTORY ASSEMBLED ignition or glo engines. Everything carries the famous America's Hobby Center as well as the manufacturer's guarantee.

Even if you are a beginner, you won't have trouble building and flying any of these flying outfits, full-size plans of any easy to-build and fly plane, every

accessory you will need, complete instructions, etc., etc. If you are an old-timer at building and flying model planes we don't have to tell you what these bargain outfits are really worth.

Thousands of these complete units have already been sold. They have met with enthusiastic reception because they represent a value unheard of before in the modeling field. The price is so low that we cannot sell to dealers. You really save from \$10 to \$12 by buying the complete, packaged unit—everything is engineered by experts for a perfect flying combination.

## Your own choice

of 23 well-known, factory assembled engines, all guaranteed by the manufacturer and America's Hobby Center.



BUZZ "B"  
Ignition  
or glo

**\$8.50**



JUDCO  
Ignition  
or glo

**\$10.00**



RAM  
Ignition  
or glo

**\$10.00**



McCoy 19  
GLO

**\$12.50**



THOR  
Ignition

**\$12.50**



OHSSON  
19 or 23

**\$12.50**



ARDEN 099  
Ball bearing  
Ign. or glo

**\$13.50**



McCoy 19 Ball  
Ign. or glo  
or 29 GLO

**\$13.50**



OHSSON  
19 or 23  
or Deluxe GLO

**\$13.50**



OHSSON 19  
Ignition  
or glo


**\$15.00**



PHANTOM  
Ignition  
or glo


**\$15.00**

## Plus Your Choice of



TRAIL BLAZER

TRAIL BLAZER Model Plane with carved lower fuselage-half, fully formed aluminum upper half. Balsa sheet wing, no tissue used. Balsa tail surfaces, plywood engine mount. Schematic drawings with step-by-step plans. Rubber wheels, detail point schemes. 24" wingspan.



MAVERICK

Completely prefabricated Stunt TRAINER Model, particularly good for beginners. Die cut and slotted fuselage, finished center spar, silkspan, decal, formed landing gear, step-by-step instructions. 24" wingspan.

## Plus

not 75, not 100  
but ALL

## ACCESSORIES including:

PLUS: Correct size finished propeller • 3-way plug wrench • Presto Engine starter with handle and cord • Speed indicator tables • Log Book • Motor cover • Spark or glo plug with gasket • Complete engine instructions • 24 page Gas Engine Theory Manual • Engine adjustment chart • Metal fuel tank and gas line • Metal Battery box • Wilco Quality Coil • 12" Hi-tension lead wire and end clips • 18" insulated ignition wire • Ignition slide switch • Coil holder and mount • Earliest condenser • SAE # 70 Oil • 4 ignition wiring lugs • Spark plug gasket set • 2 plane identification tags • 72 Ignition • 72 page book on U-control-liners, How to build and fly them • Cement • Sandpaper • "Pro" all-metal knife and blade • Metal beltcrank with bolt, nut and washer • Elevator horn • Elevator hinges • Lead-in wire • Push-rod wire • U-Control handle • 100 feet U-control stainless steel wire and reel • Membership in Modelcrafters of America • 64 page giant 2-color catalog • Postage • Packing • Insurance.  
Ignition parts not needed with glo engines not included.

YOU WON'T GET OTHER BARGAINS LIKE THESE!

## NEW .099 UNITS

### Includes all 3 items

For ease of assembly, for trouble-less operation and for real effortless U-Control flying, these units are the answer to the modeler's dream. Even the beginner will have no trouble in assembling the outfit in one evening and be completely ready to fly the next morning.

### 1 You get your choice of



### 2 PLUS Your choice of 3 completely prefabricated kits



### 3 Plus all accessories

You get the same accessories listed in our other flying outfits (except those not needed for a glo engine, of course)

**COST ONLY** McCoy 9 Glo Outfit **\$10.95**  
O.K. Cub .099 Outfit **\$8.95**

## Scoop! Complete PEE-WEE FLYING OUTFITS

These are the new pint-size glo engines that are so tiny (1 to 1 1/2 inches) but develop plenty of power for free-flight or U-control flying.

### Your own choice

of 5 of the best, all fully guaranteed:



### Plus your choice of planes:



### Plus all accessories

You get the same accessories listed in our other flying outfits (excluding those not needed in a glo engine, of course). Everything needed to build and fly planes shown, except fuel and 1 1/2 Volt battery.

## READY-TO-FLY OUTFITS

All you do is take the plane out of the box, fill the tank, and FLY. You don't have the fun of building—all the fun's in the flying. Just nothing to build. And to fly, all you'll need extra is fuel and battery. All U-control.

### AEROMITE \$9.95

A really beautiful red plastic job. 12" wingspan with Baby Spitfire engine, prop spinner, tank, etc., already installed. Shock-absorbing spring-steel landing gear, Jim Walker U-control for precision and stunt flying, plastic control handle, nylon control cord.




### BABY GYRO \$6.95

After long tests, here is one that really looks and flies like a gyro. Dual purpose training profile plane with Baby Spitfire engine already installed.



### BUSTER \$7.95

Scale model of Whitman Special. 12W" span. K & B Torp Jr. engine already installed.



### DOUGLAS NAVY SKYRAIDER \$9.95

All plastic model including K & B Torp Jr. engine. Landing Gear with aluminum wheels, decal, tank, spinner, etc., etc. Includes nuts and bolts for minor assembly.



### YANK \$5.75

1/2 scale 23" span championship model. Finished in two colors and fuel proofed. Equipped with O.K. .039 engine and all accessories.



**SOLDIERS!  
SAILORS!  
MARINES!**

Orders placed through us get special attention. We understand your problems and take special care of your orders. Or send for our SPECIAL SERVICES DATA



**\$6.95**

**COMPLETE RACE CAR COMBINATION OUTFIT**

NEW! Scientific "HALF-gal" race car, complete with direct drive PLUS O.K. 049 engine PLUS all needed accessories. Five minutes after you open the package, you can race this car on any smooth surface, even your own backyard or roller. Speeds over 60 miles per hour. COMPLETE except for fuel (75) and shorting battery (75). Car alone \$5.95.

## How To Order

Send remittance in full (we prepay packing and insurance) or send \$1 and we ship collect. C. D. D. same day for balance. Address your order to us at your nearest branch office.

Dept. TC-31, 156 West 22nd St., New York 11, New York  
Dept. TC-31, 1544 Flatbush Ave., Brooklyn 10, New York  
Dept. TC-31, 55 E. Washington Street, Chicago 2, Illinois  
Dept. TC-31, Rm. 236, 742 Market St., San Francisco 2, California  
Dept. TC-31, Rm. 306, 427 Carondelet St., New Orleans, La.  
Dept. TC-31, Gas & Electric Bldg., Denver 2, Colorado

**America's Hobby Center INC**  
A GENERATION OF FAIR DEALING GUARANTEES YOUR SATISFACTION



**NO  
ONE  
CAN  
BEAT  
5  
ACES!**

**\$5<sup>55</sup> FOR THIS  
COMPLETE  
OUTFIT**

America's Hobby Center, Inc. ALWAYS has a winning hand because it has your interests at heart. When we make an offer, it's always a bargain, not only because it's top-notch merchandise, but because we go all-out to save you money AND give you special value. Here's almost \$10.00 of regular advertised merchandise, fully guaranteed, and selected by our experts in a matched unit, for

only **\$5<sup>55</sup>**



**THE WHOLE WORKS FOR ONLY \$5<sup>55</sup>**

**\$4<sup>95</sup>**

# "BUZZ" IGNITION and GLO ENGINES

**\$4<sup>95</sup>**

**ONLY \$4<sup>95</sup> - WORLD'S LOWEST PRICE**

**FULLY  
GUARANTEED**



"A" 19  
IGNITION



"A" 19  
GLO



"B" 29  
IGNITION



"B" 29  
GLO



"C" 35  
IGNITION



"C" 35  
GLO



"D" 60  
IGNITION



"D" 60  
GLO

**FULLY  
GUARANTEED**

**AN ENGINEERING  
TRIUMPH...**

*Never Before at  
So Low a Price!*

Indeed an engineering triumph—accomplished by outstanding designers and engineers, who have constructed into the Buzz motors everything that years of exhaustive scientific aerodynamic research could produce—geared to the highest possible degree of perfection. But more than that, the acid test... an overwhelming response. Thousands

of users in all parts of the country are praising, recommending, and endorsing this engine. It seems as if everyone in America wants one. The most hair-raising thrill you've ever experienced will be yours with the Buzz motor. EFFICIENT FOR BOATS, MIDGET CARS AND STATIONARY USE. Easy to start and simple to run.

## BUZZ ACCESSORY UNITS

**FOR IGNITION ENGINES . . . only \$2.49**

Spark Plug and Gasket, White Quality Coil, Hi-Tension Lead Wire and End Clips, Venturi Condenser, Control Size Insulated Propeller, Ignition Switch, 3-Way Plug Wrench, 4 Wiring Lugs, 4 Mounting Bolts and Nuts, Plastic Engine Starter, with card and handle, Spark Plug Gauge Set, Motor Cover, 24 Page Gas Engine Theory Manual, Ignition Adjuster, Carburetor, S.A.E. No. 70 Oil, Coil Holder and Mount, Metal Fuel Tank, Gas Line, Metal Petrol Battery Box, Insulated Ignition Wire.

**FOR GLO ENGINES . . . only \$1.49**

Oil Plug and Gasket, Insulated Ignition Wire, Control Size Propeller, 3-Way Plug Wrench, Mounting Bolts and Nuts, Plastic Engine Starter, with card and handle, Motor Cover, 24 Page Gas Engine Theory Manual, Fuel Formulas, Metal Fuel Tank, Gas Line.

SPECIFICATIONS	19	29	35	60	19	29	35	60
Net Wt.	1.20	1.40	1.60	1.80	1.20	1.40	1.60	1.80
Max. Speed	175	225	275	325	175	225	275	325
Max. Thrust	1.75	2.25	2.75	3.25	1.75	2.25	2.75	3.25

## IN KIT FORM

**ONLY \$2.95**

## BUZZ A, B, and C GLO ENGINES

are also available in fully machined ready-to-assemble kits. Five minutes and a screwdriver are all you need, complete directions. Due to the extremely low price, these kits can only be purchased at the same time you buy the Glo accessory unit for \$1.49 everything you will need except fuel and battery

**a complete set only \$4.44**

## A. H. C. IS ALSO HEADQUARTERS FOR: RUBBER, GLIDERS, DISPLAY, BOATS, JETS, ETC.

### RUBBER

#### MINIATURE

\$1.95: (20" to 30") Aerocraft Sedan, Corsica, "100", Calver "Y", Fairchild "24", Interstate Cadet, Piper Super Cruiser, Stinson L-4 "Stratoliner", Stinson "Voyager".  
\$1.80: (30") Conquester, American Aero, Buccaneer

#### CLUBCLASS

\$1.80: (30") Aerocraft Chief, Piper Cub, Luscombe Sedan


#### STANDARD

\$1.35: (30") Douglas DC3, Beechcraft Bonanza, Cessna, Cessna 170, Cessna 180, Cessna 210, Cessna 240, Cessna 260, Cessna 280, Cessna 300, Cessna 310, Cessna 330, Cessna 340, Cessna 350, Cessna 360, Cessna 370, Cessna 380, Cessna 390, Cessna 400, Cessna 410, Cessna 420, Cessna 430, Cessna 440, Cessna 450, Cessna 460, Cessna 470, Cessna 480, Cessna 490, Cessna 500, Cessna 510, Cessna 520, Cessna 530, Cessna 540, Cessna 550, Cessna 560, Cessna 570, Cessna 580, Cessna 590, Cessna 600, Cessna 610, Cessna 620, Cessna 630, Cessna 640, Cessna 650, Cessna 660, Cessna 670, Cessna 680, Cessna 690, Cessna 700, Cessna 710, Cessna 720, Cessna 730, Cessna 740, Cessna 750, Cessna 760, Cessna 770, Cessna 780, Cessna 790, Cessna 800, Cessna 810, Cessna 820, Cessna 830, Cessna 840, Cessna 850, Cessna 860, Cessna 870, Cessna 880, Cessna 890, Cessna 900, Cessna 910, Cessna 920, Cessna 930, Cessna 940, Cessna 950, Cessna 960, Cessna 970, Cessna 980, Cessna 990, Cessna 1000, Cessna 1010, Cessna 1020, Cessna 1030, Cessna 1040, Cessna 1050, Cessna 1060, Cessna 1070, Cessna 1080, Cessna 1090, Cessna 1100, Cessna 1110, Cessna 1120, Cessna 1130, Cessna 1140, Cessna 1150, Cessna 1160, Cessna 1170, Cessna 1180, Cessna 1190, Cessna 1200, Cessna 1210, Cessna 1220, Cessna 1230, Cessna 1240, Cessna 1250, Cessna 1260, Cessna 1270, Cessna 1280, Cessna 1290, Cessna 1300, Cessna 1310, Cessna 1320, Cessna 1330, Cessna 1340, Cessna 1350, Cessna 1360, Cessna 1370, Cessna 1380, Cessna 1390, Cessna 1400, Cessna 1410, Cessna 1420, Cessna 1430, Cessna 1440, Cessna 1450, Cessna 1460, Cessna 1470, Cessna 1480, Cessna 1490, Cessna 1500, Cessna 1510, Cessna 1520, Cessna 1530, Cessna 1540, Cessna 1550, Cessna 1560, Cessna 1570, Cessna 1580, Cessna 1590, Cessna 1600, Cessna 1610, Cessna 1620, Cessna 1630, Cessna 1640, Cessna 1650, Cessna 1660, Cessna 1670, Cessna 1680, Cessna 1690, Cessna 1700, Cessna 1710, Cessna 1720, Cessna 1730, Cessna 1740, Cessna 1750, Cessna 1760, Cessna 1770, Cessna 1780, Cessna 1790, Cessna 1800, Cessna 1810, Cessna 1820, Cessna 1830, Cessna 1840, Cessna 1850, Cessna 1860, Cessna 1870, Cessna 1880, Cessna 1890, Cessna 1900, Cessna 1910, Cessna 1920, Cessna 1930, Cessna 1940, Cessna 1950, Cessna 1960, Cessna 1970, Cessna 1980, Cessna 1990, Cessna 2000, Cessna 2010, Cessna 2020, Cessna 2030, Cessna 2040, Cessna 2050, Cessna 2060, Cessna 2070, Cessna 2080, Cessna 2090, Cessna 2100, Cessna 2110, Cessna 2120, Cessna 2130, Cessna 2140, Cessna 2150, Cessna 2160, Cessna 2170, Cessna 2180, Cessna 2190, Cessna 2200, Cessna 2210, Cessna 2220, Cessna 2230, Cessna 2240, Cessna 2250, Cessna 2260, Cessna 2270, Cessna 2280, Cessna 2290, Cessna 2300, Cessna 2310, Cessna 2320, Cessna 2330, Cessna 2340, Cessna 2350, Cessna 2360, Cessna 2370, Cessna 2380, Cessna 2390, Cessna 2400, Cessna 2410, Cessna 2420, Cessna 2430, Cessna 2440, Cessna 2450, Cessna 2460, Cessna 2470, Cessna 2480, Cessna 2490, Cessna 2500, Cessna 2510, Cessna 2520, Cessna 2530, Cessna 2540, Cessna 2550, Cessna 2560, Cessna 2570, Cessna 2580, Cessna 2590, Cessna 2600, Cessna 2610, Cessna 2620, Cessna 2630, Cessna 2640, Cessna 2650, Cessna 2660, Cessna 2670, Cessna 2680, Cessna 2690, Cessna 2700, Cessna 2710, Cessna 2720, Cessna 2730, Cessna 2740, Cessna 2750, Cessna 2760, Cessna 2770, Cessna 2780, Cessna 2790, Cessna 2800, Cessna 2810, Cessna 2820, Cessna 2830, Cessna 2840, Cessna 2850, Cessna 2860, Cessna 2870, Cessna 2880, Cessna 2890, Cessna 2900, Cessna 2910, Cessna 2920, Cessna 2930, Cessna 2940, Cessna 2950, Cessna 2960, Cessna 2970, Cessna 2980, Cessna 2990, Cessna 3000, Cessna 3010, Cessna 3020, Cessna 3030, Cessna 3040, Cessna 3050, Cessna 3060, Cessna 3070, Cessna 3080, Cessna 3090, Cessna 3100, Cessna 3110, Cessna 3120, Cessna 3130, Cessna 3140, Cessna 3150, Cessna 3160, Cessna 3170, Cessna 3180, Cessna 3190, Cessna 3200, Cessna 3210, Cessna 3220, Cessna 3230, Cessna 3240, Cessna 3250, Cessna 3260, Cessna 3270, Cessna 3280, Cessna 3290, Cessna 3300, Cessna 3310, Cessna 3320, Cessna 3330, Cessna 3340, Cessna 3350, Cessna 3360, Cessna 3370, Cessna 3380, Cessna 3390, Cessna 3400, Cessna 3410, Cessna 3420, Cessna 3430, Cessna 3440, Cessna 3450, Cessna 3460, Cessna 3470, Cessna 3480, Cessna 3490, Cessna 3500, Cessna 3510, Cessna 3520, Cessna 3530, Cessna 3540, Cessna 3550, Cessna 3560, Cessna 3570, Cessna 3580, Cessna 3590, Cessna 3600, Cessna 3610, Cessna 3620, Cessna 3630, Cessna 3640, Cessna 3650, Cessna 3660, Cessna 3670, Cessna 3680, Cessna 3690, Cessna 3700, Cessna 3710, Cessna 3720, Cessna 3730, Cessna 3740, Cessna 3750, Cessna 3760, Cessna 3770, Cessna 3780, Cessna 3790, Cessna 3800, Cessna 3810, Cessna 3820, Cessna 3830, Cessna 3840, Cessna 3850, Cessna 3860, Cessna 3870, Cessna 3880, Cessna 3890, Cessna 3900, Cessna 3910, Cessna 3920, Cessna 3930, Cessna 3940, Cessna 3950, Cessna 3960, Cessna 3970, Cessna 3980, Cessna 3990, Cessna 4000, Cessna 4010, Cessna 4020, Cessna 4030, Cessna 4040, Cessna 4050, Cessna 4060, Cessna 4070, Cessna 4080, Cessna 4090, Cessna 4100, Cessna 4110, Cessna 4120, Cessna 4130, Cessna 4140, Cessna 4150, Cessna 4160, Cessna 4170, Cessna 4180, Cessna 4190, Cessna 4200, Cessna 4210, Cessna 4220, Cessna 4230, Cessna 4240, Cessna 4250, Cessna 4260, Cessna 4270, Cessna 4280, Cessna 4290, Cessna 4300, Cessna 4310, Cessna 4320, Cessna 4330, Cessna 4340, Cessna 4350, Cessna 4360, Cessna 4370, Cessna 4380, Cessna 4390, Cessna 4400, Cessna 4410, Cessna 4420, Cessna 4430, Cessna 4440, Cessna 4450, Cessna 4460, Cessna 4470, Cessna 4480, Cessna 4490, Cessna 4500, Cessna 4510, Cessna 4520, Cessna 4530, Cessna 4540, Cessna 4550, Cessna 4560, Cessna 4570, Cessna 4580, Cessna 4590, Cessna 4600, Cessna 4610, Cessna 4620, Cessna 4630, Cessna 4640, Cessna 4650, Cessna 4660, Cessna 4670, Cessna 4680, Cessna 4690, Cessna 4700, Cessna 4710, Cessna 4720, Cessna 4730, Cessna 4740, Cessna 4750, Cessna 4760, Cessna 4770, Cessna 4780, Cessna 4790, Cessna 4800, Cessna 4810, Cessna 4820, Cessna 4830, Cessna 4840, Cessna 4850, Cessna 4860, Cessna 4870, Cessna 4880, Cessna 4890, Cessna 4900, Cessna 4910, Cessna 4920, Cessna 4930, Cessna 4940, Cessna 4950, Cessna 4960, Cessna 4970, Cessna 4980, Cessna 4990, Cessna 5000, Cessna 5010, Cessna 5020, Cessna 5030, Cessna 5040, Cessna 5050, Cessna 5060, Cessna 5070, Cessna 5080, Cessna 5090, Cessna 5100, Cessna 5110, Cessna 5120, Cessna 5130, Cessna 5140, Cessna 5150, Cessna 5160, Cessna 5170, Cessna 5180, Cessna 5190, Cessna 5200, Cessna 5210, Cessna 5220, Cessna 5230, Cessna 5240, Cessna 5250, Cessna 5260, Cessna 5270, Cessna 5280, Cessna 5290, Cessna 5300, Cessna 5310, Cessna 5320, Cessna 5330, Cessna 5340, Cessna 5350, Cessna 5360, Cessna 5370, Cessna 5380, Cessna 5390, Cessna 5400, Cessna 5410, Cessna 5420, Cessna 5430, Cessna 5440, Cessna 5450, Cessna 5460, Cessna 5470, Cessna 5480, Cessna 5490, Cessna 5500, Cessna 5510, Cessna 5520, Cessna 5530, Cessna 5540, Cessna 5550, Cessna 5560, Cessna 5570, Cessna 5580, Cessna 5590, Cessna 5600, Cessna 5610, Cessna 5620, Cessna 5630, Cessna 5640, Cessna 5650, Cessna 5660, Cessna 5670, Cessna 5680, Cessna 5690, Cessna 5700, Cessna 5710, Cessna 5720, Cessna 5730, Cessna 5740, Cessna 5750, Cessna 5760, Cessna 5770, Cessna 5780, Cessna 5790, Cessna 5800, Cessna 5810, Cessna 5820, Cessna 5830, Cessna 5840, Cessna 5850, Cessna 5860, Cessna 5870, Cessna 5880, Cessna 5890, Cessna 5900, Cessna 5910, Cessna 5920, Cessna 5930, Cessna 5940, Cessna 5950, Cessna 5960, Cessna 5970, Cessna 5980, Cessna 5990, Cessna 6000, Cessna 6010, Cessna 6020, Cessna 6030, Cessna 6040, Cessna 6050, Cessna 6060, Cessna 6070, Cessna 6080, Cessna 6090, Cessna 6100, Cessna 6110, Cessna 6120, Cessna 6130, Cessna 6140, Cessna 6150, Cessna 6160, Cessna 6170, Cessna 6180, Cessna 6190, Cessna 6200, Cessna 6210, Cessna 6220, Cessna 6230, Cessna 6240, Cessna 6250, Cessna 6260, Cessna 6270, Cessna 6280, Cessna 6290, Cessna 6300, Cessna 6310, Cessna 6320, Cessna 6330, Cessna 6340, Cessna 6350, Cessna 6360, Cessna 6370, Cessna 6380, Cessna 6390, Cessna 6400, Cessna 6410, Cessna 6420, Cessna 6430, Cessna 6440, Cessna 6450, Cessna 6460, Cessna 6470, Cessna 6480, Cessna 6490, Cessna 6500, Cessna 6510, Cessna 6520, Cessna 6530, Cessna 6540, Cessna 6550, Cessna 6560, Cessna 6570, Cessna 6580, Cessna 6590, Cessna 6600, Cessna 6610, Cessna 6620, Cessna 6630, Cessna 6640, Cessna 6650, Cessna 6660, Cessna 6670, Cessna 6680, Cessna 6690, Cessna 6700, Cessna 6710, Cessna 6720, Cessna 6730, Cessna 6740, Cessna 6750, Cessna 6760, Cessna 6770, Cessna 6780, Cessna 6790, Cessna 6800, Cessna 6810, Cessna 6820, Cessna 6830, Cessna 6840, Cessna 6850, Cessna 6860, Cessna 6870, Cessna 6880, Cessna 6890, Cessna 6900, Cessna 6910, Cessna 6920, Cessna 6930, Cessna 6940, Cessna 6950, Cessna 6960, Cessna 6970, Cessna 6980, Cessna 6990, Cessna 7000, Cessna 7010, Cessna 7020, Cessna 7030, Cessna 7040, Cessna 7050, Cessna 7060, Cessna 7070, Cessna 7080, Cessna 7090, Cessna 7100, Cessna 7110, Cessna 7120, Cessna 7130, Cessna 7140, Cessna 7150, Cessna 7160, Cessna 7170, Cessna 7180, Cessna 7190, Cessna 7200, Cessna 7210, Cessna 7220, Cessna 7230, Cessna 7240, Cessna 7250, Cessna 7260, Cessna 7270, Cessna 7280, Cessna 7290, Cessna 7300, Cessna 7310, Cessna 7320, Cessna 7330, Cessna 7340, Cessna 7350, Cessna 7360, Cessna 7370, Cessna 7380, Cessna 7390, Cessna 7400, Cessna 7410, Cessna 7420, Cessna 7430, Cessna 7440, Cessna 7450, Cessna 7460, Cessna 7470, Cessna 7480, Cessna 7490, Cessna 7500, Cessna 7510, Cessna 7520, Cessna 7530, Cessna 7540, Cessna 7550, Cessna 7560, Cessna 7570, Cessna 7580, Cessna 7590, Cessna 7600, Cessna 7610, Cessna 7620, Cessna 7630, Cessna 7640, Cessna 7650, Cessna 7660, Cessna 7670, Cessna 7680, Cessna 7690, Cessna 7700, Cessna 7710, Cessna 7720, Cessna 7730, Cessna 7740, Cessna 7750, Cessna 7760, Cessna 7770, Cessna 7780, Cessna 7790, Cessna 7800, Cessna 7810, Cessna 7820, Cessna 7830, Cessna 7840, Cessna 7850, Cessna 7860, Cessna 7870, Cessna 7880, Cessna 7890, Cessna 7900, Cessna 7910, Cessna 7920, Cessna 7930, Cessna 7940, Cessna 7950, Cessna 7960, Cessna 7970, Cessna 7980, Cessna 7990, Cessna 8000, Cessna 8010, Cessna 8020, Cessna 8030, Cessna 8040, Cessna 8050, Cessna 8060, Cessna 8070, Cessna 8080, Cessna 8090, Cessna 8100, Cessna 8110, Cessna 8120, Cessna 8130, Cessna 8140, Cessna 8150, Cessna 8160, Cessna 8170, Cessna 8180, Cessna 8190, Cessna 8200, Cessna 8210, Cessna 8220, Cessna 8230, Cessna 8240, Cessna 8250, Cessna 8260, Cessna 8270, Cessna 8280, Cessna 8290, Cessna 8300, Cessna 8310, Cessna 8320, Cessna 8330, Cessna 8340, Cessna 8350, Cessna 8360, Cessna 8370, Cessna 8380, Cessna 8390, Cessna 8400, Cessna 8410, Cessna 8420, Cessna 8430, Cessna 8440, Cessna 8450, Cessna 8460, Cessna 8470, Cessna 8480, Cessna 8490, Cessna 8500, Cessna 8510, Cessna 8520, Cessna 8530, Cessna 8540, Cessna 8550, Cessna 8560, Cessna 8570, Cessna 8580, Cessna 8590, Cessna 8600, Cessna 8610, Cessna 8620, Cessna 8630, Cessna 8640, Cessna 8650, Cessna 8660, Cessna 8670, Cessna 8680, Cessna 8690, Cessna 8700, Cessna 8710, Cessna 8720, Cessna 8730, Cessna 8740, Cessna 8750, Cessna 8760, Cessna 8770, Cessna 8780, Cessna 8790, Cessna 8800, Cessna 8810, Cessna 8820, Cessna 8830, Cessna 8840, Cessna 8850, Cessna 8860, Cessna 8870, Cessna 8880, Cessna 8890, Cessna 8900, Cessna 8910, Cessna 8920, Cessna 8930, Cessna 8940, Cessna 8950, Cessna 8960, Cessna 8970, Cessna 8980, Cessna 8990, Cessna 9000, Cessna 9010, Cessna 9020, Cessna 9030, Cessna 9040, Cessna 9050, Cessna 9060, Cessna 9070, Cessna 9080, Cessna 9090, Cessna 9100, Cessna 9110, Cessna 9120, Cessna 9130, Cessna 9140, Cessna 9150, Cessna 9160, Cessna 9170, Cessna 9180, Cessna 9190, Cessna 9200, Cessna 9210, Cessna 9220, Cessna 9230, Cessna 9240, Cessna 9250, Cessna 9260, Cessna 9270, Cessna 9280, Cessna 9290, Cessna 9300, Cessna 9310, Cessna 9320, Cessna 9330, Cessna 9340, Cessna 9350, Cessna 9360, Cessna 9370, Cessna 9380, Cessna 9390, Cessna 9400, Cessna 9410, Cessna 9420, Cessna 9430, Cessna 9440, Cessna 9450, Cessna 9460, Cessna 9470, Cessna 9480, Cessna 9490, Cessna 9500, Cessna 9510, Cessna 9520, Cessna 9530, Cessna 9540, Cessna 9550, Cessna 9560, Cessna 9570, Cessna 9580, Cessna 9590, Cessna 9600, Cessna 9610, Cessna 9620, Cessna 9630, Cessna 9640, Cessna 9650, Cessna 9660, Cessna 9670, Cessna 9680, Cessna 9690, Cessna 9700, Cessna 9710, Cessna 9720, Cessna 9730, Cessna 9740, Cessna 9750, Cessna 9760, Cessna 9770, Cessna 9780, Cessna 9790, Cessna 9800, Cessna 9810, Cessna 9820, Cessna 9830, Cessna 9840, Cessna 9850, Cessna 9860, Cessna 9870, Cessna 9880, Cessna 9890, Cessna 9900, Cessna 9910, Cessna 9920, Cessna 9930, Cessna 9940, Cessna 9950, Cessna 9960, Cessna 9970, Cessna 9980, Cessna 9990, Cessna 10000, Cessna 10010, Cessna 10020, Cessna 10030, Cessna 10040, Cessna 10050, Cessna 10060, Cessna 10070, Cessna 10080, Cessna 10090, Cessna 10100, Cessna 10110, Cessna 10120, Cessna 10130, Cessna 10140, Cessna 10150, Cessna 10160, Cessna 10170, Cessna 10180, Cessna 10190, Cessna 10200, Cessna 10210, Cessna 10220, Cessna 10230, Cessna 10240, Cessna 10250, Cessna 10260, Cessna 10270, Cessna 10280, Cessna 10290, Cessna 10300, Cessna 10310, Cessna 10320, Cessna 10330, C










Enjoy  
**OUTDOOR FUN**  
the Year 'Round!



**RIDE A**  
**HARLEY-DAVIDSON 125**  
with *Tele-Glide Fork*

GET out and go places! Here's the way to good times . . . after hours, week-ends, during vacations, *any time*. And here's quick, handy transportation at remarkably low cost—for riding to work, school, sports events, outings . . . the most fascinating, enjoyable way to get around you ever tried. Easy and safe to operate, with 2-wheel brakes, 3-speed transmission, dependable motor, brilliant auto-type lighting. Comfortable even on roughest pavements, with road-cushioning Tele-Glide Fork, "easy chair" saddle and big tires. Small down payment, convenient terms. See your dealer for a **FREE RIDE** today. Mail the coupon now.



**HARLEY-DAVIDSON MOTOR CO.**  
Dept. AT, Milwaukee 1, Wisconsin  
Send colorful folder and full information about the low-cost economical-to-operate Harley-Davidson 125.

Name

Address

City  State

**OPPORTUNITY:** Valuable franchises available for the full line of famous Big Twins and the 125 model. Write today.

# The Woman's Angle



**The gals are destined to play an important part in the accelerated air mobilization program, says NH**

■ In times of national emergency the big, immediate problem that stares the nation in the face is manpower. In World War I, and even more so in World War II, the great industrial analysts came up with a heretofore-undiscovered source and solution to this problem—womanpower.

It was good figuring, but it was no accident. The smart boys reviewed the jobs held by women in the first war, and the kind of jobs some have held since. They came to the conclusion that women could be used in any department or job as long as the jobs were not beyond their physical strength (570/1000 of that of man), and resistance (679/1000 of that of man), and did not require lengthy training—which an "emergency" never permits, anyway. They found, also, that women were good at instrument-building, at small, light, intricate items. They were good at "worrying the metal" (the trade term for machinery parts), using gauges, micrometers, and vernier calipers.

So—they got the gals close to the flight line. The aircraft industry had eight subdivisions: airframes, gliders, special purpose aircraft, engines, propellers, sub-contractors, parts suppliers, and modification centers. The airframe plants, as you know, assembled fuselages, wings and tail fabrication on their own and subcontractors' premises. They also installed engines, propellers, instruments and accessories necessary to complete the airplane for delivery.

Well, they got Miss and Mrs. America into the defense plants and war-implementation industries. "Rosie the Riveter" became the symbol which represented the thousands of average American civilian women who worked in these industries for as long and as hard as they were needed.

By the time the year 1943 rolled in, 500,000 gals were "in" the production of airframes, engines and props—40 percent of the entire labor force in airframe plants and approximately 30 percent in engine and prop-plants were women. Since they were unskilled in metal-fabricating at first, the assembly-line technique speeded things up. They were soon able to deliver high-speed production combined with exact machining and close tolerances required by automatic, constant speed, controllable-pitch props. To the great surprise of the industry, the gals made the curves on the production graphs rise, made a new niche in the job-extension programs, made the industry give additional advanced training.

The gals were working on everything from BT-13's (Vultee Vibrator) to Lightnings, Mustangs, B-17's and B-24's. There were even three major plants that had more women than men on the payroll!

Here's a breakdown of the jobs that were filled by gals by the end of 1943:

1. Machine Operating: a. Drilling, reaming, countersinking on single and multiple drills, and pneumatic drills. b. Small milling machines. c. Small turret lathes. d. Small and medium-sized punch presses. e. Small angle-bending machines and brakes. f. Light grinders. g. Riveting and dimpling machines. h. Spot welding.
2. Bench Work: a. Burring and filing of all kinds. b. Soldering. c. Hand-forming over templates and blocks. d. Tube-cutting, bending and assembly. e. Electrical assemblies. f. Wiring and bending. g. Sub-assemblies in jigs and at benches.
3. Hand and machine sewing of covers and fabric accessories.
4. Stretching of covers on plane surfaces.
5. Doping.
6. Painting—spraying of small parts, stenciling, applying decals, masking, etc.
7. Racking in paint, heat treating, anodizing and plating.
8. Detail inspection of parts and sub-assemblies.
9. Departmental factory clerks and assistants in planning, parts control, blueprint dispatching and drafting.
10. Tool-room attendants.

In the aircraft instrument manufacturing outfits:

1. Assembly benchwork: a. Mechanical sub-assembly. b. Special assemblies—diaphragms, gyro motors, autosyn-electric motors. c. Closing of instruments.
2. Testing and Inspecting (which they could do if trained or "upgraded" from instrument assembly operations): a. Parts inspection. b. Calibrating. c. Electrical tests. d. Cold, vibration, and run tests. e. Final instrument inspection.

If "Rosie" wished to go on and acquire higher skills, she was permitted to participate in plant-training programs—such as on-the-job (Continued on page 55)

**About the Author** (shown above), Nonie Horton, hardly ever called Leonora, who has been flying for 10 years . . . has racked up 3,500 hours in all manner of planes . . . from Piper Cubs to wartime B-26's . . . holds commercial, instrument, instructor, single & multi-engine, land & sea ratings . . . in last war volunteered for service with WASP's . . . currently holds rating of 1st Lt. in USAF Reserve . . . started flying as a hobby . . . excellent aerial photographer . . . has done extensive test piloting.



# AIRCRAFT ENGINEERS WANTED

*Thousands are Needed NOW!★*

## ENGINEERING OPPORTUNITIES

in the  
research—development—design

### AIRPLANES—GUIDED MISSILES—HELICOPTERS

Openings in the East for

DESIGN ENGINEERS  
ELECTRONIC ENGINEERS  
ELECTRO-MECHANICAL  
DESIGNERS  
ELECTRICAL DESIGNERS  
AND DRAFTSMEN  
ELECTRICAL DESIGN  
COORDINATORS  
ELECTRICAL EQUIPMENT  
TEST ENGINEERS  
ELECTRICAL SYSTEMS  
TEST ENGINEERS  
PRELIMINARY DESIGNERS

Address: Manager Engineering Personnel  
**AIRCRAFT CORPORATION**

Openings in the West for

ELECTRONIC ENGINEERS  
ELECTRO-MECHANICAL ENGINEERS  
ROCKET TEST ENGINEERS

Address: Tulsa

## ENGINEERS

Career Positions for Qualified Men  
in  
Baltimore, Maryland

AERODYNAMICS STRUCTURES  
U.S. or M.S. degree and at least one year experience.

HEATING AND VENTILATING ENGINEERS  
Engineering degree—minimum of 4 years experience in aircraft  
conditioning, pressurization and refrigeration. Knowledge  
of thermodynamics and heat transfer.

POWER PLANT ENGINEERS—JET  
Minimum 3 years experience in turbo-jet aircraft installation  
emphasis on cooling and induction systems. Background in the  
gas dynamics and heat transfer.

POWER PLANT ENGINEERS—LIQUID ROCK  
3 years or more experience in liquid rocket motor initial  
emphasis in gas flow and pressurization systems.  
No Heating Problems

Submit complete resume to:

TIME

### RESEARCH ENGINEERS

with experience in application of mathematical and physical theory to the solution of some mechanical systems as applied to aircraft

### ENGINEERS

interested in FLUTTER ANALYSIS, calculating dynamic stress requirements and determining gust loads and control data relative to flutter characteristics.

Send resume of training to Engineering Personnel  
**AIRCRAFT, INC.**

### Engineers wanted for MILITARY PROJECTS

at North American Institute Inc.  
Los Angeles

### AERODYNAMICISTS

Design and Analysis

### STRESS ANALYSTS

Electrical, Electro-Mechanical, Structural, Hydraulic, etc.

and specialists in all phases of aircraft engineering. Please include summary of experience in reply.

### AIRCRAFT ENGINEERS

SENIOR AERODYNAMICISTS  
POWER PLANT INSTALLATION ENGINEERS  
ROTOR STRESS ANALYSTS  
ROTOR BLADE DESIGNERS  
AIRCRAFT CONTROLS DESIGNERS

This is a long range expansion on military helicopters by a company whose safety wing aircraft have a proven record of successful commercial applications. Excellent suburban working and living conditions. Top rated educational, cultural and recreational facilities. Send complete resume of experience and education.

## ENGINEERS

Continued: Aircraft Corporation, one of the oldest aircraft development organizations in the field, now offers unusual opportunities to engineers qualified through educational background and experience in all phases of aircraft design and development.

A foremost producer of military aircraft during World War II, Aircraft is continuing its long-range program for the development, design, and manufacture of a highly diversified line of products. In addition to currently manufacturing airplanes and turboprops, the company also designs and builds a number of vital components including wheels and brakes, plastic aircraft components, guided missiles, radar and other devices for the defense program.

The diversification of products of Aircraft Corporation has resulted in an unusually stable and progressive organization throughout postwar years.

You are invited to investigate these opportunities by submitting a resume of your qualifications and experience which will be given prompt and serious consideration.

## NEEDING IMMEDIATELY FOR THE PRODUCTION OF THE J-100 COMMANDER

DESIGN ENGINEERS  
STRESS ENGINEERS

AERODYNAMICISTS  
DRAFTSMEN

Offering unusual opportunities for advancement and growth with a new, progressive and competent company. Live in clear, sunny Oklahoma City, no difficult housing problem. Write, wire or phone your qualifications to:

Charles E. Co.  
Oklahoma

## DESIGN & ENGINEERING

## ENGINEER

ELECTRONIC DEVELOPMENT  
AIRCRAFT INSTRUMENTATION  
STRUCTURAL TEST ENGINEER

## CHIEF ENGINEER

To assume d

## YOUR CAREER IN AVIATION

**SPARTAN**

★All the above "HELP WANTED" Advertisements appeared in one issue of a national aviation magazine.

## SPARTAN A UNIVERSITY OF AVIATION

SCHOOL OF AERONAUTICS  
MANAGED BY BALFOUR DIRECTOR  
COLLEGE OF ENGINEERING  
ADDRESS: DEPT. AT-31  
TULSA, OKLAHOMA

Maxwell W. Balfour, Director  
Spartan School of Aeronautics Dept. AT-31  
Tulsa, Oklahoma

Please send your free Catalog immediately

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Indicate which of these branches interests you

- |                                      |  |  |
|--------------------------------------|--|--|
| <input type="checkbox"/> Flight      | <input type="checkbox"/> Instruments                     | <input type="checkbox"/> Flight Engineer |
| <input type="checkbox"/> Mechanics   | <input type="checkbox"/> Aeronautical Engineering        |  |
| <input type="checkbox"/> Radio       | <input type="checkbox"/> Airline Maintenance Engineering |  |
| <input type="checkbox"/> Meteorology | <input type="checkbox"/> Management and Operations       |  |

Spartan is approved for training under the G. I. Bill of Rights



# Aero Gloss

## "FIRST" FINISH

### IN 1950 NATIONALS!

Eight Aero-Gloss-finished entries take top honors in Dallas Nationals! Dale Kira's Aero-Gloss-finished 1949 Senior Flying Scale Winner wins again for 1950!

*Only Aero-Gloss Offers All Eight!*

Dale Kira  
S. Calhoun Smith  
Bryant Thompson  
Bob Palmer  
Jim Schenck

Norval Hale  
Lew Andrews  
Howard Thoms  
(Also winner in  
N. Y. Mirror Meet)

You may pay as much as ten cents more for AERO GLOSS Aircraft Finish—but Aero Gloss has more to offer every modeler:

- **REALLY NOT FUEL-PROOFING . . .**  
Aero Gloss holds up under any fuel!
- **LIGHT WEIGHT, ONE-COAT COVER-AGE . . .** reduces drag, increases lift!
- **NO BALSA GRAIN . . .** looks like cast plastic.
- **MONOCOQUE FLEXIBILITY . . .** increases structural stamina!
- **"SUPERSONIC SURFACE" . . .** adds beautiful, high-speed gloss!

#### SPECIAL OFFER to Air Trails Readers

For a regular 60¢ size container, send just 50¢ to address below. (Only one to a customer). For the price of ordinary finish, you may test Aero Gloss, prove the truth of its claims!

Your choice of Silvaline Aluminum, Cub Yellow or Orange, Stearman or Fokker Red, Waco Maroon, Taylorcraft Cream, Cessna or Stinson Green, Cessna or Lambert Grey, Curtiss or Corsair Blue, Jet Black, Swift White. . . Free folder

**See Your Dealer for a Full Supply...**



You'll find that Aero Gloss is preferred and recommended by model builders, who know from experience, because the majority are modelers, too. Ask your Dealer for his advice, or the finest finish obtainable and he'll tell you!

**Aero Gloss**  
The Finish That Mirrors Perfection  
Victor Aeroresearch Division  
**PACTRA CHEMICAL COMPANY**  
Makers of the Most Complete Line of  
Handicraft and Model Finishes  
524 So. Spring Street, Los Angeles 13, Calif.

# LIGHT SAIL PLANE PARADE

With the country preparing itself for full military strength, speculation is rife as to the place soaring will hold in the scheme of things. During World War II thousands of military glider pilots were trained and thousands of troop-carrying gliders built and put to use for transportation of troops, artillery, prime movers, field engineers and wounded. Gliders participated in such major undertakings as the invasion of Sicily, Operation Ladbroke, invasion of Normandy, action at Arnheim and the Rhine in Europe, and the famous Operation Broadway out on the Pacific front; not counting a number of smaller sorties.

They did their job and did it well, but at best their history is not a very happy one. Outside of the Rhine action, losses were pretty high. Thus of 133 gliders in Operation Ladbroke, 47 landed in the sea; during Operation Broadway, only 32 landed at destination, though 67 were dispatched. Arnheim was almost a major catastrophe, and we had to withdraw. The entire procedure of launching a large quantity of gliders is somewhat complicated and fairly lengthy, exposed to enemy attack.

It is interesting to note that the Germans, who were first to use gliders militarily, abandoned big-scale use of them after the invasion of Crete, switching to large-capacity slow-flying airplanes capable of landing and taking off from small and rough fields. Their standby was the famous three-engined Junkers Ju 52/3m, and later they introduced the giant Messerschmitt Me 323 six-engine 181-foot-wingspan transport capable of carrying 130 fully armed troops. This ship was actually a motorized version of the Me 321 glider.

After the war our own military strategists, looking back on the experience with gliders, came to the conclusion that powered air transports with landing and take-off characteristics comparable to those of a motorless craft are much more flexible carriers, having a much greater spread in speeds. Starting first with motorized gliders, known as PGs or PIGs, adaptations of the Waco CG-14s and 15 and the Chase CG-18A, the design gradually emerged into a specialized craft known as Assault Transports, examples of which are the Chase C-122, C-123 and the Northrop C-125. These are the type of craft which will take the place of the troop carrier gliders in the future wars.

Germany, though having abandoned gliders as transports, did not throw them out of the military window completely. At the end of the war they had

definite plans for and experimented with the use of specialized short-span sailplanes for primary training of future jet and rocket plane pilots.

It might be pointed out that the Germans did not consider this program from the standpoint of economy alone, but were planning to incorporate the soaring experience itself. Though the reason may appear obscure to some, the idea had soundness when one considers the fact that a rocket plane expends its fuel in around 8 minutes, becoming from then on, a glider with a heavy wing loading. The Germans knew, long before us, that rising air currents exist in the stratospheric heights where the rocket plane operates, this lift being the result of atmospheric waves formed under certain meteorological conditions. Though most frequently encountered in mountainous regions, it has been observed over flat ground as well. The upward surge of such waves is sufficiently powerful to support easily a heavy aircraft. Taking advantage of this condition, a rocket plane pilot can maintain his altitude and even climb without the use of power, thus considerably extending duration of his flight. It would not be surprising that the Germans had this in mind when adding soaring to their proposed training.

Here in the United States, the role that sailplanes can play in certain military operations has not been entirely disregarded, either. Altitude records of over 30,000 feet established in the last two years at Bishop, Calif on the crest of atmospheric waves decided the military establishment, and the university of California, to underwrite an upper-atmosphere research program known as the Sierra Wave Project, using sailplanes. It will be run by the Southern California Soaring Association.

Thus, gliders may have no role at all in front-line warfare, but instead become meteorological research labs for hi-flying jet fighters and guided missiles whose path leads them through the extreme turbulence occasionally found in the stratosphere and which, properly understood, can be made a useful ally. Soaring pilots have proved this.

**Become a Solo Climber.** Membership in the Solo Club is available to anybody who has handled a flying machine all by himself at least once. You do not have to have a license, just proof that you have soloed an airplane, glider, dirigible, or free balloon. Just send us authentic proof that you have done so and fill out the coupon below. (Cont. on p. 72)



HERE'S  
HOW  
TO JOIN  
SOLO  
CLUB

To obtain sterling silver Solo Club wings and life membership card, send coupon, with 75¢, to Solo Club Membership Committee, Air Trails, 304 E. 45th St., New York 17, N. Y.

#### Proof of qualifications as a Solo Club Member:

1. C.A.A. Airman Certificate, number and rating . . . . .
2. F.A.I. license and number . . . . .
3. Evidence of: Service in Army, Navy air forces, either as a rated pilot or having received flight training including solo time (attach).

Applicant . . . . . Age . . . . .  
Street . . . . . City or Town . . . . . State . . . . .



# you can fill a critical need in America's Aviation industry

*prepare now for a good paying, secure position  
and a bright future as a qualified A & E Mechanic*



AIRCRAFT MECHANICS



ENGINE MECHANICS



ENGINEERING DRAFTING (AIRCRAFT)



JET ENGINE OVERHAUL

**NOW**...more than ever before the demand for qualified Aircraft and Engine Mechanics far exceeds the supply. And this great demand will continue to increase. This is *your chance* to join a vital part of America's growth and strength. Here you will find security in a rapidly expanding aircraft industry. You will also enjoy a good paying position and a bright future for advancement. Act today. Start your training at famous California Flyers School of Aeronautics. In a few short months you will be prepared to qualify as a CAA approved Aircraft & Engine Mechanic. For over twenty years California Flyers has prepared and placed thousands of graduates in good paying positions in the aviation industry. You can be one of them if you start your training today. Send for free information now.

## CALIFORNIA FLYERS

**SCHOOL OF AERONAUTICS**  
ADJACENT LOS ANGELES AIRPORT • INGLEWOOD, CALIFORNIA

**CALIFORNIA FLYERS**  
School of Aeronautics, Dept. AT-3  
1720 W. Florence Ave., Inglewood 1, Calif.

Please send me illustrated brochure containing full information about courses, tuition, etc. and application blank. I understand this will not obligate me in any way.

I AM INTERESTED IN THE FOLLOWING:

Master Aircraft and Engine Mechanic <input type="checkbox"/>	Aircraft Mechanic <input type="checkbox"/>
Engine Mechanic <input type="checkbox"/>	Jet Engine Maintenance & Overhaul <input type="checkbox"/>
Engineering Drafting <input type="checkbox"/>	I am Veteran <input type="checkbox"/> non-Veteran <input type="checkbox"/>

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_



THERE IS NO FLYING INVOLVED in AVIATION MECHANICS  
COURSES at CALIFORNIA FLYERS SCHOOL of AERONAUTICS




# Airmen of Vision

## DESIGN COMPETITION


George W. Dunbar of Nashville, Tenn., is in front this month with original canard personal plane design. It is spin and stall resistant as the forward surfaces will stall ahead of wing. Lateral and yaw control are by means of ailerons and rudders at wingtips. Entire forward surfaces are movable, serving as elevators. Plane is all metal, carries two, has large baggage allowance. Span 30 ft., top speed 190 mph.



Second honors go to Philip de Carolis of Astoria, N. Y., for his design of interesting turbo-prop transport. Built-in, hydraulically operated steps. Crew compartment raised for better visibility and comfort. Span 112 ft. Cruising speed 405 mph.



The Jolly Roger, a very intriguing interceptor by Walt Holmes of Dubuque, Iowa. Carries a rocket shell in opening of the nose which also serves as air intake for jet engine after the rocket is fired. Prior to that, propulsion is furnished by a rocket engine. Inboard control surfaces on trailing edge of wing are elevators; outboard, ailerons. Span 24' 7 1/2", top speed 850 mph.



Air Trails has opened its columns to those who are interested in presenting plans for "aircraft of the future." Rules governing the competition are as follows: Three-view sketches of the proposed aircraft will be required. These should be not less than 8 1/2 x 11 inches for the entire three-views. Give sketches of the complete airplane in three-quarter front and rear positions. Photos of a model of proposed design may be included. Information on power plant(s), estimated performance, dimensions, and explanations of any unusual features are required. Data as to age, occupation or schooling of the entrant will be welcomed by the editors and

judges. The designs may be of any type: commercial aircraft, military planes (fighters, bombers, troop transports), planes for the private flyer and single engine sporting or racing craft. The entry each month judged the most practical or of the greatest significance will receive an award of \$25. Payments of \$5 will go to the runners-up. Entries will not be returned and for that reason those participating should keep copies of all material submitted. Mail entries to Airmen of Vision, c/o Air Trails, 304 E. 45th St., New York 17, N. Y. Editors regret that because of large number of entries they cannot enter into correspondence on A. of V.




# FASCINATING WORK IN AERONAUTICAL ENGINEERING

No one today can doubt the importance of Aviation to our country's future. It is a vast, expanding, and essential industry that holds untold promise for properly trained men.

Behind the scenes of the huge new transports, the sleek supersonic fighters, and all the other jet, turbojet, propjet, ramjet aircraft and missile developments, you will find the trained *Aviation Experts*—holding well-paid, interesting, and secure positions. *Do you want to be one of them?* Do you want to join that select group of career-minded men in the profession where the sky is truly the limit—in both achievement and reward?

Whatever your future, whether civilian or military, promotion can come faster with Northrop training. You can influence your own future by acting today!

## CAREER OPPORTUNITIES and MILITARY PREFERENCES



Many young men are *not aware* of their privileges and advantages as students or graduates of Northrop, which is listed as an "Accredited Higher Institution" by the U. S. Office of Education and is so recognized by the U. S. Navy and U. S. Air Force. For example, Northrop engineering graduates are qualified educationally to become Naval Aviation Cadets, Air Force Cadets, or candidates in the Air Force Officer Candidate School. Send for complete, *up-to-the-minute* information today.

## NORTHROP TRAINING HAS WON CHOICE JOBS FOR GRADUATES

Equipping you—in knowledge, skill, and initiative—to make the most of the magnificent opportunities in Aeronautical Engineering, is the objective of Northrop training. Here at Northrop—the birthplace of some of the most important achievements in *Aviation*—you gain the priceless advantages of practical training in an actual industry environment. The record of Northrop graduates—in winning choice starting jobs and early advancement to important assignments—*proves* the opportunity for YOU.

## GET YOUR COPY OF THIS CATALOG

Here is detailed information on opportunities in *Aviation*... and a complete description of Northrop's 2-year Aeronautical Engineering course. This big, beautifully printed booklet contains many interesting photographs of Northrop planes and plant scenes. Send coupon for your free copy.



# Northrop Aeronautical Institute

1533 EAST BROADWAY, HAWTHORNE, LOS ANGELES COUNTY, CALIFORNIA  
Division of Northrop Aircraft, Inc.  
James L. McKinley, Managing Director

*highest approvals*  
Veterans Administration—Engineers' Council for Professional Development—Civil Aeronautics Administration—National Council of Technical Schools—California State Board of Education—U. S. Dept. of Justice, Immigration and Naturalization Service



**BIG JOB** for engineers was inspection of completed 57-foot-high tail fin on Air Force's XC-99 Consolidated Vultee transport, world's largest land plane—an example of the interesting and varied duties performed by aeronautical engineers.



As a practical training project, Northrop engineering students developed this lightweight turbojet aircraft engine by adapting a fighter plane turbo-supercharger, the students themselves designing and building the combustion chamber, ducts, tail pipes, and electric controls.



Northrop student engineers consult on dual control arrangement for student-designed and built private plane. Complete metal mock-up shown here was fabricated and assembled by students as part of practical training project.

## SEND THIS COUPON

**NORTHROP AERONAUTICAL INSTITUTE**  
1533 E. Broadway, Hawthorne, Los Angeles County, Calif.  
Please send information on opportunities in Aeronautical Engineering, your catalog, and starting dates of classes. I am interested in:

☐ Aeronautical Engineering • Aircraft & Engine Mechanics ☐

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

Check one: ☐ Veteran ☐ Non-Veteran



## The Finishing Touch!

# SCAMPER SPINNER

- Absolutely wobbleproof
- Flywheel action maintained
- Fits all standard props
- 4 sizes: 1 1/2", 1 3/4", 2", 2 1/4" diam.
- Colors: Red, Black, Yellow, Silver



EACH ONLY **45c**

## The Sensational 5 1/2-3 SCAMPER PROP

for Small Bore Engines

- Aerodynamically engineered
- Static balance tested
- High tensile strength
- Low impact resistance
- Crankshaft insurance
- Guaranteed all-around finer performance

Once you try it you'll see why its popularity has been unprecedented.

EACH ONLY **25c**

Size 9-6 ..... 40c  
1/4" Brass Sleeve, 5c extra  
Size 10-10 ..... 65c  
5 1/2-3 Size 11-8 ..... 65c

If your dealer can't supply you, order direct, enclosing 15c for packing and postage.

DEALERS! JOBBERS! Write!

**H. & P. PLASTIC PRODUCTS CO.**  
GRAFTON, OHIO, U. S. A.

## air notes

**Air Bearings.** Friction, an old enemy of all things mechanical, has been licked in certain components of guided missiles produced by North American Aviation, Inc. Heretofore, ball, needle and other type bearings took partial care of the bugaboo. Now comes the N.A.A. invention, "air bearings" lubricated by a film of air 1/1000th of an inch thick which eliminates all starting friction. How does it work? Air is forced into the bearing race through tiny capillaries drilled to 1/3,000th of an inch in diameter. A shaft mounted on air bearings will turn at the touch of a feather and will continue turning long after a similar shaft, mounted on conventional bearings, has stopped due to friction.

**Lonesome Polecat.** That's the name of the Boeing B-29 of the 375th Strategic Reconnaissance Squadron located near Fairbanks, Alaska, which recently, with its crew, has completed its 375th flight over the North Pole. These round trips, covering 4,000 miles, have been flown every day for the past three years by the squadron. They serve primarily to observe weather and record atmospheric conditions between the base and the North Pole.

**Shake 'Em Up.** Jet planes fly so smoothly that such gear-operated instruments as the altimeter, the airspeed indicator and rate of climb indicator and others act erratically and lag because there is not sufficient vibration to overcome gear friction. To correct this "error" and make the gauges perform properly, Safe Flight Instrument Corp. of White Plains, N. Y., has devised a vibrator to be installed on the jet plane instrument panel to put the shake into it. This condition was well known by glider pilots, who used to mount devices like electric door buzzers on the instrument boards of their sailplanes.

**Last of the A's.** North American Aviation, Inc., has completed deliveries of the F-86A Sabre jet fighters to the U.S. Air Force and is starting production on the latest version, the F-86E. The new model, though basically the same as the "A," features an "all flying tail" wherein the stabilizer is linked to the elevators for coordinated movements. Thus the entire horizontal tail surfaces are movable. This eliminates the loss of effectiveness of the surface due to heavy air loads at extreme high speeds.

**Westland-Sikorsky.** The Westland Aircraft Ltd., Yeovil, England, has acquired rights to manufacture the 10-place Sikorsky S-55 helicopter. Inasmuch as the S-55 requires an engine of higher power than those installed in British helicopters, and a suitable engine is not available at present from British sources, Westland intends to continue using the 600 hp Pratt & Whitney which powers the S-55 until a British powerplant of same power becomes available. The Westland concern is in production, at the present time, on the smaller S-51 four-place helicopter, built under Sikorsky license.

**Bags From Behind the Iron Curtain.** Communist Russia has been making all kinds of preposterous claims as being the first in this and that. According to the Kremlin a gent by the name of Yablochkin invented the dynamo and the electric bulb long before Edison thought of it. Another character named Mozhauskay flew an airplane at least ten years before the Wright brothers. And now Iron Curtain aviation magazines are proudly displaying early Soviet aircraft hailing the brilliance of their designers. It doesn't require an eagle eye to recognize some of the craft as the DeHavilland DH-4, DH-6 and Bristol fighter. Later claims state that Russia was the first with flying wing planes. And what do you suppose the craft shown was? No less than the erstwhile Northrop XP-79. Great to-do is made over the first giant bomber, the Sikorsky Ilya Mourometz.

In order to fool the citizens into believing the accomplishments of the Communist regime, the Kremlin is bragging about the achievement of the men whom they would have gleefully hanged and shot back in 1917 because they were loyal citizens of the Imperial regime, not to mention gross plagiarism of designs which never had a start in the land of Russia.

**New Model.** Consolidated Vultee Aircraft Corp. has started production of a new model of the famous Convair-Liner. Designated the 240-A, the plane has an increased gross weight from 41,790 lbs. to 43,575 lbs. It will also be powered by two new Pratt & Whitney CB series engines rated at 2,400 hp each. The basic structure will be designed to accommodate turbo-prop engines when they have been service tested and available for airline use.

**Comfort for B-36 Crews.** Extra-long missions running into 30 and 40 hours, now possible with B-36 bombers, have made crew fatigue problems more acute than ever before. Realizing this, Consolidated Vultee Aircraft Co. and the Air Force have been working for some time on a project to relieve crew fatigue. The giant bombers will soon be equipped with such items as a good-size galley complete with electrical burners, ice box and storage space, lightweight retractable tables and folding chairs, to eliminate eating on catch-as-catch-can basis; extra bunks in forward compartment, instead of nylon hammocks, with mattress, pillow and blankets and two new lavatories equipped with hot water, wash basin and shaving mirror.

**More DC-6Bs.** A contract for the purchase of seven latest type 365 mph Douglas DC-6B airliners has been recently signed by the Dutch air transport company, KLM. The planes are expected to be in the airline's service early in 1952.

**European Thunderjets.** The Republic F-84E may be built overseas by Italian and French aircraft plants under license as part of Mutual Defense Aid Plan.



# Better TRAINING means Better PAY

Better trained men are better paid men and in the growing aviation industry unlimited opportunities are awaiting thoroughly qualified Aircraft and Engine Mechanics.

**DALLAS AVIATION SCHOOL** . . for twenty-five years one of the nation's leading institutions of technical aeronautics . . offers complete courses of instruction in Aircraft Mechanics, Engine Mechanics and related fields that can fit you for a good-paying position with a real future.

At DAS . . under the expert guidance of licensed CAA mechanic-instructors . . you'll be trained in every phase of aircraft maintenance and repair . . from the simplest adjustment of an instrument to the exacting details of a complete engine overhaul. DAS graduates are better paid because they are better trained.

If you're interested in a career in aviation, investigate **NOW** the valuable training offered by **DALLAS AVIATION SCHOOL**. Simply complete the form below . . mail . . and full information, including the new 1951 school catalog, will be sent to you.



**Send TODAY for D.A.S.' New 1951 CATALOG . . .**



Registrar, Dallas Aviation School  
Love Field, Dallas, Texas

PLEASE SEND ME YOUR NEW 1951 CATALOG AND COMPLETE INFORMATION ABOUT ENROLLMENT

NAME.....AGE.....

ADDRESS.....☐ VETERAN ☐ NON-VETERAN

CITY.....STATE.....

(PLEASE PRINT ALL INFORMATION)



## DALLAS AVIATION SCHOOL

AN AFFILIATE OF AVIATION ACTIVITIES COMPANY

LOVE FIELD • DALLAS, TEXAS

1926 ★ TWENTY-FIFTH ANNIVERSARY YEAR ★ 1951



**A NEW KING IS BORN...**



# Royal "Spitfire"



**ROYAL  
"SPITFIRE"  
\$795**  
.065 DISP.

•  
ENGINE  
MOTOR MOUNT  
WRENCH  
PROP  
FUEL TANK  
MOUNT BOLTS  
COMB. CLIP  
•

## PERFECTION

Will out perform any class  $\frac{1}{2}$ A Engine. The ultimate in engineering skills, tried and proven materials, plus the highest standard of workmanship have produced the truly remarkable ROYAL "SPITFIRE"

**Available at Dealers Everywhere**

**MEL ANDERSON**  
*Manufacturing Co.*  
1410 W. 8th Ave., Los Angeles 18, Calif.



"SPITFIRE" UNVEILS ITS LATEST ADDITIONS!




# TORNADO

MINIATURE INDIANAPOLIS RACER

ASSEMBLED and READY to RUN

Speed Ratio 15 to 75 MPH



## "SPITFIRE" TORNADO

ALL THIS FOR ONLY \$9.95

- "SPITFIRE" TORNADO RACER  
Made of durable fuel-proof hi-gloss colored plastic.
- BABY "SPITFIRE" .045 ENGINE & TANK  
The proven dependable engine.
- "SPITZY" NITROMIC GLOW FUEL  
One full pint of power.
- CONTROL CABLE CENTER POST
- REDUCTION GEAR UNIT  
Safe, enjoyable speed (Approx. 15 MPH).
- FLYWHEEL & STARTING CORD  
Attaches directly to engine for easy starting.
- "SPITFIRE" GLOW PLUG & CLIP  
With battery plug-ins.
- BRIDLE & CONTROL CABLE

\*High speed gears available at your dealer \$1.95




## NITROMIC GLOW FUEL

JUST THE RIGHT FUEL FOR  
GLOW PLUG ENGINES

- POWER PLUS  
Chemically compounded by master chemists for PEAK PERFORMANCE.
- ANTI-FRICTION ADDITIVE  
For less engine wear and smooth operation.
- EASIER STARTING  
Glow's hotter—Runs cooler.
- GUARANTEED "SPITFIRE" QUALITY  
Cleans as it runs—Will not gum up engine.

A Pint of Power **85c**



**MEL ANDERSON**  
Manufacturing Co.  
1831 E. 10TH AVE., LOS ANGELES 10, CALIF.



# AVIATION TRAINING



## ESSENTIAL in peace or war

### A MESSAGE TO YOUNG MEN . . . AND PARENTS

We have an urgent demand for Embry-Riddle graduates. Aircraft manufacturers, airlines and operators need thousands of properly trained young men for essential positions in civilian aviation.

### SAVE TIME

Now, more than ever before, you need maximum school training in minimum time. Embry-Riddle offers complete 8-month to two-year aeronautical engineering, master mechanic, flying and specialist courses, backed by a quarter-century of experience in training today's aviation leaders.

### BE PREPARED

No one can safely predict the course of events today. Be assured, however, that no matter what happens, you will be one step ahead of the crowd with up-to-date, intensive Embry-Riddle aviation training. Write, wire or call today for catalog and full information.

WHEREVER PLANES FLY, MEN KNOW EMBRY-RIDDLE...A FAMOUS NAME IN AVIATION

Dean of Enrollments - Dept. 97  
Embry-Riddle School of Aviation  
Miami 30, Florida

Please Print

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Age \_\_\_\_\_

I am interested in...

- ☐ A.&E. Mechanic
- ☐ Commercial Pilot
- ☐ Engineering
- ☐ A.&E. Combined with Commercial Pilot
- ☐ Flying Mechanic
- ☐ Drafting & Design

Check One ☐ Veteran ☐ Non-Veteran



**Embry Riddle**  
*International*  
**SCHOOL OF AVIATION**  
RIDDLE-McKAY COLLEGE OF AERONAUTICS  
MIAMI 30 FLORIDA

TRAIN IN MIAMI - AIR CAPITAL OF THE WORLD



# The Navy Fighter is Best!



F7-U (CUTLASS)

■ The Navy carrier-based jet fighter is the most potent defensive weapon in this nation's aerial arsenal. A sweeping statement? Sure it is—but here are the facts and figures to prove it. These data were compiled on the basis of officially released information; there are no military secrets here, believe it or not!

The chart on page 23 is a complicated maze of curves and intersections that looks like a crazy patchwork quilt, but if you'll come along this jigsaw puzzle while we thread our way slowly and carefully through it, you'll see why the Navy fighter is the best defense we've got against atom-laden Russian bombers.

Aircraft performance estimation is a complicated business, and if you think the chart is involved you should have seen the sheaves of papers used in its preparation. Into such calculations must go lift and drag coefficients, equivalent parasite areas, L/D ratios, span loadings, parasite loadings, span efficiency factors (both straight and swept wings), velocity and thrust ratios, et cetera. But all these complex formulas and ratios can be reduced down to two simple parameters that permit all aircraft to be compared quantitatively at least, and that's all we're interested in here.

The first of these is wing loading, which is simply the gross weight of the airplane divided by its wing area, giving



F2-H (BANSHEE)

F-88 (VOODOO)



F9F-5 (PANTHER)

F9F-2 (PANTHER)

F-86 (SABRE)

F-84 (THUNDERJET)

F-80 (SHOOTING STAR)

By ROBERT McLARREN





## NORMAL CARRIER FIGHTER TAKE-OFF: 600 FEET



the number of pounds each square foot of wing must lift. Obviously, the more weight each unit of wing area must lift, the more power that is required to move it through the air. Just to give you a familiar framework of reference it might be pointed out here that the wing loading of the Piper Cub is about 7 lb./sq. ft., that of the Bell X-1 supersonic research plane is 100 lb./sq. ft. All the airplanes we're going to discuss lie somewhere in between!

The second of these parameters is power loading, the gross weight of the airplane divided by the available thrust of the turbo-jet engine, giving the number of pounds of airplane that each pound of thrust of the engine must propel. The less this ratio, the faster and better-performing is the airplane.

Let's take our first look at the chart now and see how Navy and Air Force jet fighters compare on the basis of these two ratios. The abscissa (horizontal line) of the chart is the wing loading of the various fighters shown, and these increase toward the right. The further to the right your airplane is located, the higher is its wing loading. You'll note that there is a sharp dividing line between the Navy fighters (indicated by the squares) and the Air Force fighters (indicated by the circles) at about 55 lb./sq. ft. The Navy fighters

generally lie to the left of this loading, indicating that they have lower wing loadings than the Air Force fighters, which generally lie well to the right of this dividing line.

It is easy to see why this is so. The Navy plane must operate from the restricted deck of the aircraft carrier; the latter's runway is 500-900 ft. long, while the Air Force runway is 5,000-10,000 ft. long. The first argument advanced by the anti-carrier man is that this limited deck length puts a crimp in the Navy airplane which forever prohibits it from matching the Air Force fighter as a weapon. BuAer (Bureau of Aeronautics) engineers like this one, because it's so easy! Their answer: the things that must be done in the design of an airplane to make it a successful carrier plane are the very things that make it a superior all-round fighting machine!

The usual criticism is leveled at the short take-off distance available to the Navy plane. What these critics don't know is that since late in World War II take-off has been absolutely no problem to the Navy pilot. All Navy jet fighters are now catapulted off the carrier deck, attaining a speed of 150 ft./sec. in just over two seconds along a distance of only 150 ft., which requires an acceleration of only about  $2\frac{1}{2}G$ , and not the

10-12G often claimed necessary. With two deck catapults in operation, which is usually the case (the U.S.S. *United States* super-carrier was to have four deck catapults), a complete jet fighter squadron of 18 aircraft can be launched in  $4\frac{1}{2}$  minutes.

This is to be compared with the 12 minutes required for a land-based jet fighter squadron to get airborne—and minutes are precious things in interception work. That  $7\frac{1}{2}$  minutes saved by the carrier launching means 75 miles in distance in the air, which is about radar detection range for standard service units!

The carrier jet fighter design problem is not take-off, it is landing aboard the carrier. This isn't nearly so tough as you might think. First of all, the carrier steams into the wind which gives the jet fighter a 30-40 knot headwind to start with. He can make his approach at the usual 100 mph and still touch down at only 60-70 mph relative to the deck. If there's a wind at sea of say 10-20 mph, then his actual landing speed is further reduced to only 40-60 mph, and that's getting down to Cub figures.

However, the designer has got to assume there is no wind and that his airplane is going to hit the deck at a full 100 mph or less. Landing speed is reduced by high-



## CATAPULT TAKE-OFF: 120 FEET

## NORMAL GROUND FIGHTER TAKE-OFF: 3200 FEET

lift devices (such as the nose flaps on the Grumman F9F Panther, the landing flaps on all modern fighters), by high-lift wings themselves and by low wing loadings. All of these things also shorten take-off and improve lateral control. It is for these reasons that the Navy carrier jet fighter has its low wing loading as compared to its land-based counterpart.


If we now look at the ordinate (vertical line) of the chart, we'll see that both Air Force and Navy fighters are pretty well scattered up and down the figure on the basis of power loading. The important point here, however, is not where the airplane falls on the power loading scale as such. The vital consideration is the combination of low wing loading with low power loading. This is a difficult design problem. Low power loading can be obtained by simply cramming bigger and bigger engines into an airplane, but this makes the weight go up and, therefore, the wing loading. The thing to look for here is how close the airplane comes to the lower left side of the chart—and notice how the Navy airplanes are generally located down in this region, with the Air Force fighters drifting way upward toward the right!

The first thing we'll dispense with is speed. The layman's assessment of a fighter is always con-

centrated in one brutally simple question: "How fast will it go?" If that was the pertinent question, the answer would be so easy: the Bell X-1 is the world's fastest airplane and, with guns, would be the hottest fighter in the world. But did you know that at its maximum speed of just under 1,000 mph it would take the X-1 a distance of eight miles to simply reverse its direction, during which time it would travel 25 miles through the

air? That's hardly the kind of maneuverability that wins sky battles, and this explains why the X-1 is now in the Smithsonian Institution and not in vast squadron service ready for action.

Yes, the Air Force fighter has it in speed. If you'll look at the gently sloping curves going upward and to the right, you'll notice that they are lines of equal speed; that is, all aircraft lying along one of these (Continued on page 72)








**Camera gun, battery, radio and oxygen equipment installed in the nose of the British Vampire jet trainer shown at right center. Excellent accessibility is attained by hinged nose cap.**



**Cockpit of Vampire trainer seats two side by side. Has duplicate set of instruments and two gun sights, jettisonable hatch, and is pressurized. Maximum speed is 530 mph at 40,000 feet altitude.**




**Starting jeep. This three-wheeler converted from a standard jeep by O. A. Szekely & Associates, carries starting equipment for jet engines. Very maneuverable and suitable for use on carriers.**



## Development Highlights

**Airlift 404 military cargo transport design one of which was recently turned over to the AF by Glenn L. Martin Co. Note large clamshell doors and ramp for loading of motor vehicles.**


**Wing tip tanks on the Airlift 400 will considerably extend its range. Preliminary specifications call for 15,000 lb. payload over combat range of 1,500 miles at 270 mph. Engines: 2500 hp P&Ws**







**Convair Turboliner** readied for test flight. Plane belongs to the Allison Co. and will be employed to test the 2,750 hp Allison 501 turbo-prop engines for use in the passenger air transport field.



**Armstrong Siddeley Viper**, small British turbo-jet engine specially designed for pilotless radio-controlled aircraft. Measuring only 20 in. in diam. and weighing 400 lbs. it develops 1,500 lbs. thrust.



**Fouga Cyclope**. Acrobatic and training sailplane powered by a Turbomeca Pimene jet engine. Plane is smaller than the model which flew in Miami last year. Span is 28.7 ft. Top speed 280 mph



**Quick take-off** characteristics of the new Super Cub are demonstrated here. Plane climbs steeply after a 100 ft. run. Performance obtained by starting with flaps up, lowering them after 50-ft. run.

**Spherical visor** of green transparent plastic gives jet pilot good vision and prevents crash helmet from flying off in the event of high-speed bail-out. Was developed by the Air Materiel Command



**Tri-Pacer**. Companion to the 1951 Piper Pacer 's this tricycle gear airplane, which goes into production in March. Nose wheel 's steerable through rudder pedals. Rudder and aileron are interconnected.







# AIR PROGRESS

By DOUGLAS ROLFE


A MACHINE OF THIS SAME TYPE WAS FIRST AIRPLANE IN THE WORLD TO REMAIN IN THE AIR FOR OVER 24 HOURS. NON-STOP. (JULY 1874). ▼




▲1914 GERMAN RECONNAISSANCE  
ALBATROS BIPLANE—100 H.P. 6-IN-LINE  
LIQUID-COOLED BENZ ENGINE—UNARMED




▲1914-15 FRENCH RECONNAISSANCE  
MORANE-SAULNIER PARASOL. 80 H.P. LE  
RHONE ROTARY ENGINE.—AT FIRST UN-  
ARMED BUT LATER PROVIDED WITH A DE-  
FENSIVE GUN AND A MAKESHIFT MOUNTING.  
(DISMANTLED GUN WAS STORED IN REAR COCKPIT,  
ASSEMBLED AND MOUNTED ONLY WHEN NEEDED.)




▲1914 BRITISH GENERAL PURPOSE  
AVRO 504K—50-80 H.P. GNOME ROTARY  
ENGINE.—BRIEFLY EMPLOYED AS AN UN-  
ARMED OBSERVATION PLANE AND MAKE-  
SHIFTER BOMBER. IT BECAME, WITH 100 H.P.  
MONO-GNOME, STANDARD BRITISH BASIC  
TRAINER FOR REMAINDER OF 1914-18 WAR




▲1915 FRENCH ARMED RECONNAISSANCE  
FARMAN F-40—130 H.P. RENAULT AIR-COOLED  
V-8 ENGINE.—KNOWN AS THE HORACE FARMAN  
SINCE IT WAS A COMBINATION OF THE EARLIER  
HENRI AND MAURICE FARMAN DESIGNS WHICH  
HAD PROVED OF LITTLE REAL MILITARY VALUE




▲1914 FRENCH "SCOUT" NIEUPORT SESQUI-  
PLANE. 80 H.P. GNOME OR LE RHONE ROTARY EN-  
GINE.—PLANES OF THIS TYPE THOUGH AS YET  
COMPLETELY UNARMED MAY BE REGARDED AS  
THE TRUE ANCESTORS OF THE MODERN PISTON  
ENGINE FIGHTER.—THE NIEUPORT OF THIS DATE  
WAS HIGHLY MANEUVERABLE BUT TRICKY TO FLY



▲1917-18 TYPICAL GERMAN PURSUIT  
ALBATROS DV-19—175-220 H.P. MERCEDES  
6-IN-LINE LIQUID-COOLED ENGINE. 2 SYN-  
CHRONIZED SPANDAU MG/GUNS. COULD OUT-  
CLIMB MOST CONTEMPORARY ALLIED PUR-  
SUITS BUT LACKED THEIR MANEUVERABILITY



▲1915 FRENCH 2-SEAT FIGHTER (AND LONG-RANGE  
DAY BOMBER). VOISIN BIPLANE—200 H.P. CANTON-UNNE  
LIQUID-COOLED RADIAL ENGINE. ONE OF THE FIRST AIR-  
PLANES TO MOUNT A LARGE SHELL-FIRING CANNON. IT  
WAS USUALLY ARMED, AS SHOWN, WITH ONE MACHINE GUN



▶1915 BRITISH 2-SEAT FIGHTER  
VICKERS "GUN BUS"—100 H.P. MONOSOU-  
PAPE (SINGLE VALVE) GNOME ROTARY EN-  
GINE.—A SLOW BUT EFFECTIVE TYPE  
WHEN AERIAL COMBAT WAS LIMITED  
TO OCCASIONAL CHANCE ENCOUNTERS


## THE MILITARY AIRPLANE (1914-18)

Although a few airplanes had been employed in the Balkan


published as a formidable instrument of attack with roughly

ductions 80-85 mph to almost 150 mph, while armament, to-






**1914 FRENCH RECONNAISSANCE ▲**  
(ALSO USED BY THE BRITISH AIR ARM)  
BLERIOT MONOPLANE 80 H.P. Gnome  
rotary engine - TOTALLY UNARMED




**1915 GERMAN ARMED RECONNAISSANCE ▲**  
L.V.G. BIPLANE. 160 H.P. BENZ LIQUID-COOLED  
6-IN-LINE ENGINE. ONE OF THE FIRST PLANES  
TO MOUNT THE ROTATING GUN RING WHICH COM-  
PLETELY REVOLUTIONIZED DEFENSIVE TACTICS



**1916 FRENCH GEN PURPOSE**  
MORANE-SAULNIER BIPLANE. - 110-  
H.P. LE RHONE ENGINE. IT HAD A  
BRIEF SPELL OF POPULARITY BOTH  
WITH THE FRENCH AND THE ROYAL  
FLYING CORPS BUT WAS UNSUITED  
TO THE MOUNTING AERIAL FIGHTING




**1917-18 BRITISH ARMED RECONNAISSANCE ▲**  
R.E. 8 - 150 H.P. AIR-COOLED V-12 R.A.F. ENGINE.  
REPLACED THE EARLIER INADEQUATELY ARMED  
B.E. DESIGN AS STANDARD OBSERVATION PLANE



**1917-18 TYPICAL BRITISH PURSUIT**  
S.E. 5 - 150-200 H.P. HISPANO-SUIZA LIQUID-  
COOLED V-8 ENGINE. ONE FIXED VICKERS  
AND ONE MOVABLE LEWIS MACHINE GUN



**1916-18 TYPICAL FRENCH PURSUIT**  
(ALSO USED BY THE U.S. AIR SERVICE, 1917)  
S.P.A.D. - 180-235 H.P. HISPANO-SUIZA EN-  
GINE. MAXIMUM SPEED WAS 120-135 M.P.H.



**1917-18 TYPICAL ITALIAN PURSUIT ▲**  
S.V.A. ANSALDO 220 H.P. LIQUID-COOLED  
6-IN-LINE ENGINE - TOP SPEED 140 M.P.H.

**1917-18 BRITISH 2-SEAT FIGHTER ▲**  
BRISTOL FIGHTER 275 H.P. ROLLS-ROYCE  
LIQUID-COOLED V-12 ENGINE. TOP 2-SEAT  
FIGHTER OF WORLD WAR I. THE BRISTOL  
COULD OUTFLY AND OUTFIGHT THE BEST  
PURSUITS OF THE PERIOD AND WAS ARMED  
WITH ONE FIXED AND TWO MOVABLE GUNS




**1916-17 RUSSIAN HEAVY BOMBER**  
SIKORSKY "GIANT" - FOUR 100 H.P. ARGUS  
ENGINES. PROTOTYPE PRODUCED IN 1914.  
WAS WORLD'S FIRST MULTI-MOTOR PLANE

NOTE: ARMAMENT OF  
3 MACHINE GUNS IN-  
CLUDED A TAIL GUN

DOUGLAS  
ROUPE

engine bombers  
Plane bombers  
heavy bomber





# Mr. Sikorsky and the Helicopter

With present performance making big news, the  
"Daddy of the Eggbeater" discusses its future

■ In Korea, the helicopter made a permanent place for itself in the table of equipment of our fighting forces, along with the jeep and the tommy-gun. Experimental airlines in Los Angeles and Chicago have indicated there is a worthwhile function for the "ambitious eggbeater" in our future society. This form of transportation that offers motion in any direction at respectable speed, that can bring airlift to our very rooftops, will ultimately have a real impact on the daily lives of all of us. But there still remain various unanswered questions—just what kind of helicopter, how big will it be, what functions will it serve—and when?

To learn what's in the next chapter, Air Trails went to the No. 1 pioneer and developer of the helicopter—Igor I. Sikorsky. Now engineering manager of the Sikorsky Division of United Aircraft Corporation at Bridgeport, Conn., this famed designer furnished the following answers to such questions as:

*What is the most important factor influencing the development of helicopters?*

Mr. Sikorsky: "Public acceptance. The science of rotating-wing aircraft has been developed to a status where we can build almost any kind of helicopter vehicle that civilization can actually use. There is no sense in forcing the issue. If some progressively eccentric billionaire were to order ten thousand four-place helicopters, they could be built for the price of a fixed-wing airplane. However, the first serious accident involving more than just the occupants of the machine would make helicopters more enemies than months of sensible operation could compensate. The best approach is to let the helicopter find its own way, for the public to create its own uses for this highly flexible means of transportation.

"Then civilization will have an opportunity to reshape its pattern of living around the new (Continued on page 62)



Igor I. Sikorsky

By WM. S. FRIEDMAN





## **Your Job in Aviation** **Flight Instructor**

**To be successful he must have student's confidence, achieved only through flawless flying technique, patience and understanding**

■ Bill Daniels sounded more than slightly stupid. "Why," he asked, "did we float so far down field on that last landing?" Minutes later he popped another question: "Why does an airplane stall?"

You'd expect such questions from a beginner in aviation, but coming from an experienced, and expert, flight instructor, they sounded more than slightly out of character.

But Bill knew what he was doing. Rather than stupid, these and a hundred more questions were designed to elicit one overall answer: "Could the young man at the controls explain in simple, lucid, easily understood terms?" For the young man flying the airplane was himself a candidate for flight instructor. And Bill wanted to make certain his student would be able to convey ideas to later students under his guidance in primary, basic and advanced training.

The flight instructor is of more than average importance in the general scheme of flying airplanes and other aircraft. True, he has only one man aloft at this hour. Another may ride with him this afternoon. Still others may solo

during the day under his direction. Together, these students will fly many passengers during their careers, or drop bombs or handle the delicate controls on swift fighters. Bill's responsibility continues long into the future. Unless he does his job well today, the results of any carelessness may show up in civilian or military trouble years hence.

Right now is a good time for Bill to take stock of his capabilities. For he is being called upon to help train the pilots who will train the students during the expanding defense program. The first of several Air Training Command sponsored schools is getting under way at Greenville, Miss. There 124 instructors will tutor selected trainees in continuing batches of 500 for 15 months. Not less than three other schools will operate in this fashion, to say nothing of other courses offered by private operators. Demand for pilots, and instructors, is on the upswing.

As most readers know, the services break down training into three phases: primary, basic and advanced. The schools divide their courses generally into private and

commercial, with the commercial separated into the counterpart of basic and advanced. It's up to Bill, and many others like him, to carry the new candidate all the way through, from his first to his final check flight.

You can't catalogue Bill as tall or short, as blond or brunet. But you can rest assured he's able to adapt his personality to others. He can make friends and win confidence. Bill's not like the so-called typical instructor of two decades ago: the sort who scared the pants off a student first time up, and beat his head with a spare stick.

"Inspiring confidence in my student is half the battle," Bill tells you. "I've got to be a good pilot myself, so I know how far to let a student go in making mistakes, especially on landings. There's safety in altitude, you know. Anyone can learn to fly, provided the problem is presented properly. It's like walking or dancing—one foot at a time."

Bill wants to know all about the candidate before the first flight. Is he married? Any worries or problems? Why does he want to fly? Sitting in (Continued on page 66)





Cockpit of the Helioplane is conventional and functional. Good over-the-nose visibility is due to raised propeller thrust line.



Ten automobile fanbelts are used to reduce propeller speed which turns at a rate of only 1,200 rpm. Belt drive is quieter than gears.

# HELIO TWO

This cousin to the helicopter may be tomorrow's personal plane



Large propeller, diameter 9 feet, is 75% more efficient than conventional, and considerably quieter. Note belt reduction drive.

■ It may not take off from and land on a roof, but the Helioplane Two will practically do everything a helicopter can and at half the price. This remarkable 2-passenger plane developed and built by Massachusetts Institute of Technology professors Otto Koppen and Lynn Bollinger looks like the answer to a personal pilot's prayer. It will fly as slow as 30 mph, land and get out off an area no larger than a tennis court, is stall and spin proof, but at the same time has a good cruising speed and load lifting ability. One of its interesting features is forward location of landing gear which enables plane to fly off ground without first raising the tail as in conventional craft.

Full span slats effectively prevent stall which occurs at an angle of attack of 29 deg. Greatest angle of descent: 14 deg.

The Helioplane can get out of a remarkably small space, land on a tennis court. Rate of descent is slower than that of a parachute.







By FRANK TINSLEY

## Ahead of His Time

BILL BARNES—PROPHET

*In combat readiness above is the last plane designed by Bill Barnes, the 1938 Charger, forerunner to today's long-range twin-engine multi-place fighter. The three-place craft incorporated, even then, radio navigation, amphibious gear, buried diesel engines of 1,800 hp each. A distinct innovation was the single-blade propellers. Wings and tail surfaces were of stainless steel; fuel load in integral wing tanks.*



Bill Barnes, Air Adventurer

■ Bill Barnes, whose adventures were recorded in the pages of *Air Trails* from 1934 to 1938, was ahead of his time in many ways—as a designer, pilot and inspired aerial tactician. His planes not only foreshadowed those of today in many technical details, but the tactical philosophy on which they were based has also proven prophetic to an amazing degree. The secret of Bill Barnes' brilliance lay in his unique background and personality. To an eternally questing mind and practical mechanical imagination he added the know-how of the combat flyer and the hard-boiled savvy of the trained engineer. His service in World War I had taught him all the tricks of the fighting pilot's trade, as well as a vital awareness of the airplane's faults and limitations.

In this presentation of the Bill Barnes planes, we have limited ourselves to the final flowering of the fleet—the culminating models of each of his types. Space limitation forbids a more detailed description of each plane. We have, however, tried to give you an accurate pictorial idea of the ships, plus solid model plans taken from the original blueprints.

As a final point: Many of our readers have wondered, many have written in to ask—where is Barnes now? Here is as much as we are permitted to tell. In 1947, Bill disappeared while on a confidential mapping mission somewhere west of the Bering Sea. For a long time the public believed him dead. Recent reports have him very much alive, and a part of the guided missiles program.



**IMPROVED SHORTER, BF-40,** joined Bill Barnes' fleet in 1934 and was the fourth of his early experimental fighters. Featuring an air-cooled 5000 hp Barnes-type glow-plug engine and four-bladed constant-speed propeller, the heavily-armed wing was "hooked" at the roots for better stability in forward. Armament consisted of two fixed .50's in the nose and two flexible .50's in each wingtip. Could the post-war design have morphed into the fighter



**THE BARNES TRANSPORT, BF-4,** in 1935 was the first of its kind—the first heavy-lift aircraft capable of carrying a parasite fighter. Branding it to the ground, it had a wing span of 144 ft and an overall length of 124 ft. In the Barnes standard 18 ft. span at its widest point and acted as a heavy-lift transport, carrying the tiny parasite, the Eagle. Being teleoperated from the ground, the Barnes Transport was launched vertically and landed on its own. The transport was powered by two Barnes diesel engines developing 1000 hp. Landing gear consisted of a pair of morpholine shock absorbers with hydraulic wheels. Nose and tail gear doors were actuated by a cable system. The tail boom was designed to be a variable "steering" device. It was also equipped with a retractable landing gear. The transport was built and flown with a variable wing span.



**THE EAGLET.** Originally inspired by the tiny Curtiss "Sparrow Hawk" of Wright fame, the Eaglelet was a small, single-engine fighter. It was equipped with retractable landing gear and a variable wing span. The engine was a 100 hp. The plane was built and flown by Barnes in 1933. It was also used in 1934 and 1935.





**THE SILVER LANCER** BF-7A, built in 1936, was the first of Bill Barnes' planes to have a combination wing, fuselage, cockpit and a three-man amphibious gear consisting of large inflatable floats mounted on the fuselage and a large float built up from bamboo on the wings. Although regularly taking into dry-dock, the plane became a fast efficient three-man fighter over the South China Sea. It had a 37-mm cannon firing through the nose and two .50-caliber machine guns mounted on the wings.

[illegible]

FRANKLIN D. SWAN



OUR AIM: HELP MAKE AMERICA FIRST IN THE AIR

# JOIN THE AIR ADVENTURERS CLUB



■ For the second time in less than a decade the Air Adventurers Club becomes active to band together young American citizens for the purpose of making America first in the air.

The first time was prior to World War II when a complacent citizenry watched a hostile foreign power create a fearful aerial striking force—and did little about it. It was a handful of farseeing airmen, joined by thousands of alert, air-minded young men and women banded together in such groups as the Air Adventurers, who were able to focus public attention on the critical needs in the fields of air power, air science and air development.

Sixty thousand active members of the old Air Adventurers Club preached the doctrine of prepared-

ness-in-the-air. When America joined other democratic forces in the fight against totalitarianism, many of these Air Adventurers members went into full-scale aviation as engineers, mechanics, pilots, flight engineers, control tower operators—to mention only a few of the highly specialized and mighty important jobs they filled.

Again the time has come for all air-minded young men and women to join together and work for increased recognition of aviation, for a mightier air army, for public acceptance of a means of travel that has already worked a minor revolution in the lives of all of us and will soon drastically change the living patterns of everyone on this planet.

(For some pretty straight think-

ing along those lines we refer you to the interview with the distinguished aeronautical designer, Igor Sikorsky, which starts on page 28 of this issue!)

Well, fine, you say. How are we going to do all this?

A fair question, and here's the answer: by creating Air Adventurers clubs in every community in America. These clubs will be designated as Flights or Squadrons. Eleven or fewer AA'ers can become an officially recognized Flight, at least 4 members are required to start a Flight; 12 or more members can form a Squadron.

Air Adventurers will be designated as:

Airman, Apprentice Class.

Airman, Third Class.

Airman, Second Class.

**AGE LIMITS:** There are no minimum or maximum age limitations on Air Adventurers Club membership.



MAIL TO: Air Adventurers, c/o Air Trails, 304 East 45th Street, New York 17, N. Y. Print all information required on the application; sign where indicated. *At same time*, print your name and address on both labels and mail with coupon.

I hereby apply for membership in the Air Adventurers Club and promise to do everything in my power to uphold the principles of the organization and work for the advancement of American aviation. I enclose 25¢ in well wrapped coins for my credentials ☐; 50¢ for credentials and pin ☐—(indicate which).

(Name—print)

(Street address—print)

(City—print)

(Zone)

(State)

(Age)

(Sign here)

(AT351)

(Name—print)

(Address—print)

(City, Zone, State—print)

↑ Print your name & address on both these forms and mail inside the envelope with your application form; they will be used as labels for mailing ↓



(Name—print)

(Address—print)

(City, Zone, State—print)



**THEN WE'LL WORK TO KEEP AMERICA FIRST IN THE AIR**



# AIR ADVENTURERS TRAINING GLIDER #1

Airman, First Class.  
Cadet Airman.  
Master Airman.  
Command Airman.

Members will advance in rank as they complete satisfactorily certain tests which will demonstrate their knowledge of aviation in general, aerodynamics, theory of flight, parts of a plane, basic piloting techniques and the like. Model airplanes will play a part in the first four ratings, but only from the standpoint of what they teach about full-size aircraft.


For instance, by the time a new recruit completes the two simple gliders presented here he or she will be familiar with the major components of a plane, will understand rudiments of adjustment and will be ready for more advanced types which will be presented in the next

few issues and which will help the member pass his or her tests on aerodynamics. The models are not an end unto themselves, they are an integral part of the air training program which is being set up by a board of well-known experts for the Air Adventurers. A member may go on to advanced modeling, Flights or Squadrons may run model meets under various sponsors, but such activity while encouraged will not be required.


The first thing you should do if you wish to participate in this work is to apply for membership. A fee of 25¢ is required to cover the cost of preparing and mailing your credentials. As soon as your application is received

and processed, you will get a membership card and a personal copy of the Preliminary Manual for Airmen. This will give you detailed information on how to set up a Flight or Squadron, who should be invited to participate in the organization, how to prepare for your classification tests and the like.


One of the address labels which you are requested to fill out and mail to headquarters along with your membership application form will be pasted on the envelope which will bring back your credentials—so print clearly, otherwise your membership card may be delayed in reaching you. The second address label will be used 30 days later to bring you additional instructions and data on the Air Adventurers and will contain (Continued on page 74)



## AIR ADVENTURERS TRAINING GLIDER #2



Complete instructions for building both these gliders will be found at the end of article; building time is kept to a minimum.





GEORGE GARDNER'S

# The Case of the Nameless Passenger

The PAA Load Event dummies gang up on the Educational Director of Pan American World Airways. Their approach is reminiscent of that used on contest directors by some of our best modelers. But we love the exasperating dummies, just as we love our argumentative modelers, and take pleasure in reproducing a conversation which took place recently between Director George Gardner and the dummies: the familiar occupants for Classes A and B of PAA Load Event, and the new scaled-down payload occupant for the Half-A Class which is being introduced in PAA Load Event this year.

■ Gardner was busy at his desk, writing the rules for 1951 PAA Load Event. A&B Dummy was kibitzing at one side of the Director's yellow pad and the new guy for Half-A was making himself a nuisance at the other side.

**A&B Dummy:** "Hey, Doc, what's my name?"

**George Gardner:** "Go away, please, I'm busy."

**A&B:** "Without me you'd have nothing to do. Nothing! What's my name?"

**GG:** "All right, all right. Just let me finish this section about the new Half-A visibility requirements first."

**Half-A Dummy:** "Listen, bum, you've had me sitting on your desk for six weeks. No name. And I'm not even up to weight. Heck, I'm not even neat. Crooked shoulders."

**GG:** "Will you take it easy, Junior? I had enough trouble getting your dimensions. You just wouldn't come out even. Look at you. Here's my handkerchief. Blow hard . . . Harder!"

**Half-A:** "OKAY, so what's my name?"

**A&B:** "And what's mine?"

**GG:** "Well, you are the so-called occupant or dummy for Classes A & B in PAA Load Event. You must have a body at least 3 x 3 x 1 inches surmounted by a head at least 1 x 1 x 1. You may be made of any material(s) at the option of the builder, and you must weigh at least 8 ounces. For Class A the builder must carry one of you. For Class B he has to carry

two of you. That's a pound of payload.

"And you, Junior. You are the so-called dummy or occupant for the new Half-A classification in PAA Load Event. You must have a body at least 1½ inches wide, by 2¼ inches high by ¾ inches thick, surmounted by a head at least ¾ x ¾ x ¾ inches. What a set of dimensions! You may be made of any material(s) at the option of the builder and you must weigh at least three ounces. He has to carry one of you when competing in Half-A payload."

**A&B:** "You call that a name?"

**Half-A:** "Phooey"

**GG:** "Now look here, fellows, you're getting too rambunctious. I'll tell you something. You were both dreamed up by a very nice gentleman, Mr. Dallas Sherman, the daddy of PAA Load Event. Mr. Sherman is an important person in Pan American World Airways. He works in Tokyo now, and he puts on PAA Load Events out there. The company has me do it in the United States. I'm in charge of it, too, and that means I am in charge of you. And if you don't mind your A's and B's and also your Half-A's, I'll write to Uncle Dallas about it. May even radio him—"

**A&B:** "So! Sherman has a name. You have a name. What have we got? A rule and specification."

**Half-A:** "Make that phooey double."

**GG:** "Listen, Junior—"

**Half-A:** "Junior (Continued on page 81)

## NAME THE NAMELESS PASSENGER!

Air Trails (304 E. 45th St., New York 17, N. Y.) will pay \$25 for the best set of names for the PAA-Load Half-A and combined A-B occupants. Each set of suggested names must be accompanied by a 40-50 word typewritten or printed statement on the fun and value of flying PAA-Load models. Judges will be George Gardner; Russell Nichols, Executive Director of the Academy of Model Aeronautics, and A. L. Lewis, "AT" Editor. All entries must be postmarked no later than midnight, February 28, 1951. No entries can be returned.





## Crowbar "56"

**Two-time winner in the National Meet PAA-Load event, and first to carry international Clipper Cargo . . . could you ask for more?**

■ Now before you read this gobbledygook about my pride and joy the Crowbar, let me state that it was built, not designed. No long mathematical formulas were used. However, wind tunnels were plentiful because every Oklahoma City Model Aviation Club member has one "built in"—windy country, you know. The long involved calculations consists of setting up a Pay Load dummy and putting enough wood around it to hold it and still look something like an airplane—we freely admit it does look odd. The only thing that has been in this model builder's mind is that beautiful ships with a multitude of gadgets which are prone to mechanical difficulties never win a contest sitting on the ground.

The inspiration for a Pay Load job started when my good friend Fred Whiting came home from the 1948 Nats where he had taken second place in the first Pay Load event ever to be held. The ship he flew had a Sailplane wing and a Buzzard Bombshell fuselage. This ship powered by a K&B Torp flew fine. With it as a guide of what Pay Load was, I slept on the idea for nearly a year. In my shop, which is the gathering place for some of the darnedest theories ever heard, Pay Load got plenty of gum-beating and design theories. I believe Pay Load as it is today will soon be by far the most popular event at the Nationals, if some screwball pressure group doesn't talk Pan American into changing the rules. (However, knowing George Gardner of P.A.A., there is little chance of this.) Thanks should go to the O.C.M.A.C. for the success of my ship, because everyone has had a hand in it, and what one of us builds we all build until the design is perfected.


Anyway, down to facts. This "hulk" was slapped together to be flown at the 1949 Nationals where it won first place with 13:37.0 for its longest flight. In the winter of 1950, March to be exact, the



## CROWBAR "56"

Crowbar was given the job of flying a watch across the Rio Grande for Pan American Airways. It took off on the first international "cargo" flight by model-plane from Laredo, Tex., on border between Texas and Mexico. This was the beginning of a long trip to the winner of the Wakefields in Finland for said watch. From March 1950 till the Nationals, Crowbar rested with only an occasional hop for exercise.

Then at the Nationals in Dallas Crowbar won Class A Open again. The repeat win was not too impressive, with only 10.24 total time. And the ship won in spite of me, because the dethermalizer was neglected, besides a couple more stupid tricks, and what would have been a good 10-minute flight was



Designer-author Ray Matthews readles Crowbar; Mrs. M. assists. Ray is CAA instructor at Oklahoma City; teaches the government agents who inspect full-size aircraft.





cut to around 4 minutes. (Also, I had a good case of "Nationalitis.") In the district Pay Load contest about a month after the Nationals, the Crowbar stole first place away from its brother Crowbars flown by the O.C.M.A.C. gang.


Now let's get started on the construction. Select your balsa wood carefully for the job it has to do. I do not think it necessary to scale the fuselage up to full size; just lay out the sides on a piece of  $\frac{3}{32}$ " x 3" x 36" by dimensions given on the plan. Cut two like this and make sure they are both exactly the same. With a sharp pencil scribe line across the fuselage sides at points shown so that the sharp bends can be made.

Build cabin structure by laying down the three main uprights and gluing the top brace. You will need two sides of the cabin, so the two can be built one on top of the other. (Continued on page 64)

*Sheet balsa, tissue-covered fin*

*Sheet balsa "box" fuselage, tissue-covered*

Mr. Matthews' model's mighty simple. Note construction of the PAA-Load dummy which is designed to lessen fuselage damage in case of rough landing. Cutaway drawing and plans are by the well-known Lil' Rocket, H. A. Thomas.



Total weight: 8 oz.



[illegible]



THE SECRETARY OF THE NAVY  
WASHINGTON

20 DEC 1950

Dear Mr. Lewis:

It is a pleasure for the Navy to cooperate in the valuable training program furnished by the competition leading to the annual National Championship Model Airplane Contest. The skills and techniques required in building and flying model planes is of inestimable worth in this air age.

With good wishes, I remain

Sincerely yours,

*Francis P. Matthews*

Mr. A. L. Lewis,  
Editor, Air Trails Magazine,  
304 East 45th Street,  
New York 17, N. Y.



Secretary of the Navy Francis P. Matthews (left) congratulates Lt. John H. Burton, USN, upon the latter's receiving the valued Frank G. Brewer Award for "inspiring and effective leadership in planning and carrying out the 1950 Air Youth Education and Model Airplane Programs of the . . . Navy." This is 1st time award went for modeling.

## Dope Can

News, Views, Comments and Photos from Model Clubs and Enthusiasts in America and Overseas

■ We have been hearing a great deal lately about the big part the Navy has been playing in the model plane picture; you may have read our laments concerning the apparent lack of interest on the part of the Air Force in this valuable hobby-sport.

Looks as if that attitude has changed somewhat. International events permitting, the AF has scheduled the 1951 Air Force Model Airplane Championships for July 20-26 at Sheppard AFB, Texas! Teams of up to 15 men from each command in the AF will compete and as a result of this meet a team of 25 men will be selected as the official Air Force team to represent that service at the 1951 National Championships.

Lt. Harry G. Vogler, Jr., of Pittsburgh, has been named Project Officer for (Continued on page 82)



# Petit Pete



Classic racing lines combined with a Half-A powerplant give you economy, beauty, speed

■ If there's a Cub in your den, *Petit Pete* may be just what you've been awaiting. Built around any of the three larger Cubs, she'll do a nice job of flying for you. Our ship mounts an .074 and really gets around with it. Take-off is fast and flat, with a genuine "scoot" in full flight. Control is adequate but not sensitive. *Pete's* flight characteristics should give you a pleasant surprise.

Features of the design include a removable engine unit, a bellcrank that is more sensitive to up than down, and a lightweight landing gear that will not tear loose. Of course, we've been using this type of fuselage construction for some time and consider it topnotch for Half-A. With *Pete's* ruggedness a bit of bad flying won't hurt anything but your pride. Weight is five ounces.

Although the different size Cubs use the same mount, they are not interchangeable in this ship. Because the .099 is longer, the mount must be placed a bit farther back. Build and "fudge" the mount around the engine to give you the profile shown if you use a powerplant that

## By BERNARD O. BECK

differs from the one shown on plans.

Since the fuselage builds around a 1/16" keel, set this up first. The entire side view is its outline. Cut off the part for the upper nose section. Now form the landing gear. This must be sewed and cemented to the plywood, a safety pin being used to make the holes. Next, cement it to the keel and cement it thoroughly. Blocks A and B, plus former G can be put on, followed by the side sheets which bring the width out to the edges of former G. Blocks A and B must be a full 3/8" thick. We used 1/4" for the side sheets. Lastly, close in the front to the cowl opening, add the exhaust outlet block and stabilizer platform, *et cetera*.

Set up the upper nose section and mount the engine. Cut away former G and the keel at the front so that the fuselage is hollow back to the cockpit. Check this on the plan.

After all engine openings are taped shut, fit the Cub down into position. Cut out the inside for mounting lugs, fuel line, and the like. You don't want a tight fit—the nose piece must mount easily.

Temporarily spot glue it in place.

Build the spinner to fit the propeller you intend to use. With it in place, work the whole fuselage down to final shape. Finish with fine sandpaper on a block. A little extra time and effort spent here will pay off in appearance.

After removing the upper nose piece, install the bellcrank mount and the hold-down nut mounts; also the exhaust ducting. Don't spare the cement. Now attach the stabilizer and elevator and finish the control system.

The wing is of solid construction. We made ours of 3/8" x 1 1/2" stock glued together. Cut it to outline shape and taper the bottom toward the tips as shown; keep it flat—no curve from front to rear. Sand the top to airfoil shape, leaving nearly an 1/8" edge all around. Sand the lower face to a constant curve so that the edges meet. Give a coat of finish to harden the surface.

To get the wing in place, you'll need to cut away some fuselage. It must set in solidly at zero incidence, with no twist. Cement it. Cut away the upper nose section until it goes on O. K. (Continued on page 80)









# HOT OFF THE WIRE

**Puzzled by U-control growth?  
Here's our review of significant  
developments during past season**

**By S. CALHOUN SMITH**

■ With 1950's contest ships taking their hard-earned rest, now would be a good time to take stock of all the events and ideas that have passed in parade.

As usual some contest goes probably found lots to complain about as far as rules are concerned, and it is evident that some flying developments have outgrown the rules. But by and large things went pretty well in 1950.

First, to the younger modelers goes the challenge for tomorrow's competition and development. The model ranks may be thinned considerably by departures of older members to the military services. There is a lot for the young modeler to tackle. Team racing has just gotten its foot in the door good by now. Half-A's are everywhere, even stunt has become the province of the very young. The awarding of top honors to seven- and eight-year-olds at big contests is now occurring frequently.

Performance-wise, stunt has gone about as far as it can go. The popular combination of flaps and elevator control such as the Veco ships leaves little to be desired in ability to complete the full stunt pattern. A reasonably smooth-running engine and quick reflexes complete the requirements to win under present rules.

There has been a trend away from the strictly barn-door type of stunt ship. More attention is being paid to appearance and finish. More realistic profiles are coming into their own. Spinners, cowled engines, canopies, miniature pilots and wheel pants helped make the 1950 stunter a lot better looking airplane, without detracting from its performance. The extremely large 800-1000 sq. in. jobs have outlived their usefulness (we hope). Flyers have found they can do the same job with smaller wings and engines and that they do not need the overabundance of power and high speed that the big fuel-gobbling engines deliver.

Various schemes have been tried around the country to make it easier to judge the high performance of today's stunt flyers. Really sharp judging by expert stunt men is one answer, but this is not always possible. The much-discussed 24-stunt pattern used at the Mirror Flying Fair has been under consideration as a permanent rule change. Actually this would have little effect; it would be only a short time before a great many modelers could master all 24 maneuvers, which are after all simply combinations and multiples of the A.M.A. pattern. At last year's Mirror Fair it was decidedly evident, although this was only the second time the rules were used, that a high percentage of flyers could do the book. The only deterring factor was the very high wind, which will always mean trouble.

A system of bonus point awards in addition to regular A.M.A. scoring has been used by some groups in the East. This has served well to make the fine point difference needed to determine a winner. This system seems a logical step forward and may well prove a partial answer to the problem of stunt scoring.

A parallel can be drawn here with free flight development through recent years. At first it was quite a job to milk any kind of performance out of poorly designed, under-powered ships. As design progressed and engines improved, the endurance problem was soon licked. Then we had to work backward to handicap later design by loading rules and even limit flights by using dethermalizers. A very similar situation has arisen in stunt. Design has progressed to where top performance is commonplace. Limiting factors will have to be imposed, otherwise a lot of modelers will lose interest in what will soon become pretty easy competition. There sim-


ply won't be enough of a challenge to the contest-minded flyer.

The secret of a good stunt performance is low wing loading. If a minimum wing loading rule were imposed it would put a higher premium on pilot ability and design. Unlike free flight, where the wing loading rule never worked too well because of the element of the lucky thermal, we believe it would work in control line. We can hear the clamor rising from the countryside already. There would be a lot of toes stepped on but we believe it would be for the good of the event. Even the addition of a minimum cross section rule would not hurt too much. A little more drag might serve to restrict performance slightly.


Speed flying showed many notable improvements in the past year. The use of standard wire sizes has held speeds down considerably but has helped lick the safety problem. It has also helped greatly toward smoothly run contests, when the rule was enforced. The development and marketing of the cast alloy speed pan has put strong durable models within the reach of a great many more modelers.

Developments such as deBolts' and Grish's pressurized tank systems will raise the level of performance for a greater number of speed competitors. Although records haven't tumbled by any fantastic amounts, speed flying still retains its ever-eager circle of enthusiasts. The word is well distributed on speed design; the factors are pretty well stabilized. Stock engines are making a good showing along with the feverishly re-worked hot irons.

What lies ahead in speed? Few will disagree that this event has just about reached the ultimate in development unless drastic rules changes (Continued on page 68)











# CEMENT

*So Good...They're*

- 2 different cements... each one specially formulated to meet the exact requirements of a particular type of cementing work.
- Formula A... extra-fast drying for quick, easy construction of light weight models; also for on-the-spot repairs.
- Formula B... strongest for balsa or hard wood, for metal to wood, for metal to metal; fast drying.
- Ask for Testor's Model Airplane Cements... insist on them... by name! At dealers everywhere.



**NEW  
LARGER  
15c  
TUBE**

**T E S T O R   C H E M I C A L   C O M P A N Y**



# TESTOR'S *and* DOPE

*are America's Largest Selling Line!*

- Formulated by check-point dispersion control for superior quality.
- Unequalled for one-coat coverage, smooth, lustrous high-gloss surface, pure color brilliance.
- Available in a wide range of colors including official Army-Navy aircraft colors.
- Developed in our own laboratory especially for model airplanes.
- Ask for Testor's Dopes... insist on them... by name! At dealers everywhere.




**NEW  
LARGER  
15c  
BOTTLE**

**TESTOR'S • ROCKFORD, ILLINOIS**



# VOUGHT F7U CUTLASS



**Step-brother to the Flying  
Wing, blood brother to an angry  
rocket, this novel Navy  
fighter will play a big role in  
America's air effort**

■ Navy's white hope among its current stable of red-hot jet interceptors is the Vought F7U Cutlass, a weird-looking but terrific-performing fighter. This new jet is the opening wedge in the Navy's assault on the enormously complex problem of operating the transonic fighter from a carrier deck—but most of the solutions are already clear: it *can* be done!

The Cutlass is the Navy's first swept-wing combat airplane and represents Chance Vought's bold bid for leadership in this exciting but difficult new field. Navy's first wave of jet carrier fighters stuck religiously to the straight wing with its well-known high-lift and good stalling characteristics. McDonnell's successful FH Phantom and F2H Banshee and Grumman's sleek F9F Panther all followed this dependable planform in to long production lines. Chance Vought entered the new jet field in September 1946 with its F6U Pirate single-jet fighter featuring

Metallite construction. Along with North American's FJ Fury, the Pirate played an important role in the Navy's experimental days of jet operation aboard carriers, but the F6U never saw the production line.

The No. 3 Pirate was used in a forward-looking experiment, however—the application of the Solar afterburner to the Westinghouse J34 turbo-jet engine. This simple shell of stainless steel provided an increase in thrust of 30 percent for take-off and 50 percent at best altitude and speed. Flight tests with this Pirate proved that here was an extremely light and simple device which Navy and Vought engineers could not overlook in future design—and that meant the F7U Cutlass!

This deadly new interceptor began life way back in January 1946 (nine months before the F6U had flown!) when the Navy Bureau of Aeronautics invited bids on a 600-mph, 40,000-ft. interceptor. Vought, Grumman, (Continued on page 68)

**In the Cutlass the Navy has a formidable weapon with a rocket-like climb. Note high angle of attack plane assumes on the ground.**





# MIG - 15

## RUSSIAN JET FIGHTER

Scale  $\frac{3}{16}$ " = 1'0"

Navg. lights

Tail  
Bumper

Flaps

Bulge

Baffle plate

E D

Shock travel

Ly doors

Unidentified  
Gadget

MIG-15

A

Pressurized cabin  
with Ejector Seat

Radio  
mast

B

A

B

C

D

E

Engine:  
One Russian built  
Rolls-Royce "Nene"  
centrifugal flow  
gas turbine with  
5000 lbs. thrust

Bulge on  
underside only

Gun service door

Radio mast

Baffle plates

Pilot on  
right side  
only

Armament:  
One 37mm OKB-16 Cannon  
+ 2 12.7mm Beresina MG

Bulge over  
cartridge  
magazine


Air Brake

Engine  
location

Filler  
Caps

Color Scheme:  
Polished aluminum  
with red stripes  
outlined in white

Note:  
Small torpedo  
slipped forward  
at stabilizer  
fin joint





# Motor of the Month



■ Mel Anderson's Baby Spitfire is a couple of years old and now boasts a baby brother, the "Spitzy." This newer engine has a piston and cylinder similar to the original Baby Spitfire with a new base containing a built-in fuel tank.

The great increase in popularity of Half-A engines has brought many newcomers to the gas model field, and the Spitzy kit, selling at an exceptionally low price, fits many demands of these new fans. A complete line of accessories including propeller, glow plug, wrench, mounting bolts, and glow plug clip are supplied in the kit. The engine is designed for easy starting and long life, with best performance in the medium speed range.

High-speed engines adapted to racing are usually more sensitive and difficult to handle, but this condition has been avoided in the Spitzy. The base casting containing the fuel tank has a rugged radial mount making it practically crash proof. Performance tests show a good fuel level test indicating the engine will run very steady in the air with any reasonable care in adjusting the needle valve. Ample finger room is provided by extending the needle valve and tipping at an angle.

Free flight fans, whether beginners or well experienced, should like this combination of features. The built-in fuel tank gives one and one-third minutes engine run, and maximum power is developed in the medium



## SPITZY


A brother to the Baby Spitfire, this powerplant comes from classy family

speed range most commonly used for free flight ships. Radial mounts are also very popular with the thermal hunters.

The inside of this engine is of special interest. Instead of an aluminum connecting rod with a ball and socket joint at the piston, the Spitzy is fitted with a rugged hardened steel rod held in the piston by a steel snap ring. This should give long life at both ends of the rod. The hardened steel piston and steel cylinder are similar to the average miniature engine. Porting is identical to the original Baby Spitfire. Fuel passes from the base of the engine through

two bypass slots in the base casting into an aluminum sleeve around the lower part of the cylinder. From here the fuel goes through three intake ports into the cylinder.

At the beginning of the engine test some difficulty was encountered, and the cure may be of use to modelers owning a Spitzy. First attempts to start the engine resulted in a lot of popping, but the engine wouldn't give a burst and start running. This was due to a combination of close-fitting piston and high compression causing the engine to fire too soon. This condition can be verified, if it exists, by (Continued on page 71)



### FULL SIZE 3-VUES

Stroke, .405 in.; Bore, .379 in.  
Displacement, .045 cubic inches



Jim Walker

# FIREBABY

**The Plane You Buy  
Already to Fly**

All parts of the Firebaby are completely finished, painted, and fuelproofed. Just slip them together, bolt on wing and motor and you're ready for the take-off!

The Firebaby has a span of 19" and weighs only 3 oz. with any "1/2-A" motor. Special "slow motion" propeller included so you can learn to fly gradually without dizziness. Complete with flying lines and flight instructions.

**\$7.50**  
with motor

Without motor \$2.50

**For More Flying Fun...**



**A-J FIREBALL**

The original U-Control plane. High maneuverability for stunt flying. Kit includes control handle, flying lines, wheels, **\$6.95** everything but motor and liquids.



**FUEL REGULATOR**

Supplies fuel under pressure in any flight position until the tank is dry! Comes complete with Jim Walker Pressure Tank, **\$2.50**



**U-REELY CONTROL**

Keeps your flying wires off the ground and ready for instant use. Make quick take-offs unassisted and reel in to land. Single strand steel control wires, **\$7.50** With stainless steel cable lines, **\$8.50**

## America's Favorite Ready-to-Fly Planes



**"74" FIGHTER**

Does 19 different stunts with ease. 12 1/2" cambered wing, smooth streamlined fuselage, **10¢**



**A-J INTERCEPTOR**

Folds its wings for launching, automatically spreads them to soar. 16 1/2" cambered wing. Complete with launching stick, **50¢**



**A-J HORNET**

Will R.O.G. and fly 500 feet! Unbreakable plastic prop, 18" cambered wing, heavy duty rubber motor, **50¢**



**CEILING WALKER**

This helicopter flies straight up and hops along the ceiling. Outdoors it climbs straight up 'til unwound, then does acrobatics on way down, **25¢**

Jim Walker




**AIRCRAFT CO.**

1166 N. E. 31st Avenue  
PORTLAND 12, OREGON

World's Largest Manufacturer of Ready-to-Fly Aircraft



# Model of the Month



## Lift Master

The guy who flies in this ship is a real dummy, honest

■ The idea for this month's model was born last spring when Pan American World Airways announced that if enough interested modelers appeared at the Dallas Nats, if they had enough Half-A payload ships ready to fly, if the harassed contest manager could fit the event into an already crowded schedule—well, anyway, PAA was willing to sponsor an experimental Half-A PAA-Load contest, and, what's more, they would provide substantial prizes. Maybe it was that last item, but at any rate the interest was surely there.

The next heard of Half-A payload was at Dallas when the experimental event was conceded to be a tremendous success. It was won with a time of 13:16.0, highest of any PAA-Load event at the meet! The winning ship was designed and flown by Frank Ehling, and modified and improved, is now being marketed in kit form by Junior Aeronautical Supply Company (Jasco, to all knowing model builders), 203 East 15th Street, New York 3, New York.

Following the Nationals flying of the midget payload event, and several other trials around the country, a poll of many modelers was held to settle upon a final set of rules. The main change decided on was a bit of alteration in the "occupant" or

dummy, which forms the entire payload the ship must carry. In view of the high times made with the original 1.5 oz. dummy, it was the consensus of opinion that the little ships should really be put to work. Some flyers even suggested 5 or 6 oz., but the final weight selected was 3 oz.

As soon as the Nats event had



been announced, Ehling set about designing a ship for the event. He had success right from the beginning, culminating in his top PAA-Load Nationals win. Frank, just for those few who don't know him, is one of the top contest flyers of all time, though you'd never guess it to talk to him. He now staggers about under the formidable title of "Chief Design Engineer and Test

Pilot" at Jasco, and many of his creations have already been added to Jasco's long-famous line of glider kits. Jasco has produced a kit that goes together easily, considering the requirements, and gives top performance when properly handled. This is not one of those super-prefab kits that assembles itself automatically when you remove the box lid and dump out the contents. It's not intended to be, for this one is not aimed at the rank beginner (who shouldn't be starting out with a hot contest ship, anyway) but at those with a reasonable amount of modeling savvy.

One of the first things to strike you as the box is opened is the beautiful wood you get, but this is to be expected, for Jasco is one of the pioneer balsa-cutting concerns in the country and has long been noted for the quality of wood supplied. Looking into the wood situation a little further, you'll find the grades are selected as required; for example, the  $\frac{1}{8}$ " square fuselage material is all hard grade. It needs to be, for that occupant is a real load; you realize this when you discover that, not including the dummy, the finished airplane ready to fly weighs only 5 oz. or so.

As noted earlier, the Lift Master is not the (Continued on page 82)

## Woman's Angle

(Continued from page 10)

training, upgrading, training for foremen and supervisors and technical training—on an equal basis with the men

Government-financed courses were given on a college level for blueprint reading, use of measuring tools, knowledge of metals, drafting and laboratory work. Some gals went ahead toward an aviation engineering degree

Even today, the girls are still working at the interesting jobs that came out of the last emergency. We know some who are tech-order manual writers, aerodynamicists, stress analysts, drafts-women, and engineers

Apart from the manufacturing end of things, many other jobs in allied aviation were held by women in a civilian capacity. As a result of a special training program offered by government and industry combined, many gals became Link operators. They pored over a hot table all day watching a little "crab" plod slowly over a mapped, hypothetical course of flight. This took knowledge of the instrument-trainer itself, and what the instruments meant and did. It also required a knowledge of radio ranges, beams, and the effects of turbulence and high winds on actual flight-maneuver planning and preparation—to say nothing of some fancy arithmetic.

Some were meteorologists for the airlines or CAA airways weather stations. This required scientific training in weather characteristics, symbols and sequences. Careful study of weather "brewing" was needed to plot weather maps complete with isobars, fronts, and station symbols.

Control-tower and radio operation jobs were attractive to the girls, and they did a good job of it—what with all that natural equipment in the conversation department! A clear concept of time, space and airplanes had to be learned as well as an ability to deliver loudly and clearly all pertinent information required by pilots. Intelligent transmission of weather information, past, present and future, field conditions, traffic in the vicinity, etc., were highlights of these positions.

On most fields—military and civilian—the parachute departments were "manned" by women. These expert pattern cutters and sewers made, packed and rigged the most complicated parachutes expertly

On the flight line itself were the girls who had sufficient previous actual flying experience to become flying instructors. The gals instructed Air Force and Navy cadets on the civilian contract programs in the primary and even basic stages of flight training. Their aviation background was either evolved through the CPT (Civilian Pilot Training, in which a small percentage of women was allowed to participate), or through their own efforts (cash money). They had commercial licenses, of course, and rapidly checked out on the higher horsepower ships used for military training, such as the Stearman and Fairchild PT-19, and BT-13.

In all, it was a great surprise to the men and a great opportunity for the women. They broke the ice in a former "for men only" field. They've proved by the thousands that they have ability and talent. They can be counted on to be ready, willing, and able to do, learn—and help.

—NONIE HORTON



## ...to a top spot in the U. S. Air Force!

The flight engineer of a U. S. Air Force B-29 . . . waiting the pilot's signal to return props to high pitch for take-off after engine run-up . . . is a man with power at his command. This Master Sergeant is a vital member of a flying team . . . a man who has proved his power to get on top and stay on top in a topflight job in a great Air Force. Technical courses for flight

engineers . . . available to qualified Air Force enlisted personnel . . . are typical of training in 42 Air Force career fields. You can have this kind of training . . . furthering your service career and paralleling civilian jobs . . . as an Airman in the U. S. Air Force.

To be ready for *your* take-off, with plenty of power to climb, take to the Air Force!

Get Details at Your Nearest U. S. Army  
and U. S. Air Force Recruiting Station Today



# U. S. AIR FORCE

Get on Top . . . Stay on Top . . . in the U. S. Air Force!



# sketchbook

Have you developed something new in construction, control, or flying that might interest other modelers? Send a rough sketch—we'll redraw it and pay \$5 for each one accepted. Due to their large number, we're sorry that we cannot acknowledge or return submissions.

Package of cigarette paper fits handily into tool kit...



• Make quick field repairs to covering with cigarette paper—Robert Lincoln, Smiths Creek, Mich.




Strip crosspieces

Sides cut from wide sheet stock—

• Simple, efficient construction of fuselages for rubber and small gas jobs developed by Robert Bentzles, S. Bend, Ind.

Pin hole vent in top




Filler & fuel line

• Handy uses for empty CO<sub>2</sub> capsules by thirteen-year-old Dana Call, Concord, N. H.

Small modelers' file

Forced fit




Iron or copper wire

Round-nose pliers

Diagonal cutters


Bend loop... cut off

• Mike Strilich, Jr., Pueblo, Colo., makes washers to fit particular jobs—



Hammer flat, ream to desired size—

• Ultra-simple fuselage assembly for team racer designed by W. A. James, Roanoke, Va.



1/16" sheet

1/8" sheet

3/8" sheet

Engine & tank mounted to hardwood top shell

Balsa cowl

Dural gear

Wing, tail of sheet construction

Drive out pin

• Patrick Ryan, Bowie, Md., makes thrust bearings from coping saw blade ends—

Tether point



Tube bushings

Pushrod attaches atop elevator

Casting rod, reel & light line

Raise or lower rod tip to control elevation


• Simple, one-line control is ideal for half-A control jobs reports Dave Doty, S. Bend, Ind.

Optional gears could provide direct or reduction drive—

Gear box

Mounted by studs beneath—

• Paul Tobin, Mitchell, S. D., visualizes compact geared engine particularly suited for cowed scale models—





# FLY A CHAMPION!

...CHOOSE **TRIXTER** — ONE OF THE LEADERS IN CONTROL LINE STUNT FLYING

PILOT'S CHOICE

designed by

*Low Andrews*

1950 NATIONAL OPEN STUNT CHAMPION

1948 INTERNATIONAL OPEN STUNT CHAMPION

ITS PERFORMANCE THAT REALLY COUNTS


## 1950 NATIONAL STUNT CHAMPION



### Trixter BARNSTORMER \$5.95

1st in Senior Stunt Event - 1st in Open Stunt Event - 47" wing span - 470 sq. in. wing area - .32 to .35 cu. in. disp. Kit contains full size plans, illustrated step-by-step instructions and complete pre-fabricated parts for quick assembly.

## '48 INTERNATIONAL STUNT CHAMPION



### Trixter INVERT JR. \$3.95

'48 Plymouth Stunt Champion - 40" wing span - 300 sq. in. wing area - .23 to .49 cu. in. disp. Pre-fabricated kit, full size plans with plenty of detail; picture type flying instructions showing everything from take-off to 4-loop clover

2

NEW ANDREWS DESIGNED STUNT JOBS — THEY'RE TERRIFIC!



CLASS  
1/2A

### BABY BARNSTORMER

Half-size version of champion Barnstormer for 1/2A engines - 23" wing span - 118 sq. in. wing area. Flies like a dream on 25" to 35" lines. A stunt job that does everything in the book. \$2.95

Available  
at your  
favorite  
dealers  
soon — ask  
about them!



.19-.29 cu.  
in. disp.

### PROFILE TRAINER

Our Profile basic trainer with ready-shaped all balsa wing, shaped balsa fuselage and die-cut tail surfaces. Ideal for beginners - no difficult construction. 32" wing span - Class A-B \$4.50

TOPS IN VALUE — TOPS IN QUALITY — TOPS IN PRE-FABRICATION — TOPS IN FLYING

## Sensational DIE-CUT BALSA FLYING SCALE AND SOLID SCALE MODELS



100C

EASY TO ASSEMBLE

12 SCALE SHELF MODEL KITS: 7 military: P-51 Sabre, F-84 Thunderjet, P-51 Mustang, P-47 Thunderbolt, P-40 Warhawk, Fokker D-7, & SE-5. Sport airplanes: Monocoupe, Casaca, Paper Cub, Aeronca & Stinson. 10¢

PLASTIC CANOPY



25SDC

12 SCALE SHELF MODEL KITS: 11 military: Bessie, Corsair, Skyraider, Thunderbolt, Shooting Star, Mustang, B-29, Warhawk, Thunderjet, Sabre & Lightning. 1 transport: Constellation. 25¢



PLASTIC  
PROP

SERIES 25DC



EASY TO FLY

9 ALL BALSA FLYING MODEL KITS (DIE-CUT). Your choice of high and mid wing monoplanes and of two biplanes. Simple construction - plastic propeller for better flying. Cambered wings. 25¢



TISSUE-COVERED SCALE FLYING MODEL KITS. The formers, ribs and tip outlines are die-cut from sheet balsa. Most of the parts are printed for easy identification. Save hours. 50¢ — \$1.00

TRIXTER

# PROFILES



Universally acclaimed "tops" among control line stunt flyers. Easily assembled from pre-fabricated parts. Rugged construction for many hours of flying.

CLASS A-B

32" wing span - 250 sq. in. wing area - .19-.45 engines \$2.50

CLASS B-C

38" wing span - 350 sq. in. wing area - .29-.51 engines \$3.50

OTHER GUILLOW ITEMS AVAILABLE.

BALSA GLIDERS: P-51 Thunderjet Sq. Air Ace 10¢ GLIDER FLEET: 13 gliders per box! 10¢

READY-TO-FLY MOTORPLANES: 12" Skytreak 25¢, PROFILE MOTORPLANE CONSTRUCTION SETS:

Series 11 F-6 models - sheet balsa - 10¢ per kit. AL30 - 20¢ Solid Model Kits (Series 103), 25¢ Solid Model Kits with profile-cut fuselages (Series 255).

TISSUE-COVERED FLYING MODEL KITS: Series 10F - 10¢ and Series 25F - 25¢. 1/2A GAS MODEL KITS, both STUNT and SCALE, as well as 1/2A FREE FLIGHT KITS.

SEND FOR CATALOGUE AND PRICE LIST.

# PAUL K. GUILLOW, WAKEFIELD, MASS.



# WESTERN ROUND-UP



Bill Daniels' nine foot Gool is shown taking off at a Camp Haan contest. Note excellent flying country in background—flat, no trees.

For latest scoop on West Coast doings follow Dick Everett's reporting here



Bob Wiehle's contest winning Half-A payload job. Model powered by you-guess-what has excellent performance.



Larry Goodale hard at work on his twin Torp 32 powered stunter. Ship weighs 5.5 lbs., has bubble, tricycle gear.

Little flyer with big ship. Bob Ehrhardt of San Diego with a Davis Hogan McCoy 29, turned-down "35" piston.



■ One of the most unusual clubs ever formed, to the best of our knowledge, is the *San Bernardino Flying Wheels*. They figure that to have a good club you must have the items, to wit: 1. A congenial group who are interested and active. 2. It should not be so large that the punch is lost through disagreements and quibbling over policies et cetera. There must be a common goal—and in this case it is to fly and win contests.

The "Wheels" have a total of two officers and only eight members. Wally Short, current Class B record holder, is president, with Ray Newman as acting secretary. By keeping the group select (not 'snobbish, for sure) they are able to dispense with formality at all meetings. They have none of this "May I have the floor?"

This question usually brings an answer, "Yes, if you bring it back," while "Will the secretary read the minutes?" elicits a solemnly intoned "One . . . two . . . three . . . four. . ."

And if a member misses either three meetings or three contests, no matter where the contests are held, he is sent a letter asking him to please refrain from wearing the club shirt and informing him that he is no longer a member. Some club! Maybe that's the reason they do things in a big way.

The *Flying Wheels* recently held the contest of contests. For their first Annual Meet, the club members, thinking along the same lines as the famous *BrainBusters*, decided that to run a first-class meet they would have to dispense with flying themselves, so they did not enter. They went out and rustled up so many prizes that the 112 contestants were not enough to take them all home. There were no lines for processing, no lines for flights, and the only line-up was for the prizes. The

spectators were kept back in a roped-off area, and the twenty timers were more than enough for the mass of contestants. All told, it was very well organized. The *Flying Wheels* deserve the praise that has been given them. The winners are as follows:

Half-A 1st, Bob Wiehle, 14:54.7; 2nd, Karl Widner, 14:05.2; 3rd, Nat Antonioli, 13:35. Class A: 1st, David Converse, 12:15.5; 2nd, Jack Block, 12:12.9; 3rd, Tom Mankey, 10:14.1. Class B: 1st, Larry "Volume Deal" Boyer, 16:18; 2nd, Gary Ball, 16:03.4; 3rd, Carl Croissant, 14:34.1. Class C: William Daniel, Jr., 18:35.2; 2nd, Lyle Corbly, 16:24.1; 3rd, David Converse, 12:35.2. By virtue of his first in Class A and the third in Class C, David Converse was awarded the huge Sweepstakes Trophy. Dave is from Santa Monica. Gary Ball was awarded the beautiful Junior Sweepstakes Trophy. Gary hails from San Diego. For the beauty event, Toshi Matsuda had one of the most beautiful free flight ships ever to make its appearance on the Coast.

In the way of what might happen at all annual contests, the *Bakersfield Gas Model Association* tried a new and very interesting experiment, one which proves that fellows like to fly. At their Semi-Annual they had rubber and towline gliders on Saturday afternoon, with the gas events, including all payload events, on Sunday. The experiment was very much a success with quite a few lads showing up for the two-day event. Manny Andrade and Joe Bilgri came down and ably represented the *Oakland Cloud Dusters*. Roger Jenson, Ross Johnson, "Camp Stool" Peterson, and others of the *Thermal Thumbers* and Harv Patton and yours truly of the *Aero-neers*, with all the local gents—it was quite a meet. Saturday was the perfect (Continued on page 76)



# Precision Built

for better performance

The accuracy and craftsmanship that go into every Scientific model pays off in performance. The use of quality materials — and even more important — the skilled workmanship of men who take pride in the work they turn out, account for the ever increasing popularity of Scientific kits. This plus the most rigid inspection of all finished parts is your assurance of satisfying performance. Put any Scientific model "through its paces" and see what we mean.

on land...on sea...in the air

**SCIENTIFIC** MODELS ARE *Tops* IN ANY COMPETITION!

ALL KITS COMPLETELY PREFABRICATED



**HALF-PINT RACER**  
.020 to .074 Engines  
\$2.95



**CO<sub>2</sub> SQUIRT**  
CO<sub>2</sub> or "1/2A" Engines  
\$1.50



**BUCKEYE JR. SPEEDBOAT**  
.020 to .099 Engines  
\$3.95



**BUCKEYE SPEEDBOAT**  
.099 to .29 Engines  
\$4.95



**LITTLE MUSTANG**  
18" Wing - "1/2A" U-Control  
\$1.95



**LITTLE DEVIL**  
18" Wing - "1/2A" U-Control  
\$1.50



**LITTLE BIPE**  
16" Wings - "1/2A" U-Control  
\$1.50



**PIPER CUB Special**  
22" Wing - "1/2A" U-Control  
\$1.95



**AERONCA SEDAN**  
22" Wing - "1/2A" U-Control  
\$1.95



**CESSNA "170"**  
22" Wing - "1/2A" U-Control  
\$1.95



**STINSON VOYAGER**  
22" Wing - "1/2A" U-Control  
\$1.95



**BABY ACE**  
18" Wing - "1/2A" U-Control  
\$3.50



**KINGPIN**  
28" Wing - "B" U-Control  
\$3.95



**DYNAMIC**  
26" Wing - "B" U-Control  
\$3.50


Buy from your dealer & save 15c mail charge

**SCIENTIFIC**

**SCIENTIFIC MODEL AIRPLANE COMPANY**  
113 A3 MONROE STREET NEWARK 5, N. J.

SEE THESE AND OTHER SCIENTIFIC MODELS AT YOUR FAVORITE HOBBY SHOP





**Yes, so it is,...**

completely designed, engineered and produced under one roof! We supervise the accuracy and care that is so necessary to produce really fine engines. With the exception of glow plugs and bearings FORSTER engines are made entirely in our own factory. All production standards are under our strict control! Standards of precision are the highest in the model industry, and pride of workmanship, almost a lost art today, is still practised and revered here! You can expect the finest model engines from the oldest established active model engine manufacturers in the U. S. A.

See the FORSTER "Twins" at your dealers today, before you decide! You will be surprised and pleased by their fury of Speed and Power.

Write us for free literature




**ONLY \$14.25**

**FORSTER BROTHERS**  
82 E. Lanark Ave., LANARK, ILL.

## PLAN FORM OF THINGS TO COME

Here is Frank Ehling's conception of what we will see in Wakefield flying this year. Most of the pertinent features of this remarkable design are discussed in article which begins pg. 50. Working plans available on AT Plan #351.



**FOR YOU, MR. "AVERAGE MODELER"!**  
**dmeco's NEW**

# All American Models

A progressive series from the TRAINER to the "SUPER STUNT" model, all design-engineered around America's TOP engines!

The pick of America's finest engines chosen because they do the job best, PLUS the world's finest designed models makes an unbeatable combination, dmeco's "All American Models".



It IS THE  
**All American TRAINER**



The "Junior" is designed around the O.K. Cub and McCoy "9" engines which gives it that snappy performance so necessary for stunt training.

- ★ Grade A1 Materials
- ★ Machine Shaped Ribs
- ★ Finished Wing Parts
- ★ Shaped Tail

- ★ Full Size Plans
- ★ Finished Fuselage Parts
- ★ Hard Maple Mounts
- ★ Shaped Cowling Blocks

**NOW!** HEADING YOUR WAY  
 THE  
**All American Jr.**  
 STUNT TRAINER

Learning to fly stunt is simple with this proven model, its the right combination of airplane, engine and accessories. It has been design-engineered so that it is slow enough to learn with and yet responsive enough to keep you out of trouble, a real stunt trainer!

**Specifications**  
 Wing Span: 26"  
 Wing Area: 140 sq. in.  
 Length: 13 1/2"  
 Design Weight: 6 1/2 oz.  
 Speed: 50 to 60 mph.  
 Ready for assembly \$2.50

## "America's Finest Models"

### SPORT—STUNT—SPEED—"1/2 A"



#### "SPORTWING"

An unusual sport model or a "hot" stunt job when powered with .19 engines. A tried and tested design of marvelous stuntability.

Finished parts \$3.95



#### "New BIPE"

The trainer that over 20,000 flyers have learned with! Exceptional performance with an Ohlson "23".

New Pre-fabed kit \$3.95



#### "International Champion"

##### "STUNTWAGON"

America's finest stunt model, winner of contest after contest where the going is the toughest! A really fast and hot contest ship that will put you way out ahead of the rest of the field!

America's finest stunt kit \$7.95

##### Stuntwagon "30"

A smaller version of the "Stuntwagon" for use with the "B" class engines, tops in its class!

Finest materials, pre-fabed \$5.95

#### "National Champions"

##### Speedwagon "20"

The "20" was National Champion in '48 and '49 powered with a McCoy .19 engine. Highest speed in "A" ever recorded (128.5 MPH) was made with this model!

Ready to assemble \$3.95



##### Speedwagon "50"

The National Champ and record holder, this kit sets a new pace in speed model design with its robust yet light weight construction. 162.54 MPH for a new 1950 National record!

America's finest speed kit \$5.95



#### Infantwagon

A small all balsa version of the Stuntwagon for the .02 to .09 engines, ready to assemble in one evening.

Kit \$1.95



#### Speedster

This design puts the "fun" in team racing, all the features of the big ones in a "1/2 A" model.

Finished parts ready to assemble \$2.50

Ask your Dealer to  
 show you any "dmeco"  
 Model today!

# The deBolt

"Home of Design-Engineered Models"

NEW YORK



## EXQUISITELY DETAILED Collector's Miniatures

Scaled 1" to 108". Completely Finished  
**WAR TANKS OF ALL NATIONS**



**GEN. PERSHING (Heavy) Tank \$1.75**  
**GEN. SCOTT—75mm Howitzer - \$1.35**

Exact replicas of world-famous FIGHTING TANKS... featuring revolving gun turrets, movable wheels on half tracks. Official scale models previously used in pre-combat training, recognition, etc. Super-detailed down to rivet heads, gun-lights, bogies, tools, tracks, suspensions, hatches, etc. Metal-cast, nothing to build or assemble.



**HELLCAT (76mm Gun Motor Carriage) \$1.35; DUK (2 1/2 ton Amphibian) \$2.00; CHAFFEE (Light Tank) \$1.30; Gen. Patton (Medium Tank) \$1.75; Gen. Sherman (Medium Tank) \$1.50; HALF TRACK \$1.35; KING KONG \$2.00; LANDING VEHICLE \$1.35; WEASEL \$1.50; QUACK (1/4 ton Amphibian) \$1.35; AIRBORNE TANK \$1.35; WILLYS 1/4 ton JEEP \$1.75.**

## RUSSIAN MODELS




**JOSEPH STALIN III Heavy Tank \$2.00**  
**STALIN (Heavy) \$1.75; KV-1 (Heavy) \$1.75; KV-2 (Heavy) \$1.75; STZ ARMORED CARRIER \$1.25; MED-UM (76.2mm gun) \$1.50; T-70 (Light) \$1.35; T-34 HEAVY \$1.75.**

## BRITISH MODELS



**Churchill, \$1.50**

## WARSHIPS



100% complete, metal cast replicas. Super-detailed in all respects:

**AMERICAN — British — French — German**  
**Aircraft Car...** \$3.50 **Minesweepers...** .75  
**Battleships...** 2.85 **Minelayers...** .75  
**Cruisers...** 2.00 **S'Plane Tender...** 2.15  
**Destroyers...** 1.00 **Submarines...** .35  
**Tenders...** 2.15 **Tenders...** 2.15  
**Landing (LST)...** 1.25 **Auxiliary Tugs...** 1.70

## START YOUR OWN COLLECTION—Now!

These famous miniatures make thrilling mementos and gifts. Excellent for decorative purposes in home, office, club. By mail: Add 20c per model for packing-postage. Give 2nd choice for speedier service.

**Polk's Model Craft Hobbies, Inc.**  
**314 5th Ave. (32nd St.) New York City 1**

Enclosed is \$..... for which send

AT 31

Name.....

Street.....

City..... State.....

## Sikorsky

(Continued from page 28)

method of transportation, and will evolve the technical demands for the performance of the vehicle. These demands eventually will be satisfied by the designers and builders, and the result will be the helicopter of the future.

Aside from the military development, what pattern of growth do you think that the helicopter will follow?

Mr. Sikorsky: "The helicopter's pattern of development is a lot more logical than that of either the automobile or the fixed-wing airplane. To date, there is no appreciable personal or sport use of the craft. Because of the nature of the vehicle, it is usually professionally operated for serious purposes. It is currently being used as a police-emergency vehicle, for exploration and for short-range transportation. It is singularly effective for crop-spraying and for mineralogical survey work.

"These, however, are offshoot applications of the unique performance possibilities of the helicopter. As serious transportation, I see two lines of development. First, cross-country transportation in jungle and back-country operation, where the obstacle to be overcome is the nature of the terrain rather than straightline distance, where it is impractical to build and maintain the airstrips required for fixed-wing airplanes. Closer to our cities, I see the development of air-taxi service over the

(Continued on page 88)

## Wakefield

(Continued from page 50)

longitudinal stability. We employ gears to get the most out of the long rubber.

AT: Where could someone get gears such as you have used? Do you have any recommended sources?

FE: These gears were made by Tom Murphy of 1702 Woodbine St., Brooklyn, N. Y. He does an excellent job; these gears turn smoothly and there is practically no power loss in the transition.

AT: What do you think that the Wakefield models at the '51 finals will look like? Pretty much along these lines?

FE: To predict someone else's designs is quite hard. However, if everyone tries to get maximum motor run, all fuselages will have to be long. If one wants to get maximum wing area, he'll have to use a small stab. Of course, a lot of fellows don't like to do this. The rules probably were changed to allow larger stabs since many contestants in the past have kicked about the small stab area.

AT: Are last year's Wakefield designs obsolete? Will we have to start in all over again?

FE: It's hard to say—and for this reason: The winning Finnish model wasn't an unorthodox design and yet it did good time much better than anyone else.

AT: How about the fact that Aarne Elilä had better covering protection than most of the boys flying in that fog with its moisture-laden air?

FE: Moisture protection is simple. You can apply a light coating of shoe polish, or use fuel proofers over dope. But I believe Elilä's success was due to the fact that he was flying much slower and had

better control of his model than the rest of the contenders, and that's exactly what we're doing now. We're flying our new models much more slowly. This model is not underpowered in the sense that it has only a few strands. It has low power due to the fact that the cross section of the rubber is extremely small. Rather than shooting for fast-climbing, thermal-sniffing performance, you must remember you are flying in another country and you have to make up your mind that entries must have a long climb and turn in a better glide.

And another thing—with this long type tail moment arm you get a very steady glide which wouldn't do well in windy weather or under thermal conditions. We use a large rudder to keep the direction of the turn constant, to avoid dipping or stalling or any disturbed flight. To win in Finland, your model must turn in a flight like an indoor glider.

AT: Frank, tell us how you feel the American eliminations or qualifying rounds should be run off to give the boys experience for flying in the finals in case we are fortunate enough to get a team to Finland. What time of the day, for instance, or what time of the year should we run off the meets?

FE: The elimination meets should be run off as quickly as possible so that the builder who knows he is going across can make a model that will be able to fly under those conditions abroad. We should also try not to hold these contests on the best thermal days we can find, or even in the daytime. Let's hold them close to evening, or if possible early in the morning, so we can end up with models that will prove their worth in the international finals. Let's not count any thermal flights during the qualifying rounds—any flight in which the model is elevated above its normal position.

Let's get some true climb-and-glide models. Then we will have our best chance. With low-powered models, it will be much simpler to adjust them. You don't have to worry about extreme offset in thrust or extreme downthrust. Your power curve will be constant. You won't have to worry about getting the model off in a steep bank or one wheel taking off before the other. It will just be a case of winding the model up fully. And that's the whole "kick." Since the rubber motor is long and you're using a low-pitch prop, she'll turn over faster than a high-pitch prop, but it won't be doing the work as fast because you are going to have maybe two minutes of power run all the way up.

AT: How much power do you anticipate putting into this model?

FE: We're using four ounces of rubber and no slack. The slack will be kept out to make sure that the C. G. doesn't shift once you balance the plane. That is most important. The wing mount is also an important feature. If the weather is damper when you're flying than when you test-hopped, the wing can be moved back without difficulty. That portion of the model from the wing position to the tail picks up more moisture than the nose. That's why on a damp day the conventional model is always stalling. Here we can slide the wings back a little bit and correct for that without harm.

AT: What about the double nose block of yours?

FE: This facilitates winding and it's not as difficult as it may seem. One is left in, and the gears locked by dropping a pin through the loop at the rear and the motor stretched out and wound





# Build the MONOGRAM Model Fleet of U.S. Fighting Ships

*Now 5 Kits  
\$1.25 Each*

**Carrier**  
**USS Shangri-La**  
Named for General Doolittle's mythical base for bombers in Tokyo raid.


**Such Detail • Such Realism  
So Easy to Build!**

Build these Monogram Ship Models for sheer fun and enjoyment. Cherish them as beautiful, authentic keepsakes. Easy to build. Even those with no experience can make a fine model first time they try. Each kit makes one 16 inch model and includes detailed plans, fully shaped hull, superstructure blocks, printed baton sheets, printed templates, decals and other parts.



**Battleship USS Missouri**

Scene of Japanese surrender, World War II. In action in December off Korean coast.




**Landing Ship LST 608**

Outstanding in Pacific Action, World War II. Same type as used in Korean invasion.

**Cruiser USS Chicago**

Largest of all U. S. Cruisers. A beautiful and authentic model.



**Destroyer USS Hobby**

Herosine of the movie "Destroyer" and a fast, hard-hitting fighting unit.



Helicat



Cessna Seaplane



Aeronca



Piper Cub



Navion



Thunderjet

**SPEEDEE  
BILT**  
*flying models*  
**75c**



Mustang F-51



Spod



Boeing Kuydel



Ercoupe



Long Midget



Monocoupe

Now there are 12 sensational Speedee-Bilt Models . . . World Wars I and II, jet plane, private type light planes, biplanes, monoplanes, fighters, trainers, seaplanes. Thrilling fun when you build them . . . more when you fly them. Every model has from two to five plastic

parts, patented Monofall wings, prefabricated fuselage, completely finished wood and metal parts and genuine decals. Get them at your favorite store.

Get these and other Monogram Models from your dealer. If none in your neighborhood send order to address below. Add 25 cents for shipment from nearby dealer's stock.

**Monogram MODELS, INC.** 225 NORTH RACINE AVENUE CHICAGO 7




# WATCH ENTERPRISE!

A GREAT NEW SERIES OF  
"ULTRA MODERN MODELS"  
WILL BE INTRODUCED NEXT MONTH—  
**WATCH FOR THEM!**

In the Meantime:  
**FOR YOUR ENJOYMENT—**



**Free-Flight!**  
**"CHAMPION 36"** **Only \$2.50**  
36" Wingspan, 202 sq. in.  
For .045 to .099 Engines plus 25c by mail



**"SHADON"**  
Semi-Scale Free-Flight  
.045 to .09 Displacement  
32" Span — Pre-Fabricated  
**\$1.50** plus 15c by mail



**Free-Flight**



**"KNOCK OUT"** **\$2.25**  
Midget Control Line Stunt  
.045 to .09 Displacement  
18" Span — Pre-Fabricated plus 20c by mail  
**Control Line!**



**"BABY ERA BIPE"**  
Midget Control Line Stunt  
.045 to .09 Displacement  
16" Span — Pre-Fabricated  
**\$2.50** plus 20c by mail  
**Biplane!**



**"NEW ERA"**  
Famous Control Line Stunt  
19 to .45 Displacement  
28" Span — Pre-Fabricated  
**\$3.95** plus 25c by mail  
**Stunt!**



**"BABY ERA"**  
Midget Control Line Stunt  
.045 to .09 Displacement  
18" Span — Pre-Fabricated  
**\$2.50** plus 20c by mail  
**Midget!**

## ENTERPRISE

MODEL AIRCRAFT AND SUPPLY CO., INC.  
9187 AVE. D, DEPT. AT 31, BROOKLYN 37, N.Y.

fully. That's the motor with the prop attached; it is then put in place and the lower one is pulled out and wound. It's always advisable to check your gears before each flight to make certain they don't bunch, crab, or jump. A good way to stop jumping or crabbing in flight is to use a few more winds on the lower motor than on the top; that keeps the top one taut and power delivered to the prop all the time. If your top motor is wound more than the bottom one, it will wind out ahead of the lower one, and then it jumps and you can see actual power surges in flight. Very bad.

AT: How much do your gears weigh?  
FE: One half ounce; they're made with ball bearings, have brass gears, and an aluminum facing mounted on a plywood plug with bushings. The rubber-covered hooks are similar to those the Finn used in his model. His gears, incidentally, were very good.

AT: How much loss do you think you have in those gears?

FE: We couldn't notice any loss at all; we flew the model on the top motor and then we flew it with the gears running, and we couldn't detect anything but an increased power run and greater duration. The climb was constant all through the whole flight.

AT: Speaking generally about the Wakefield, do you think interest is growing or is it just another one of those "old men's" events with "has-been" model builders looking for a trip?

FE: I believe that interest is on the upswing; this is indicated by the large number of contestants going in for it; many are quite young. They're not the old fellows who built models 20 years ago and just know how to build rubber-powered models and nothing else. There are a lot of Half-A model builders who think of the Wakefield as something they would like to win.

AT: Do you think the Academy should promote just one outdoor rubber event and make that the Wakefield contest exclusively, instead of fussing around with stick models and cabin models of various sizes? Do you think we should just concentrate on the Wakefield with everyone building the same ship or do you think that's too much of a limitation?

FE: If the AMA is to run but one contest for rubber, if they want to cut down the events, if they can't see their way clear to run a number of events, then by all means that event should be to Wakefield specifications so that we could get good models developed. I feel personally that we shouldn't eliminate any events because that way we're eliminating some of the fellows who like to build certain types of models. But if we are to cut down on any events, let's not cut them down in such manner that we will be left out of the international contests.

AT: How do American modelers stack up against overseas flyers?

FE: The American model builder is a better model builder because he doesn't concentrate on just one type of model. He builds practically every type he can afford. The English model builder, for instance, can't obtain engines and supplies as easily or as cheaply as we can. Their costs are so much higher that when they build a model they concentrate on it and really do a good job with the material on hand. If we were to run a contest which would include all our events and have a team from each country represented, I'm sure that we could show them how model building is done.

But if we ran a contest just for rub-

ber, for instance, in which the British and the Continental flyers excel, we would stand a big chance of being shown how. But if you took indoors, outdoors, rubber and gas, stunt and speed, and put them all together and had the boys fly it out, I am sure we would come out 'way ahead of any foreign competition.

## Crowbar "56"

(Continued from page 39)

When cabin sides are finished and the glue is good and dry, place one on each of the fuselage sides you have cut out—remember, you will have a right and left side, do not make two of the same. The cabin side uprights are glued against the inside of the fuselage sides so that the bottom end of each upright is flush with the bottom edge of the fuselage side.

You are ready now to join the sides together; cut the cabin cross braces the proper length. Set sides upright on a good flat surface and glue in the cross braces. Use a square to make sure sides are not "whamper-jawed." Also, the square is used to make sure one side is not shifted fore or aft. You should have discovered by now that the cross braces at the front and rear upright are the only ones you have that go against the insides of the upright, and the two at the center go against the inside of the fuselage and just in front of the center cabin upright.

After the cabin structure is dry, bend in sides at front to meet the firewall you have made while the glue has been drying on that "timber" in the cabin. Glue firewall in so that sides of fuselage overlap the firewall to make front edge of sides flush with front of firewall. With fuselage still down on that flat surface, bend in rear of fuselage sides and glue in the 1/4" sheet former located just in front of the stabilizer leading edge. Cut the cross braces in rear of fuselage to proper length and glue in. Bend rear tips of fuselage sides together and glue.

While fuselage dries, cut out from 3/16" plywood the former to which the gear is bolted. Bend landing gear and bolt in place on this former. Turn fuselage over, glue landing gear former in place with plenty of glue. Add the 3/32" balsa doublers inside the fuselage at front. Glue a piece of 3/32" over the top of nose from first cabin upright out over the firewall, and trim flush with sides and front of firewall when dry. Cut out bottom windshield holder, glue on top of nose.


It is a good time right now to glue in the 1/16" wire hook that holds the dummy in place. Glue in doubler inside nose at top and add another coat of glue all over inside of nose and around gear former. Now, fit a piece of 1/4" sheet in top of cabin at front for the top of the windshield to fit around and cut to shape, then place in dowel for holding in wing. Cut a piece of 3/32" sheet for window frame and use a different window shape if desired—I'm lazy, my windows are square. Plank top of fuselage from cabin back, place in the 3/32" plywood platform for stab. The bottom planking has not been added yet; before you install it go inside fuselage and give it a good coat of glue, including all joints inside fuselage, and then put the bottom planking in place. Build up the rear of cabin with the triangle pieces as shown. When everything is thoroughly dry, sand the fuselage and



# The Best in Models!

**S**PEED? Stunt? Scale? Free Flight Gas? Big jobs? Half-A's? Rubber-powered craft? Brother, we've got 'em all in the brand-new, big 98-page Air Trails Model Annual for 1951. This is the famous model annual that has been issued in '43, '44 and '46 and each time has been a sellout! Here's a great big hint to every modeler who enjoys fine reading, who likes to build better models, who recognizes the value of expert guidance—get your copy while they're hot. You can get the new Annual, the

"AT" Annual for 1951, at the same newsstand where you buy Air Trails each month. Print order was limited; after the newsstand copies go there'll be no more available of this issue. The price is a low 35c for the biggest bargain in air-modeling. Canadian readers cough up 40c; but they'll agree the material, the plans, the articles, the charts, graphs, drawings and photographs are easily worth 10 times that sum! This is the last call to dinner—don't miss this dish! Ask for "Air Trails Model Annual."



Here are but a few of the many fine features of the AT Model Annual for 1951. These annals quickly become a collector's item so hustle down to the newsstand Get Yours Today!



give it a coat of clear dope. A piece of linen glued around firewall and back along sides of fuselage about an inch and one half will strengthen front end. Cut windows in windshield from a sheet of celluloid and glue in place, and the fuselage is complete except for covering.

Cut out the wing ribs so that they are all exact and alike. Ribs "B" are made of  $\frac{1}{8}$ " sheet and the rest are  $\frac{1}{16}$ " sheet. It will pay to spend a little extra time in cutting the ribs and notching them; I suggest you stack the rib blanks up and use a band saw or jig saw to cut as many as possible at a time. If you don't have such equipment, cut them with a knife or razor blade, then pin them all together and sand with a sanding block so they're all alike and all notches match.

"B" can be removed from the stack of ribs and notches cut wider to allow for the wing spar gussets, and the leading edge can be trimmed down to allow for the leading edge gussets. The trailing of the wing is made up of two pieces of  $\frac{1}{16}$ " sheet balsa. Cut the bottom trailing out of a sheet of  $\frac{1}{16}$ " medium hard balsa. Pin leading edge down to the wing plans and pin trailing with wedges under the front of it so as to allow for the contour of the bottom of the rib. Place in all "A" ribs and then top spar.

When dry, remove from worktable and place in proper dihedral. All the spar and leading edge gussets should now be put in place and the three "B" ribs added. When this much of the wing is completely dry, place in the bottom spar, top piece of trailing edge, leading edge planking and top cap strips. Cut the wing tips from a piece of  $\frac{1}{8}$ " sheet balsa and soak in water

to permit bending to fit the contour of the end of the wing. Glue on wing tip and put in center section planking, then sand wing thoroughly and coat with clear dope.

Cut out all the stabilizer ribs using the same system as in the wing. This means cutting out 18 ribs except for the notches—notch later. Now when the rib is to be cut down such as for "F", measure the length of the chord on the plans and cut off rear end of rib so that it's the correct length. With a razor blade and a straight edge cut from bottom of leading edge of rib to top corner of where rib was cut off at rear end. Do this for each rib and cut notches for spars and trailing edge when installing ribs. Lay down leading and trailing edges as you did in the wing, lay down bottom spars and glue ribs in place. Before lifting from board, the top spars and top trailing can be installed. When dry lift from board and glue on tips, shape the leading edge, glue in center section planking and give stab a good sanding.

Cut rudder and sub-rudder out of  $\frac{1}{8}$ " sheet. Sand them so they have a streamlined section. Cut the bottom of the rudder so it will fit the curve on the top of the stabilizer. I suggest you wait and glue the rudder on after the stab and rudder are both covered.

Sky Sail or Jap tissue is fine for covering. Cover with anything you like as long as you do a good job of it. Silk on the fuselage is excellent if you have any. Use enough dope to get a slick finish and then apply a good fuel proof.

Set the dummy in your ship at the position shown on the plans and check balance of plane complete. The best results have been with the C. G. at a

point 6 inches back of the leading edge. If it is necessary to slide your dummy, install some braces so he will not move in flight. Give the ship a test glide before attempting a power flight. My plane and all the others like it here in Okie City glide to the left and climb to the right, and that is what I recommend.

After gliding by hand until a nice glide is obtained with slight left turn, give the ship a power flight with the engine running slowly and set at about a 10-second motor run. Do not attempt to go to full power all at once, but gradually increase power with each flight. You will probably need about two degrees down and two degrees right thrust to maintain a good climbing attitude to the right. All model builders have their own ideas about adjusting models, so if you have some other system you are sold on stick with it. I do, however, suggest you do not use high-pitch propellers. My best results have been obtained with  $9\frac{1}{4}$  and  $10\frac{1}{3}$  and  $10\frac{3}{4}$ .

The Crowbar can be fitted with a pop-up tail dethermalizer or a parachute, whichever you prefer.

The Crowbar's dummy is constructed to minimize additional damage to the model in event of a crash landing. The eight-ounce weight, thrown about within the fuselage, could otherwise wreck the model. The dummy's sides and back are built of thick sheet balsa; his head is a one-inch cube. Several strips of solder are cemented to the inside back sheet after which a soft  $\frac{1}{8}$ " sheet is cemented to the front. Should the model crash, the solder is torn loose from the back sheet, pushed through the soft front sheet, after which its inertia is reduced to the point where further damage to the model is unlikely.



**For the Model Builder Who Wants the Best**

Size:  $7/8"$  x  $15/16"$  x  $5/8"$  50c ea.

Type: "E"



Sizes: 1/2", 1", 1 1/2", 2", 2 1/2" 50c ea.  
[1/2" size for free flight only]

**Acme Model Engineering Co.**  
8120-73rd Avenue Brooklyn 9, N. Y.

(Continued from page 29)

One big barrier remains: that first solo flight. It need not be so bad to contemplate, though, if all instructors should adopt Bill's procedure. As a rule of thumb, a student solos at a certain number of hours. Bill thinks that the wrong approach. He'd rather leave the time for solo to the instructor's discretion, when the student becomes capable of taking over alone. As a pattern, Bill gives five hours of air work, three of shooting landings. Maybe his boy is ready at seven hours, perhaps not until nine or ten. The day Bill decides solo is indicated, he flies out to the training area as usual, comes in to shoot a land-

Or Bill calls for a climbing turn. Coming out of the turn, they go into the maneuver again. Then he calls for a chandelle. The climbing turn becomes part of the chandelle. He goes from one to another, then puts the two together.



**San Francisco Fuels**  
**FIRST...**

**in the field of Racing Fuels**

### 3 Acclimatized Volatane Control.

**Purity Protected.**

**Proven Performance.**

**YOU ARE ASSURED OF THESE  
IMPORTANT FACTORS IN  
EVERY DROP OF**

**POWERMIST • SPITFIRE  
BLUE BLAZER**

## FUEL OF THE CHAMPIONS

FROM THE WORLD'S FIRST, LARGEST, BEST EQUIPPED  
RACING FUEL LABORATORIES

FRANCIS & TAYLOR LABORATORIES

Shortly, his student chandelles with no thought of the climbing turn.

Bill thinks of his job in terms of progress, not problems. "A good instructor," he tells you, "avoids trouble." Nor does he expect his student to encounter too much difficulty. Bill checks him thoroughly on cross-country before he sets out on a night flight. He makes certain the student forms a sound judgment of the weather, that he knows the terrain, that he knows his position accurately, that he knows where to go should his engine stop.

This could be an exciting story were it concerned with a test pilot or a hot Air Force combat pilot. But it deals with the prosaic routine of up-and-down, day after day. To Bill, however, it's a rewarding routine, for he is building the nation's future crop of pilots. By the time his student hits 16½ years to complete his commercial course, Bill hopes he may exhibit some signs of becoming instructor material, himself. "Good instructors are badly needed," Bill assures you. How well his student deports himself during instruction and through the final flight check has much to do with his acceptance as an instructor.

Bill soft-pedals the mental hazards, tries to instill confidence. When one of his boys does go up for an instructor's rating, though, Bill can't act as CAA examiner. That job is reserved by CAA, for its own staff inspectors. No substitutions are permitted here.

Let's flash back a moment.

When Bill came up for flight instructor's examination, he knew he would face tough oral and written exams. Having read Civil Air Regulations more than once, he understood he must have had not less than three hours' instruction on spinnable air planes.

Which rating did he seek? airplane glider, autogyro or helicopter? Was he shooting for a ticket on single or multi-engine, land or sea? Being more than the required 18 years old, he sailed into the searching examinations. Before he completed the rigid requirements, he flew straight and level, made moderately banked turns in both directions, demonstrated minimum glides, maximum climbs, approaches to stalled attitudes, stalled, skidded, slipped, spiraled, recovered from unusual positions. More, he demonstrated his skill at flying by radio, and let down using instrument approach.

Tough? Sure. But tougher yet was the oral examination, when the government man looked him in the eye, asking questions that determined whether Bill was another Dale Carnegie who could win friends and influence people — to become good pilots.

How many friends and how many people? The G.I. Bill soon will cease to send boys into the schools for flight training. But the defense program will bring 100,000 hours of training to hundreds at Greenville. More hundreds of thousands of hours at other bases. Most all these will be operated by present school organizations on contract. The CAA approved schools will receive more trainees, and a program is in the making for colleges and high school students. Bill enjoyed G.I. training, and from that climbed to instructor. Just how expert is he?

Bill signs off with this footnote: "The day a flight instructor stops learning more about airplanes and how to fly them, that day he'd better quit. A pocket full of ratings is no guarantee of success. As long as you stay ahead of air."

# Wow! 2 New F-B Fly Boys!

F-B Blazes the trail with the hottest Stunt ships for '51

New!



## VIKING

51" span, 11" chord, wing area 550 sq. in. Prefabricated fuselage, die cut parts, easily assembled, short building time.  
Class C-D ..... **\$5.75**

## VAMPIRE

48" span, 9" chord, wing area, 340 sq. in. Ready-built fuselage, die cut ribs, shaped and formed parts. Formed landing gear.  
Class B-C ..... **\$4.50**



New!

### 4 More F-B Aces

that make friends

Baby Sky Box Stunt & Trainer, Class A-B. .... **\$2.95**

Piper Vagabond Scale Stunt, Class A-B. .... **\$3.95**

Sherry Stunt Plane, 517 Sq. Ins. — 49" span, 11" chord. For class C-D engines. .49 cu. ins. up **\$4.95**

P-T Trainer — prefabricated profile. 155 sq. in. — 26" span. For class A-B engines. .099 cu. in. **\$1.99**



"FOLLY" 1/2 A FREE FLIGHT for all Engines .035 to .074. .... **\$1.75**

F-B MODEL AIRCRAFT — 3240 LARIMER — DENVER 5, COLO.

## BACK AGAIN—the "R. B. SPECIAL 29"

Model Builders First Choice with Speed • Precision • Power



SPECIFICATIONS  
Fuel Admission — Through Rotary Crankshaft Valve  
Bore: .750  
Stroke: .678  
Ignition: Glow Plug  
Crankshaft mounted on two Ball Bearings

**\$16.95**

SEE YOUR DEALER


The "R. B. Special 29" claims the distinct advantage of being 100% custom, precision built. By machining high grade materials to perfect exactness we give you the best in an engine that money can buy. Rugged construction. Each engine is thoroughly tested at factory before shipment.

Regulation Discounts to Dealers

**CENTAVE MANUFACTURING CO.**  
15209 ASPINWALL AVE. • CLEVELAND 10, OHIO



# AMERICA'S HIT KITS



**\$2.50**

First completely prefabricated scale control-liner for half-A's. One piece fuselage, big 17" span, 95 sq. in.



**PRIMER**

**\$1.40**

Realistic profile type for stunt, training or sport. 18" span, 4" chord, .020-.099 displ.



**WING**

**DING \$2.25**

Tops for contest flying in 1/2 A. Span 18", chord 4", .020-.099 engines.




**WING**

**DINGUS**

Expert's choice for stunt and sport flying. Span 16" area 90 sq. in. .020-.099 displ.

**\$2.25**



**SKYLARK  
\$2.00**

Sensational contest freeflight. .020-.049 displ. 31" span, 105 sq. in. wing area.



**FLIP-FLAP**

**\$3.50**

Revolutionary full stunt job Big 24" wing, 2" operating flaps Takes any engine from .074, .099-.23, .29

At your dealers—add 25c kit by mail

**MASTER MODEL CRAFT**  
727 Westchester Ave., N. Y. 55, N. Y.

airplane in your thinking, you'll never get into trouble. It's when you get behind it, in thinking or habit, that you are headed for disaster."

Bill's not the kind to lose interest. He is headed upward in an expanding career. Formal school training lies behind. Now it's up to him to stay on the ball.

## Cutlass

(Continued from page 48)

Douglas, Curtiss-Wright, McDonnell and other companies responded with new designs. These bids were opened in April 1946 and in June 1946 the Vought XF7U-1 was selected and an experimental order for three airplanes was awarded Chance Vought Division, United Aircraft Corp.

It was not long afterward that word began leaking out that Vought's new Navy fighter was a tailless design and this brought a knowing wagging of heads to the competition. Engineers have known for 30 years that the fuselage and tail of an airplane comprises 60 percent of the total drag; its elimination reduces the airplane drag proportionately and the result is a much faster, farther and higher flying airplane. But they have also known that longitudinal stability and control—normally provided by the tail—must be built into the wing itself. That means symmetrical or reflexed airfoils with accompanying low maximum lift coefficients. This is handled only by more wing area than the conventional design requires and, therefore, a drag considerably higher than the simple theory would indicate.

But Vought engineers went after that theoretical low drag with a vengeance. The use of 35 degrees wing sweep presented even further complications because of its tendency to induce a spanwise flow towards the tips and create even further lift reductions. Vought attacked the problem by the use of very large leading edge slats in the area of the lateral controls so that good airflow would be preserved over these vital controls at low speeds, thus counteracting tip losses. Another way to handle the problem was to use "air dams" along the wing to interrupt this spanwise flow, and Vought engineers carried the fin leading edges well forward.

The problem of stability and control was compromised rather than solved. Pioneer, all-wing designer John K. Northrop proved in the Flying Wing airplanes that an airplane can be built entirely without vertical surfaces of any kind, but Vought engineers could not risk the noticeable skidding on turns and low directional stability of the true tailless airplane. So large fins and rudders were used. The wing trailing edge surfaces, of course, are forced to do double duty in a tailless airplane; they must be elevators and ailerons simultaneously. Northrop called his controls "elevons," so Vought scrambled the two words again and came up with "ailevators." When the two controls move up and down together they are elevators; when they move differentially they are ailerons.

The original F7U design called only for two straight Westinghouse J34 turbojet engines, but the tests on the afterburner-equipped F6U Pirate pointed the way and F7U designers quickly added two huge Solar afterburners to the J34s. The F7U-2 is powered by two J40 engines on their

design. It was this last-minute change that gives the F7U its odd after-fuselage shape but also provides the sleek swept interceptor with 10,000 lb. thrust for short bursts of speed, the most potent powerplant ever placed in a Navy fighter.

Quick take-off requires plenty of high-lift and high-power. The revised F7U had plenty of the latter but the thin, symmetrical high-speed airfoil was never designed for producing much lift. To overcome this, Vought engineers cocked their new fighter up at an angle of 9 deg. on the ground, which gives it its peculiar nose-high stance. This provides a high angle of attack to the wing while the airplane is rolling along level. In an actual take-off that nose moves up as high as 15 deg. before the airplane leaves the ground!

The Cutlass is a big airplane, weighing more than 10 tons. Yet this weight is easy to understand when you consider the 12G loads it must take, its pressurized cabin, its extra-strong landing gear for those carrier landings, its heavy armament and large size. The cabin air conditioning system provides heat for the pilot at moderate speeds, at high altitudes and cooling for the pilot at high speeds at lower altitudes, because of the friction heating of the fuselage skin by the air racing past. A pressure differential of 2 1/2 lb./sq. in. is available so that at 20,000 ft. the pilot is riding in the same atmosphere existing down at 12,000 ft.; at 30,000 ft. the cabin altitude is only 18,000 ft. and at 40,000 ft. the cabin altitude is about 25,000 ft.!

How fast is the Vought F7U Cutlass? With those big afterburners operating it has hit sonic speed repeatedly at low altitude, but the real test of an interceptor is how fast it is at high altitude. At a time when most jet fighters are attempting to keep above stalling speed at 50,000 ft., the big Cutlass is clicking off better than 400 knots. As for getting upstairs in a hurry, the swept-wing brute passes 40,000 ft. going like a rocket after only four minutes of climbing!

But neither Navy nor Vought engineers are yet satisfied and production plans for the airplane have been delayed twice by substantial changes. It's a hush-hush fact that the new F7U-2 is powered by two giant Westinghouse J40 engines producing more than 20,000 lbs. thrust with afterburning—twice the power of the current model. That means a supersonic Cutlass is on the way down the production lines and an entirely new era in carrier-borne fighter tactics is now aborning!

## Hot Off Wire

(Continued from page 44)

are undertaken. Speed flying will never increase its popularity by any large amount; however, the powerplant field is still wide open for the pure speed addict. There will undoubtedly be hotter and smaller engines developed, but what about jet or rocket powerplants? The limited number marketed today augurs there is plenty of room for more. When this field is explored further, we can expect to see some real speed records and a whole new rule book to go with them.

Jet speed has kept pace with prop-driven speed and experimenters continue to search for the answer to take-off cut-outs and faster starting. Various tank baffle arrangements are working

**NEW!**

## FOR CLASS 1/2A CONTESTANTS

A new contest has been added in the

### 1951 NATIONALS!



**New Clipper\* Cargo Competition for the class 1/2A model plane carrying the greatest payload. Send for rules NOW—be ready to WIN Cash Prizes!**

● In addition to the PAA Load Event, sponsored by Pan American for the past three years—a Special Clipper Cargo Event is open this year (at the Nationals only) to contestants of all ages. The winner will be the entry carrying the greatest amount of pay load in an official flight and landing it safely with load intact. Select your own items to be carried for the Clipper Cargo Competition. No dummy required.

\*Trade Mark Reg. U. S. Pat. Off

**PAN AMERICAN**  
**WORLD AIRWAYS**

**WORLD'S MOST EXPERIENCED AIRLINE**

#### **PAA LOAD EVENT**

Standard PAA Load Events for The Nationals and other contests this year will be in 1/2A and in a combined A & B classification.

There is a new smaller dummy for 1/2A: body 1 1/2" wide by 2 1/4" high by 3/4" thick, and surmounted by a head 3/4" x 3/4" x 3/4"; weight 3 ounces. Dummy for A & B is the same as last year.

Mail coupon below for full information about 1/2A contest and the 1951 PAA Load Event.



**FREE**

Educational Director, Pan American World Airways  
28-19 Bridge Plaza North,  
Long Island City 1, New York.

Please send me official rules as approved by Academy of Aeronautics and published in booklet form by Pan American World Airways.

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_



### 9' TAYLOR CRAFT GAS MODEL



9 foot span. Can use Radio control. Wing ribs die cut. 15" carved prop., radio hook, silkspan, set plywood formers, full size plans, printedalsa, etc. (see "C" type motor, single or twin cyl.)  
Set without motor or wheels, postpaid **\$17.50**

Extra pair of 4 1/2" air wheels, \$4.50

### CURTISS P40F GAS MODEL

New Improved Model



48" Span. Free flight or U Control  
Improved with new 2 3/4" alum. spinner and 8" Vero alum. disk semi-pneumatic rubber wheels. Planked type body, parts printed onalsa and all parts set **\$9.00**

### LOCKHEED VEGA GAS MODEL



41" Span. 1" Scale. U Control  
Ideal for U Control Uses B or "C" type motor. High lift wing gives 20 ft. take off. Set has alum. cow, wheels, silkspan, and all parts printed onalsa. Set **\$6.50**

### Republic P47 Gas



35 1/2" span. De luxe const. set **\$5.95**

### Corsair F2G Gas



40" span. De luxe const. set **\$6.75**

### 5 RUBBER DRIVEN MODELS BELOW

#### Curtiss P11C4




30" span 1" scale Const. set **\$4.50**

#### Gramman F3F1



30" span 1" scale Const. set **\$3.75**

#### N. American B-25



32 1/2" span 1/2" scale Const. set **\$4.00**

#### Stearman PT17



Set has 2 1/2" rubber id. motor, plastic prop, etc. 23" span Const. set **\$2.95**

#### Vought F4U1



Rubber driven. A beautifully detailed model. 20" span 1" scale Const. set **\$4.50**

### BOEING PT17 GAS



45" Span. Can use 5 cyl. M5 motor to scale or B or "C" type motor. 1 control. Set has scale rubberwheels and all spec. parts. Set **\$9.95**

Add 20c for postage. Catalog—10c coin

### MINIATURE AIRCRAFT CORP.

83 Low Terrace, Staten Island 1, N. Y.

out. Some have discarded metal fuel tanks completely, using the hollowed wood fuselage nose instead. Halves are carved and coated inside with Weldwood before final joining. All metal ships with engine completely enclosed are flying well and solve the problem of backfire and subsequent bonfires.

The leveling off of interest and performance in speed and stunt has really stirred up some novel ideas for future events. Proposals such as the "one-ship contest" may sound fishy at first, but given a little thought it all doesn't sound too bad. Why not fly speed and stunt with one airplane? A wedding of the two would turn up a pretty interesting airplane. Here the designer really will have to pull out some fancy rabbits to keep up with the competition.

Go a step farther, make the speed contest a fast and slow affair, even add a payload test. The latter has already been tried out and results were pretty phenomenal. Model design and flying events have concentrated usually on one particular type of performance; free flight's aim is endurance, in stunt it's maneuverability, speed chases the stop watch. But only in free flight payload is there a definite combination of two types of performance. In other words, if we are going to make model flying more interesting, we'll have to give the models and flyers a greater challenge. Why not demand broader performance from one model? The Navy Carrier event requires this sort of thing to a limited degree, and there is no reason the ball can't be carried on from there.

More realistic flight performance keynotes the proposed rules for Flying Scale events in 1951. Instead of the stunt pattern being a part of requirements, prototype flying will probably take its place. This means that the model can simulate the actual flight of the full-scale airplane. The four-engine boys can stick to straight and level, but will get more points for dropping bombs or retracting gear. The Pitts biplanes will get more points if the model can do a few flip-flops. This puts the varied types on a more equal basis and should help solve the difference felt in past years.

Fidelity and workmanship scoring will remain about the same. All this means that, to win, the modeler will have to have a beautiful model that not only flies straight and level but can do some other tricks to imitate its full-size cousin. Other proposals include limiting engine run so that flying at contests can be run off more quickly. This might mean cut-offs like those used in team racing.

Speaking of team racing, the new baby is doing fine. As soon as more flyers can start their engine at the drop of a prop nut, this event will really gather the followers. The initial difficulties and discontent experienced by some breaking into this phase of flying are guaranteed to dissolve once a modeler gets the first few races under his belt. It's just like eating oysters—you never know till you try one. Some broad local interpretations of the rules have been made; rather than a one-ounce tank, a large capacity is used to get all the laps possible. This then becomes an endurance race, and although this type of thing is not eligible for A.M.A. contests it takes a lot of the boil and bubble out of the event when a small fun show is on the agenda. More efficient engine cut-offs are being worked out and at the bigger contests smooth races resulted. A good cut-off is

worth all the trouble it may entail. Let's not neglect the two-speed engine for team racing. This would lick the hot re-starting troubles.

Intake plugging in the interest of fuel thrift is becoming standard procedure. Medium-pitch props for short dashes and higher pitches for long races are fertile ground for experimental work. Fuel economy tests with different fuels will give some of the hot answers to those who haven't gone to the trouble yet. The coming months should see more interest in this very worthwhile event. Try it once and you'll buy it.

Another variation on the team race theme turned up with the small bore (Half-A) engines. Very successful races have been flown on 20-30 ft. lines and speeds have ranged from 40 to 70 mph. This could really develop into something as the popularity of the little engines cannot be denied.

The Navy Carrier event was run for the first time at the 1950 Dallas Nats. Although the number of entries was small, it turned out to be an interesting affair. Like any new event some attempts met with trouble. The problems of slow flight and spot landings are considerably different from speed or stunt. This type of flying is new to the spin-dizzies and demands much more performance from a control-line model. At the Plymouth Internationals an exhibition Carrier Event was held and a very successful show resulted. The ships used ignition with two-speed timers, which proves to be the immediate answer to fast and slow-speed flight. Since point scoring is based on the speed difference, the biggest gap possible will help win future contests. Here's plenty for the gadgeteers to play with. Flaps, spoilers, trailing parachutes, variable-pitch props and engine throttles will be the toys that do the tricks.

The yo-yo artists are not the least bit adverse to a little rough and tumble now and then. Although combat will probably never be written into the A.M.A. rules, ribbon cutting has become a pretty popular pastime. As an exhibition event it can't be beat. Some flyers seem to think the idea is to cross-dive the other guy. Now, look here, fellers—the ribbon, the ribbon—just cut the ribbon. Plane landing with longest ribbon wins. How about an unwritten law for combat flying: "Collision disqualifies"?

One final prediction before we close up shop. The small-bore-powered completely collapsible model will become very popular during 1951. Fits nicely into barracks bags, foot lockers and sea bags. Once a model builder, always a model builder



# Spitzzy

(Continued from page 52)

gripping prop and turning over slowly with batteries connected to glow plug and fuel in the cylinder. A slight kick will be felt after the exhaust ports close, long before the piston reaches its top-most position.

The condition was overcome by changing to a colder glow plug, such as a Champion or Arden, for the initial engine run. After ten minutes the piston limbered up sufficiently to make starting easy with the Spitfire plug supplied. From this point on, performance is much better with the high-compression ratio and hot plug, so it would be a mistake to alter the engine in any way to compensate for initial hard starting. A loose fit would be undesirable since it would reduce total engine life, and lower compression would cause unsteady running in flight.

After one hour of running on the Spitfire plug the engine would continue to run on a lean needle valve setting and was limber enough to start rpm tests, indicated in the performance figures. Engine performance was very steady at all speeds and easy starting resulted with one drop of fuel as a prime in the exhaust and no fuel in the carburetor. Adding as little as one drop in the carburetor flooded the engine, making it necessary to flip twenty to thirty times to work out the flood. Testing on various fuels shows an increase of approximately 1,000 rpm when changing from stock fuels to those blended for Half-A engines. Also starting was more rapid, performance steadier.

## ENGINE DATA

**Performance.** Weight with tank: 1.42 oz. Propeller—8/3 Spitfire prop in kit 10,000 rpm; 5 1/4/4 narrow blade wood 11,200 rpm; 5 1/2/4 plastic 11,500 rpm. 5/3 narrow blade wood: 13,500 rpm. Fuel: best results on Half-A blends. Fuel level test: 6 1/2" at 11,000 rpm. Engine run on built-in-tank: 1 min. 20 sec. at 10,000 rpm

**Design Data.** Displacement: .045 cu. in. Class: Half-A. Stroke: .405. Bore: .379 in. Stroke bore ratio: 1.07 Compression ratio head: 6.5. Compression ratio base: 1.39. Port area—intake .0101 sq. in.; bypass .0119 sq. in.; exhaust: .0270 sq. in. Ignition: Spitfire glow plug

**Construction Features.** Bearings—crankshaft: aluminum, crankpin: steel; connecting rod: steel. Tank cast integral with base. Wrist pin ball joint held with steel snap ring. Three port intake and exhaust.

## PARTS ILLUSTRATED

1 Base & fuel tank, aluminum, 50 oz. Needle valve body, brass. 2. Base gasket, asbestos, .010 thick, .00 oz. 3. Bypass sleeve, aluminum, .502" I.D. x .290", .04 oz. 4. Back cover plate, aluminum, .632" dia., .04 oz. 5. Cylinder head, aluminum, .05 oz. 6. Cylinder, steel, .3785" bore x .992" long., .26 oz. 7. Needle valve, steel, .052" dia., .02 oz. 8. Crankshaft, steel hardened & ground, .218" dia., .107 crankpin, .20 oz. Drive washer, aluminum, .550" dia., .03 oz. Propeller washer, aluminum, .565" dia., .02 oz. Propeller nut, brass, 5-40" N.C., .02 oz. 9. Glow plug, steel, 1/4-32" thread, .12 oz. 10. Glow plug gasket, copper, .029" thick, .01 oz. 11. Piston, steel, .3785" dia. x .315"; connecting rod, steel 7/8" long, .11 oz. Total weight with tank, 1.42 oz.

# COMET

offers a new high in Quality and features at



\$1.00

## The "M" Line



## The "P" Line



## STRUCT-O-SPEED "E-Z BUILT" PRE-FAB FLYING MODELS

This is the line with the features—a group of six popular models—each pre-fabricated in the fullest sense of the word! Rubber-powered, but suitable for 1/2A engines, spring-type shock-absorbing landing gear, shaped all-balsa Holl-a-Wing, finished plastic prop and cowlings—and many more outstanding features! More for your dollar than you ever thought possible!

## FLYING and FLYING SCALE MODELS

Here are the models with really big wing-spans—24" to 54"—and really big values at \$1.00! Versatile, too—can be flown rubber-powered or adapted for use with the very small Glo Plug engines. Comet's sound designing makes these models easy to build—gives them excellent fly-ability. See them at your Comet dealer's—buy, build and fly all eleven numbers in this great line!

## The Largest Selling Kits in America

Send 10c for Illustrated catalog sheet.

COMET MODEL HOBBYCRAFT, Inc. 129 West 29th Street, Chicago 16, Illinois

## FROOM TANKS ARE YOUR BEST BUY!

**DESIGN...** The new and original design of the Square-Wedge stunt tank is tops in efficiency, giving greater fuel capacity yet occupying less space—only 3/4" deep, 1" wide and in four lengths. You'll find it much easier to mount than the regular wedge

**MATERIAL...** Froom Tanks are built of non corrosive tin plate. True protection against fuel discoloration and corrosion that causes engine freeze-up

**CONSTRUCTION...** Froom Tanks give longer service because they are seamed and firmly soldered inside the tank. To prevent fuel lines vibrating loose they are also inside soldered. All tanks are air tested under extreme pressure—guaranteed to be leak free

The Square-Wedge fits a large number of kits, including the Baby Era, Little Schmoie, Key Det, Whing Ding, Piper Cub Special and Lil Rasco

SEND TODAY FOR THE FREE LIST OF FROOM TANKS, SPINNERS AND ASSEMBLIES  
**FROOM MFG. CO.** 718(A) East Colorado Blvd., Glendale 5, Calif.



## CHOOSE FROM 4 SIZES

For 1/2A to .09 motors, use 1 1/4" length and .5 oz. capacity, 1 1/2" —.6 oz., or 1 3/4" —.7 oz. For larger motors use the 1 oz. Team Flying Tank. ONLY 75¢ ea.



# CLEVELAND! TOPS in SCALE



**The Magnificent "Gee-Bee" — A Classic!**  
Now, as ever, this stubby, bulletlike racer remains a favorite of air racing fans. Makes one of the most beautiful "show" models in history. For 1/2-A, A, or rubber.



30" BEECHCRAFT BONANZA \$1.25



14" MINNOW \$1.25



30" P-29 AIRACOBRA \$1.50



24" P-51 MUSTANG \$1.50



30" RYAN NAVION \$1.25




18" THUNDERBOLT \$1.00

**Read Why Experts Praise Cleveland Kits**  
They are the expert's choice for every modeler because they are the standards of authenticity and realism have never been lowered. True, they may take a little longer to be finished (except diecut 50c EZ kits), but you gain light-finish, true flying ability, great realism, and many other valuable qualities that profane fans **never** even know until they've built a Cleveland-Designed kit!



Span 19" \$1.75




STINSON Flying Station Wagon 43" \$3.50



30" P-40 WARHAWK \$1.50



30" GRUMMAN PANTHER \$1.50



20" GREAT LAKES TRAINER 50c




18" BRITISH SE-5 50c



20" FOKKER D-7 50c



24" P-86 SABRE \$1.50



36" P-50 LIGHTNING \$2.25



30" STINSON VOYAGER \$1.25

**WHEN ORDERING BY MAIL** (If your dealer is out of stock). Minimum order is \$1. Includes 25c for post-post (35c W. of Rockies, APO or US Possess.) No COD's. Special delivery (US only) 35c extra. Foreign customers add 20% for handling, etc. Overages refunded. Ohioans add 3% Sales Tax. SEND 10c FOR ILLUSTRATED PLANE CATALOG.

**CLEVELAND MODEL & SUPPLY CO.**  
4507C2 Lorain Ave., Cleveland 2, Ohio

## Parade

(Continued from page 12)

**Storm Swept.** Hurricanes and floods which swept the Eastern seaboard the latter part of 1950 wrought havoc in private aviation. At the Piper Aircraft factory in Lock Haven, Pa., 137 airplanes at the airport and in final assembly stages were ruined by the on-rushing water and had to be scrapped. Fifteen ferry pilots who arrived at Lock Haven from all parts of the country to take delivery of airplanes were stranded until a new production line was set up. The first ships off the line were scheduled for them.

**Flying Scaffold.** Monsanto Chemical Corp. of Everett, Mass., has solved the ticklish problem of how to paint a 150-ft. stack with a minimum interruption in plant operation. A helicopter was pressed into service. Steeplejack George Burgess was flown to the top of the stack, where he leaned out the craft's door and dropped the staging hook and played out block and falls into correct position. With the helicopter landed, the steeplejack hurried to the base of the stack, got into the bos'n's chair attached to the rigging and went to work. Monsanto Chemical Corp. saved a day and a half of time ordinarily required to erect scaffolding.

**Suspend Production.** Increased defense work forced suspension of production of the Swift and Silvaire airplanes by the Texas Engineering & Manufacturing Co., of Dallas, Texas. There are still a limited number of these planes available at the factory which will be offered, while they last, at 1950 prices.

**Wanna Jenny?** An analysis of planes registered in Missouri has divulged that there are six vintage machines in the state of over 20 years of age. The grandma of them all is a Curtiss JN4D Jenny of World War I fame, restored to flying status by St. Louis Flying Service.

**Beware of the Atom Plants.** The CAA has issued a reminder to private pilots to keep out of Atomic Energy Prohibited Areas, clearly marked on aeronautical charts. There have been numerous violations of the order recently, mostly due to poor navigation on the part of the pilots. Besides leading to the unpleasantness of being followed by fighter aircraft guarding the area, the offense carries stiff fines and imprisonment.

**CAP in Future War.** According to informed Washington circles, Civil Air Patrol's mission in the event of emergency has been defined. One of the most important phases will be the development of an auxiliary radio communications net using mobile equipment and capable of operating if power fails.

A number of support units are planned whose teams will include transportation, communications and radiological defense specialists as well as pilots and mechanics for emergency air missions. These units can be sent out at minutes' notice to critical areas. They will evacuate the wounded, patrol roads, transport medical supplies and food, control traffic.

Other CAP functions will be anti-submarine patrol, search and rescue missions as auxiliary to Air Rescue Service and the Military Air Transport Service, as well as the continuation of CAP cadet enlistment and training.

## Navy Fighter

(Continued from page 23)

curves (and parallel curves between them) have the same top speed at sea level. Here we want to get low and to the right, and it's clear that the Air Force fighters lie generally lower and to the right of the Navy planes. That means that for chasing a retreating bomber near sea level, the Air Force jet fighter is superior.

In the interception game, however, what the pilot really deals in is time, not speed. For example, when enemy bombers are reported at 45,000 ft. 75 miles out, the object of the defense is to knock them down in the shortest possible time. The best interceptor, then, is not the fastest, but the one that has the quickest take-off, the fastest climb, the shortest turn into firing position (co-ordinated with target detection and identification) and the most accurate pass with the heaviest armament. Let's take just a moment to compare the carrier-based fighter with the land-based model in a step-by-step analysis of this procedure.

We have already seen how the Navy fighter gets airborne much more quickly than the Air Force fighter. In the matter of getting upstairs quickly, rate-of-climb varies inversely as the wing and power loading. The lower these two factors, the higher the rate-of-climb, and our chart shows the clear superiority of the Navy airplane in this department. The lines sloping downward and sweeping toward the right are lines of equal rate-of-climb. Notice the sharp dividing line around 4,500 ft. per min., the Navy planes lying generally below this line in the region of higher rate-of-climb, the Air Force fighters scattered above this line toward lower rate-of-climb.

This means the Navy fighter will reach the bomber's altitude an interval of several minutes before its faster but more heavily-laden Air Force brother. This same relationship holds true for attaining really high altitude, for ceiling is determined by that same combination of low wing and power loading that in turn means that if the enemy bomber is cruising at 50-60,000 ft., the Navy plane will make the grade while the Air Force plane will not, its dramatic sea level top speed being left far, far below.

Again, maneuverability at high altitude is also enhanced by low wing and power loading, and our chart shows graphically how quickly the Navy fighter turns and maneuvers above 40,000 ft. as compared to the heavier Air Force fighter, whose low lift at this height makes wide, gentle turns a necessity to avoid stalling out. It is above 40,000 ft. that the Navy fighter really comes into its own and is a master of anything that is able to poke its nose up above this rarified domain.

And just to complete the picture, all Navy jet fighters mount four 20-mm cannon in their nose, compared to the 4-6 0.50 caliber machine guns standardized on Air Force jet fighters. This not only means longer effective range (about twice as far) but the cannon shell explodes on contact in a terrific destructive charge, while the 0.50-caliber machine gun fires only a slug.

Thus, the Navy carrier-based jet fighter gets off quicker, climbs faster, maneuvers better and hits harder than its Air Force land-based brother, which about wraps up the case for the Navy fighter as our best defensive weapon.



against enemy bomber attacks. But the story wouldn't be complete without dismissing once and for all the old "sitting duck" myth of the aircraft carrier. It's so easy to become an anti-carrier man. All you have to do is visualize a big, broad, flat-topped ship sitting in the water a few thousand feet below your mental bomber, just ripe for plucking. A single heavy bomb square in the middle of that flight deck (and how could you miss?) and that multi-million dollar monstrosity is on its way to the bottom! In a flash it's all over—not only your dream carrier below but the whole complicated argument of the aircraft carrier as a war weapon of the future. Yes, it is so simple to become an energetic anti-carrier man that the whole process takes only about as much time as it does to read the words in this paragraph.

For instance, the argument that the aircraft carrier—as a surface vessel—is a poor combat weapon; its 12/14 5-in. guns are little more than a destroyer's armament. It has no torpedo tubes and carries no depth charges. It is no more an offensive weapon than Idlewild Airport or your own local landing field, for that is all an aircraft carrier is: a sea-going airport. But right here is where the idea of the carrier's so-called vulnerability comes a cropper. Without a single exception, every combat airfield and strip used by the Nazis and the Japs during World War II was destroyed or captured; that's 100 percent vulnerability. From Pearl Harbor to V-J Day, the United States lost exactly eleven carriers (five carriers and six escort carriers) out of the total of about 150 placed in service. That figures out to less than 7½ percent losses—the kind of percentage all branches of the service would very much like to have for all their weapons.

The instrument the Navy fights its battles with is the airplane—not the carrier. It is the airplane the Navy throws at the enemy and the carrier makes it possible to do that 5,000 miles from the plane's home base, not the 350 miles of the land-based fighter. The range of the Navy jet fighter is built into the carrier—not the airplane. USAF Lockheed F-80 Shooting Star jet fighters were forced to operate for many, many weeks from bases in Japan, with the result that their time over the target in Korea was something less than 15 minutes. Grumman F9F Panther jet fighters operating from carriers off-shore were able to spend an hour or more at the target simply because the range required for the trip from Japan to the 38th Parallel was contained in the water-borne carrier and not the airplane.

All these facts point to the Navy carrier-based jet fighter as our Number One defense against Russia's atom-bombers, not only directly over our great cities but anywhere in the world they may fly. Our Early Warning radar net may give us detection coverage over a distance of 3-400 miles, but our carrier-based fighters can be counted on to give us not only detection but protection, not only 400 miles but 8,000 miles from our shores.

#### PHOTO CREDIT LIST

Page 24—Vampire, DeHavilland Co.  
Page 25—Fouga, R. Lescaudres  
Page 30—Howard Levy  
Page 35—Roland Harvey  
Page 36—Smith-Coda  
Pages 37-38—Courtesy Pan American World Airways  
Page 41—Official U. S. Navy photo  
Page 50—Roland Harvey

DEMAND THE DOPES  
USED ON REAL AIRPLANES!




**SPEED-O-LAQ**



**FLIGHT TESTED**  
**AIRCRAFT DOPES**

- 23 COLORS!
- ONLY COMPLETELY AUTHENTIC LINE!
- WIDEST RANGE OF COLORS!
- FINEST QUALITY!



SPEED-O-LAQ  
Model Aircraft  
Cement  
10c

Finish your plane right!  
Use SPEED-O-LAQ Flight Tested Dopes. They're identical to standard aircraft dopes. For a beautiful, glossy, permanent finish—plus better performance—insist on SPEED-O-LAQ. Try it and see!

At your model aircraft dealer, or write

**STILL**

**10c**  
BOTTLES

**35c**  
JARS

**SPEED-O-LAQ PRODUCTS CO., INC.**

2386 WYCLIFF ST., ST. PAUL 4, MINN.

If you take pride in your solids

**Consolidated**  
Kits are for you!



Save 4 to 6 hours building time with our famous

**REDI-CARVED FUSELAGE**

More for your money in every kit!

**DELUXE SUPER MINIATURES**  
\$1.25 ea.

Focke-Wulf 190  
Hawker Typhoon  
Grumman Hellcat

Jap Zero  
Republic P-47  
N. Amer. P-51

Boring B-17  
Kingfisher  
Lockheed P-38

**DELUXE GIANT SOLIDS**

Most above aircraft available also in larger scaled kits—  
from \$2.50. Complete list with order.

**NAVY TYPE FLOATS—KIT \$1.50**

Foto Design, floats covered 22 long sustains 1 lb. weight.  
Detailed plans.

MAIL ORDERS Filled (No C.O.D.)

**hell razor**

complete model kit in  
kit form  
**MAGNESIUM  
ALLOY BOTTOM**  
10 prize awards for  
performance

Class 'A' \$5.95  
Class 'B' \$6.50  
Class 'C' \$6.95



**FREE 'T' SHIRTS**

AWARDED MONTHLY  
for best, confirmed speed flights with  
**HELL-RAZOR** in Class A-B-C-D

**HELL-RAZOR TROPHY ANNUALLY**  
for best, annual flight with HELL-RAZOR  
Separate Trophy for each class

**Consolidated**  
3087 Third Avenue, New York 54, N. Y.



**Send us your old motor and SAVE!**

New Motors	Reg- ular	Trade- in
Arden 600 . . . .	8.75	6.55
Arden 1200 . . . .	9.75	7.30
Harley Springfield 645 . . . .	5.45	4.10
Harley 2000 . . . .	14.95	11.50
Harley 1100 600 . . . .	8.95	6.70
Harley 1200 600 . . . .	12.50	9.55
Harley 1200 600 40 31 . . . .	14.25	10.75
Harley 2000 . . . .	11.95	8.95
Harley 2000 . . . .	11.95	8.95
Harley 2000 40 20 . . . .	12.95	9.70
Harley 2000 40 20 . . . .	4.85	3.70
Harley 2000 40 20 . . . .	4.95	3.70
Harley 2000 40 20 . . . .	5.95	4.45
Harley 2000 40 20 . . . .	14.95	11.20
Harley 2000 . . . .	7.95	5.95
Harley 2000 . . . .	9.95	7.45
Harley 2000 . . . .	11.95	8.95
Harley 2000 40 20 11 . . . .	10.95	8.20
Harley 2000 40 20 11 . . . .	14.95	11.20
Harley 2000 . . . .	8.95	7.45
Harley 2000 40 20 . . . .	10.95	8.20
Harley 2000 40 20 . . . .	12.95	9.70
Harley 2000 . . . .	13.95	10.45
Harley 2000 600 . . . .	4.95	3.70
Harley 2000 600 . . . .	5.25	3.95
Harley 2000 600 . . . .	3.95	4.45
Harley 2000 600 . . . .	8.95	5.20
Harley 2000 600 . . . .	9.95	7.45
Harley 2000 600 . . . .	7.45	5.95
Harley 2000 600 . . . .	10.95	8.20
Harley 2000 600 . . . .	11.95	8.95
Harley 2000 600 . . . .	4.45	3.35
Harley 2000 600 . . . .	14.95	11.20
Harley 2000 600 . . . .	4.95	3.70
Harley 2000 600 . . . .	4.95	3.70
Harley 2000 600 with tank . . . .	8.75	5.05

**Tell us your terms on motors over 14.95!**

We stock all new motors and accessories, but we do not ship fuel as express charges often exceed value of shipment. Any British motor supplied to special order.

We pay postage on all prepaid orders.  
Please enclose \$1.00 with C.O.D.'s.

**All American Model Motor Exchange**  
Dept. A, Box 325, Santa Monica, California

1906 "Old 16"  
Locomobile  
\$399

Our scale model from the original "Old 15" now owned by Peter Heick, the well-known artist. Build this Vanderbilt Cup Winner! Length 10" when completed—newest "Old Timer" Antique Auto Set! Below we show 12 other "Old Timers".



Check "OLD TIMERS" You Want

- |                     |                     |
|---------------------|---------------------|
| 191 Marcell 53.50   | 1811 Buck 23.50     |
| 1904 Ohio 51.50     | 1912 A Ford 22.50   |
| 1810 T Ford 50.00   | 1913 Ingle 21.50    |
| 1905 Ford 49.00     | 1914 Norwain 21.50  |
| 1909 T Ford 22.50   | 1903 Cadillac 22.50 |
| 1904 T Ford 22.50   | 1900 Packard 23.50  |
| 1902 Remond 22.50   | 19 1904 22.50       |
| 19 1905 Motor 13.50 | 1904 Buick 23.50    |

1900 Old 10 Locomobile \$1.95

**Hobbyists and Collectors** want three beautiful Antique Antebellum one way to accessible with well-lubricated parts! Actual : scale models they is decorative and authentic 8" to 10" in length. See them at hobby toy or department stores. They're the coolest things on wheels! Or write us. Prompt delivery. Guaranteed satisfaction.

## (Continued from page 35)

sample tests and a short, easy, interesting course of instruction to start you off on your aviation work.

We might say at this point that a very detailed program has been worked out for the Air Adventurers, but portions of it are still being checked in Washington and we do not want to be premature in any announcements. So the best advice is, send in your membership application right away so you will not miss out in any of the preliminary work and fun. And don't be misled—there'll be a lot of enjoyment in working along with your fellow members and headquarters.

We've already instituted studies on how AA'ers can best work into the air spotting movement (1,500,000 volunteers are needed!), assist in the Solo Club activities, participate in the important undertakings of the Civil Air Patrol, and get up-to-the-minute info on training for aviation careers.

Your immediate assignment while waiting for your credentials is to complete and test-fly the two Air Adventurers training gliders presented in this issue. Then save them carefully! Even if you're an advanced model builder you should do this since you'll be using both of these models to train new Apprentice Class Airmen later on. When you receive your membership card you'll get additional instructions on how these trainers will be utilized.

The distinguished AA pin, incidentally, is available for an additional 25¢—membership alone is 25¢, membership plus the pin is 50¢. You do not have to have the pin to be active in the club. But it's a very nice-looking lapel emblem and one you'll be proud to wear, so by all means include the extra 25¢ with your membership application if you want it. It's about 1 1/2 inches wide, is gold plated and has the letters "AA" in blue enamel. You'll find it somewhat more graceful than the emblem drawing on page 34 since that was an earlier design study for the club insignia. The official pin has a safety pin type clasp back so men can wear it on the lapel of their coats and the girls on a sweater or dress.

Are girls eligible for membership, you ask? Absolutely. Women are playing an increasingly important part in aviation as a reading of "The Woman's Angle" on page 10 of this issue will indicate. America needs more women in aviation and the Air Adventurers welcome the ladies to membership.

That about winds up the report for this issue. But before we sign off we want to let you know that headquarters will welcome your comments, photos of you and your airplane or model, suggestions for club activities—in fact, anything and everything that will help make America first in the air. Ere we give you "over and out" signal, however, we want to urge you to get underway with Air Adventurers Training Gliders #1 and #2 and send that membership coupon in today—right now.

—ALBERT J. CARLSON

## THE AIR ADVENTURER GLIDERS

The science of aviation is best learned by undertaking a study of the simplest types of models first, then progressing to more complex designs, including powered models, then on to a study of full-size aircraft. If a series of models is tackled in this manner, the beginner

will gain an understanding of the modelplane field that will enable him to undertake the construction of practically any type of modelplane with confidence and a sure chance of success. Furthermore, should he desire to do so, the student of model aviation can go on to a career in full-size aviation work with a big headstart over those who have never enjoyed such advantage.

We stressed "simplest types," for no science can be understood properly if one tackles a more complex phase first, skipping over elementary steps that are so easy, but so necessary.

In model aviation, the glider is the simplest type of plane; from it can be learned most of the facts of aerodynamics, without the added complication of a mechanical source of propulsion.

A series of models of graduated complexity will be presented for Air Adventurers starting with this issue. Our efforts this month will be devoted to building two types of gliders, and next issue we shall take up a simple rubber-propelled design.

**A Cardboard Glider.** It is possible to construct a very successful glider using nothing but cardboard for the building material. For the glider shown here, we chose an ordinary lightweight manilla filing folder, available in every stationery store. As this is a rather flimsy material for too large a glider, the wingspan has been kept to moderate size; in fact two gliders can be made from each folder. The first step is to trace a full-size outline of one half the glider on your cardboard.

It is best to draw a centerline on the cardboard, then lay out one half the glider from this centerline outward. Next, cut the half-glider to shape. Now, score along the centerline, fold the cut-out portion over and trace around it on the uncut side. In this way you can be sure both halves are alike.

The cardboard should be scored at all points where it is to be folded and this can be done with the rounded end of a paper clip, using a ruler for a guide. Do not cut the cardboard at these points, however, and note that the scoring should be done on the inside of any fold. The centerline and rudder scores are made on one side of the sheet, wing and stabilizer scores on the reverse side.

Fold the cardboard at the various score marks you have made, and your glider at last will begin to look like a real plane. Assembly is started by spreading cement on the inside of the fuselage, then squeezing the two sides together; it will probably be necessary to hold them together for a few moments until the cement sets. After about 15 minutes, the wings, stabilizer and rudder may be bent to their correct positions.

A brace is needed to strengthen the wings. This is just a  $\frac{1}{4}$ " wide strip of cardboard about  $5\frac{1}{2}$ " long. Fold it at the center, then insert each end in the slots which are marked on each wing. The wingtips must both be raised one inch above the wing center; this forms what is called dihedral angle, or simply dihedral, and it imparts a degree of stability to the glider that would be entirely lacking if the wings were to be made with zero dihedral—that is, flat across the top from tip to tip. When the wings have been set properly, add a drop of cement where the brace passes beneath the fuselage. Clip the excess brace  $1/16$ " above each wing panel, and put on a tiny drop of cement at each point (excess cement here will deform



the wing). A line of cement on each half of the stabilizer—both above and below—where it joins the fuselage will strengthen this joint.

Your glider is now almost ready to go; all that remains is the matter of balance. Considerable weight must be added to the fuselage nose; two paper clips were just right on the test gliders.

Before we try a flight, what about "decorations"? To be sure, your glider will fly just as well with or without, but certainly insignias, numerals, et cetera, add a lot of interest to any model. Such decorations are easiest to put on this glider before the folding is started, or even before you cut the cardboard to shape. India ink is best for cockpit outlines and control surface markings. Wing license markings can be clipped from calendars and glued on, or decals may be used. Most hardware and art stores carry decal numerals and letters in sizes from 1/8" up. Whatever method you use, spend a few minutes on decorations—it's worth it.

The glider is launched by grasping it just back of the wing brace and throwing it forward at a slight downward angle. The idea is to launch the model at the same speed with which it flies. This takes practice, but keep at it until you get it right.

After you have mastered the launching technique, you can experiment with adjustments. If the glider dives abruptly downward, try bending the rear edge of the stabilizer up. If it stalls—that is, swoops upward—then drops its nose to dive down and climb abruptly, again and again—bend the stabilizer rear edge down. Turns can be accomplished either by bending the rudder rear edges sidewise, or by bending the rear edges of the wingtips up or down. You can test the effect of launching the glider in a bank, with the wing inclined sideways from a level position.

Check all possible combinations of control movements, learn just what each will do, and you will have made a big start in your study of aerodynamics.

**Building time.** about one-half hour (not counting the decorations).

**Materials required.** one manila folder, approximately 11 3/4" x 9", (enough for two gliders); cement; two paper clips, decoration materials as desired.

**Tools needed.** pair of scissors, ruler.

**An All-Balsa Glider.** The second model in our series is to be another glider, but this time a rugged balsawood job that you can really heave up into the air for long flights.

All the necessary wood for this one comes from a single sheet of balsa, 36" x 3" x 1/16" and if you work carefully, you'll have quite a piece of wood left over for future work. Note that a layout and cutting plan are given. Mark

FOR THE FINEST IN CONTROL LINE SCALE BUY

**Sterling**

**Models**

IN THE

**Sterling Spotlight**

COMPLETELY  
PREFABRICATED

BRILLIANT  
ENGINEERING



Class B, C & D

**S.E.5.**

Span 32"

Stunt Scale

KIT C-4. \$5.95

WORLD'S FINEST  
BALSA DIE CUTTING

REAL AIRCRAFT  
IN MINIATURE

If it's scale you want, then it's STERLING. All kits prefabricated. Parts are cut or carved. Decals, Custom aluminum cowling or spinner. Full size plans and all the test required for a really deluxe kit. See these models at your dealers. By mail add 25c per kit.

KIT C-1. MONOCOQUE  
Span 26" — Class BC  
\$4.95

KIT C-2. HOWARD PETE  
Span 34" — Class BCD  
\$4.95

KIT C-3. MR. MULLIGAN  
Span 32" — Class BC  
\$4.95

KIT C-4. WACO  
Span 33" — Class BC  
\$5.95

KIT C-5. POLISH FIGHTER  
Span 36" — Class BCD  
\$5.95

OTHER MODELS AND EQUIPMENT

KIT D-1. MAVESICE  
(Stunt)  
Class 1/2A to small  
Span 24" — \$1.00

THE HAWK  
Free Flight or Pylon  
Span 27" for any Engines  
Ready to Fly less Engines—\$1.50

For the finest in  
fuel tubing buy  
STERLING • STEEL

**Sterling Models 1530 N. HANCOCK ST., PHILA. 22, PA.**

## AERONAUTICAL UNIVERSITY

FOUNDED BY CURTISS-WRIGHT

The number of persons employed in the aircraft industry, according to many experts, will double within the next year. Aviation will be one of the big industries of the country. This step-up program has increased the already-urgent demand for highly trained specialists.

In the past 21 years more than 7500 men have graduated from the courses offered at A. U. They are steadily employed throughout the industry and have done their part in bringing aviation up to its present high level of development.

Prepare now for a most rewarding future at one of America's oldest recognized aeronautical schools. Graduates of Aeronautical Engineering fulfill the educational requirements for Air Force Cadet officer training for flight or engineering.

All classes at A. U. are scheduled to enable you to earn while you learn through part-time employment. Upon graduation you will receive assistance and guidance in obtaining a responsible position.

**"IN PEACE OR WAR YOU ARE ESSENTIAL IN AVIATION"**

MAIL COUPON NOW FOR FREE INFORMATION

### AERONAUTICAL UNIVERSITY

Dept. 93, 1905 Prairie Avenue, Chicago 16, Illinois

Please send me your free catalog, Opportunities in Aviation, and information about the following courses:

- |  |   |
|--|---|
| <input type="checkbox"/> Aeronautical Engineering<br>(Degree Course) | <input type="checkbox"/> Airplane and Engine Mechanics<br>(C.A.A. Approved) |
| <input type="checkbox"/> Aero. Eng. Drafting                         | <input type="checkbox"/> Pre-Engineering                                    |

Name...

Address...

Approved for veteran and civilian training. 22nd year. Outstanding faculty, modern equipment. State and U. S. Government approved. Big demand for graduates.



**MONO-LINE TUFFY** Class Half "A"  
Span 24"



No Loss of Control Should Line Become Slack

Flies on 60 to 100 ft. Long Line

Will Loop, Fly Inverted, Do Figure Eights

Complete Prefab. Kit Only \$1.98

Mono-Line Control Unit Only . . . .98¢  
Mono-Line Control Handle Only . . \$1.50

NOW AT YOUR DEALER  
If He Can Not Supply, Order Direct

**Victor Stanzel & Co.**  
Schleissburg, Calif. & Torrance

**DARWIN SHAKE-PROOF TANKS**  
*A tank for every plane and engine size*



See Wan Series

B	Series
S	Series
M	Series
L	Series


**SPECIAL #8**  
1 OZ. SPEED

All tanks constructed of hot fuel proof brass.  
All tanks soldered so they will not shake loose at the tube or seams

Sold only at Your Dealers, Distributors' Samples and Discounts on Request

**DARWIN MODEL AIRCRAFT CO.**  
Ann Arbor, Michigan

**GET A Seabee**



U-Control 38" Wingspan Scale 1" to 1' For 'C' Engines

Be the first in your group to own and fly this amphibian. It's a real "SHOW JOB" with true scale-model perfection. Handsome corrugated wing and tail surfaces. Plexiglas windows. Detachable motor hood. Retractable gear for landing on water. All contour parts are pre-formed TUF-SKIN, sensational new material especially developed for lightness and toughness. 34.28 times stronger than balsa. Withstands crack-ups that demolish other planes. Fire resistant. Oil, fuel and waterproof. Easier and quicker to work with. Even beginners have complete success by following the 33 simple step-by-step Production Illustrations. U Control licensed under Jim Walker's U S Pat. No. 2,292,416. DEALERS WRITE INSPECT AT NO RISK—MONEY BACK GUARANTEED

If your dealer ran 1 copy, send coupon today. Satisfaction guaranteed — if not pleased return kit in 10 days and money will be refunded

**\$14.50**  
LESS  
POWER PLANT

**MONEY-BACK OFFER**

- THOMAS ASSOCIATES, 4803 Alger St. Los Angeles 26, Calif.
- ☐ Enclosed find \$1.00 — I will pay Postman \$13.50 p. us parcel post charges
- ☐ Enclosed find \$14.50 (check or money order). Please ship kit with parcel post prepaid
- ☐ Please send descriptive free folder
- In California add Sales Tax

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

the pieces out on your balsa with a soft pencil, then cut them out, using a razor blade and a ruler as guide. Use only the single-edge style of razor blade—it has a heavy backbone and is much less likely to cut you than the double-edge variety.

When marking the pieces and cutting them out, do not worry if some parts are out a sixteenth of an inch here or there. There are no critical dimensions. Some 3" wide balsa sheets have been found both 1/16" too wide, or the same amount too narrow; if your strip is narrow, simply make the wing chord (or width—3" on this model) and the fuselage height a bit less. Try to retain the 3/16" difference between the 1 1/2" and 1-5/16" height marks on the fuselage, however; this 3/16" difference determines the wing incidence angle (the angle between the wing chord and any arbitrary fuselage reference line—in our case, the fuselage bottom is the reference line) which affects the wing lift considerably.

The two fuselage sides are cemented together to form a single piece 1/2" wide. Rub cement all over one piece with a fingertip (work fast as the cement dries rapidly), then place the pieces together and squeeze out any excess glue. The long, straight 9/16" section is the bottom of the fuselage.

Allow the fuselage to lie on its side on a flat surface for 15 minutes. Meanwhile, you can assemble the wing. Round off all edges and the tips of the wing halves. Put a layer of cement on one inner panel end. Then join the other half to it and lay the joint on a sheet of wax paper so the cement won't stick to your table. Raise each wingtip one inch from the table surface with a small block. This gives a total dihedral of 2". Smear cement on the joint and spread it out for 1/2" each side—you don't want the wings to fold up on a husky launch, do you?

Cement the rudder to the fuselage side, and the stabilizer to the fuselage bottom surface, taking care that they are both "square" with each other and with the fuselage.

The wing joint should be well set by now. Remove the wax paper and put a heavy coat of cement on the underside of the center joint; add another layer to the upper surface, and set the wing on edge to dry.

The last assembly job is to join wing and fuselage. The wing is attached 3/4" from the fuselage nose—use plenty of cement and hold the wing in place with a couple of pins while the cement sets. In 15 minutes or so, add another layer of cement to the fuselage-wing joint.

Balance weight will be required on the nose, but the amount will depend on the grade of wood you have used—balsa varies greatly in weight. One test model was balanced with 13" of rosin-core wire solder, while two pennies cemented in place balanced another. Experienced glider builders use modeling clay for this purpose.

Any decorations you wish to apply should go on now. The first step is to sand all balsa surfaces of your glider with #3-O sandpaper or finer. Always sand with the grain, never across. Then apply a coat of clear model dope thinned half and half with dope thinner. The dope raises the balsa grain a bit and you should give the plane another sanding after the dope has dried for 20 minutes or so.

Decal numerals and letters work nicely on balsa surfaces. A form of decal called Trim-Film is available in

hobby stores; it comes in sheets and in many colors. This sheet was used to decorate the glider pictured. The Trim-Film was cut with a sharp razor blade and applied as per directions on the package. When it had dried, a coat of half-and-half dope was applied to the film only. This material wrinkles up shortly after the dope is applied, but smooths out again as it dries—don't try to smooth out the wrinkles yourself. Finally, a second coat of half-and-half dope was applied to the entire glider.

With the experience gained on your cardboard glider, adjusting this one should be easy. Adjust for balance with small weights fore and aft, until you get as long a glide as possible, but with no dips. The balsa surfaces can be bent slightly for adjustments by holding the wood before your mouth and breathing on it a few moments. The moisture in your breath softens the balsa so that it will retain the bend.

For really good performance, the model should be adjusted for a left circle (if you are right-handed), then launched in a moderate right bank and at a sharp upward angle. To hoist 'er up there requires a real heave—practice this and you'll obtain some fine duration flights.

**Building time:** Approximately one and one-half hours (decorations not included).

**Materials required:** one sheet medium weight balsawood 36" x 3" x 1/16"; one 10¢ tube model cement—fast-drying grade preferred; one 1 oz. bottle clear dope; one 2 oz. bottle dope thinner (some will be needed to clean dope brush); several plain pins; six-inch square of wax paper; balancing material (wire, solder, or modeling clay); Trim-Film for decoration (one package enough for half a dozen gliders).

**Tools required:** one single-edge razor blade (or a modeling knife); one 12" ruler with metal edge; one camel's hair brush for applying dope; three-inch square of #3-O (or finer) sandpaper.

## Round-up

(Continued from page 58)

day. Air was dead most of the time, but when the thermals came out they were wonderful. The results of the contest more than justified the trial, so they intend having a two-day affair at their Annual next April. The results of their Semi-Annual are as follows:

Towline Glider 1st, Kenneth Durant, Bakersfield, 13:37.3; 2nd, Dick Everett, San Diego, 4:54; 3rd, Hal Harenbergh, Bakersfield, 4:45. Stick Rubber 1st, Andy Peterson, Burbank, 24:05.1; 2nd, Jack Block, Los Angeles, 14:29; 3rd, Dick Everett, San Diego, 13:09.7. Cabin Rubber 1st, Dick Everett, San Diego, 11:28.4; 2nd, Hal Roth, Berkeley, 9:30.3; 3rd, Joe Bilgri, San Jose, 8:56.8.

In the gas events the following were winners: Class Half-A, Bill Krecek, Glendale, 21:32.8; 2nd, Bob Wiehle, Hollywood, 17:54.6; 3rd, Ronnie Watson, Visalia, 17:19.6. Class A, George Brown, Ivanhoe, 19:54.8; 2nd, Ward Swank, Visalia, 16:12.4; 3rd, Homer Werts, Bakersfield, 15:17. Class B, Bill Landeen, LaCrescenta, 22:57.3; 2nd, Elmer Achterberg, Visalia, 18:20.3; 3rd, Fred Bonar, Bakersfield, 14:37.3. Class C Joe Bilgri, San Jose, 16:57.3; 2nd, Jack Oxley, Artesia, 12:41.8; 3rd John Casseria, Visalia, 12:22.6. Sweepstakes winner for the regular free flight gas events was Elmer Achterberg, Visalia. Junior Trophy winner was Clifton

Highman, hailing from Bakersfield. By way of the Fresno Model News and Editor Ocie Randall, we see headlines reading "Visalia Club Cleans up at Fresno's Semi-annual Free Flight Contest." All they did was win six of the trophies. Elmer Achterberg personally accounted for two firsts and a fifth. Elmer is getting to be the one to look out for at all the meets he attends. His ships, all of original design, show excellent construction, and when the time comes to fly—zoom, they go up and float. He always arrives at a meet with a whole carload of models and they all fly well.

The results: Class Half-A, Elmer Achterberg, 9:05; 2nd, Donnie Watson, Visalia, 5:46; 3rd, John Casella Visalia, 4:28. Class A, Fred Ginder, Fresno, 9:55; 2nd, Ward Swant, Visalia, 8:55; 3rd, Bob Schmidt, Reedley, 8:46. Class B, Larry Menucci, Fresno, 14:07; 2nd, Fred Morgan, Fresno, 10:20; 3rd, Emory Hull, Visalia, 7:38. Class C, Elmer Achterberg, 11:21; 2nd, Martin Martin, Fresno, 8:23; 3rd, Jim Scheidt, Fresno, 8:54. Juniors, Frank Fierentino, 2:51; 2nd, Lee Hopkins, Fresno, 1:47; 3rd, Danny Schmidt, Visalia, 1:18.

The Fresno Club holds a yearly high-point contest for their club members with trophies going to the winners in the various classes. At the present time the following are winning: Lee Hopkins is leading the Junior Division with 617 points, Fred Morgan is in front in the Senior class with 880 points, and in the Open class, a real battle to the finish line is taking place with Martin Martin currently leading Jim Scheidt by only 41 points. The next monthly meet will decide this event.

The San Diego Aeronauts held a very unique contest recently when the rubber builders challenged the gas flyers to a contest. Considerable enthusiasm was smoked up for the meet, promoting general good fellowship. The gas boys were loaded when the time came for the contest with such able flyers as Lyle Corby, Class C record holder, Dennis Davis, and National Champ Les Bartlett, just to mention a few. The rubber modelers, headed by A. G. "Red" Everitt and Dick Everett, with Wakefield team member Fudo Takagi, spent many an anxious hour trimming their models. The rubber fellows had a little tough luck when George Kline lost his ship on its first flight, and Everett and Harvey Patton blowing rotors in their fuselages, but all in all, it was a fine showing.

The gas fellows turned in a little over 52 minutes for their 15 flights, while the rubber boys did over 48 minutes for 13 flights. Being just a little prejudiced, we can't help but feel that with our best and George Kline getting in his other two flights, rubber would have won.


There was only one five-minute flight in the contest—Ernie Wisely hooking into a bump on his last try. Everitt had high time with 13 29 for three, his lowest being 3 50 when his ship power-stalled on his second flight. Wisely had 2nd high time with four of the gas bugs next in line.

The Aeronauts also held a monthly gas contest on the same day. We were mighty glad to welcome a few of the Los Angeles area boys down to the meet, and Jack Uxley proved his mettle by winning one of the first places. In Half A Gas, Nat Antoniola won first with 11 59, 2nd, Jack Oxley, 10:27; 3rd, B Oxley, 7 11. Class A, Les Bartlett 11 10, 2nd, Steinmetz, 4:35; 3rd D Shepard, 2:10. Class B, Bob Ehrhardt,

## LIFT MASTER


1/2 A PAY LOAD  
• Designed by Frank Ehling •

\$2.25 BY MAIL \$2.50




**PHOENIX FLASH**

\$1.75 BY MAIL \$2.00




**JUNIOR PHOENIX**

CLASS A .099  
\$2.25 BY MAIL \$2.50




**LITTLE TWISTER**

\$1.50 BY MAIL \$1.75



**BABY PHOENIX**

\$1.75 BY MAIL \$2.00



**PHOENIX IMP**

\$1.25 BY MAIL \$1.50

**JUNIOR AERONAUTICAL SUPPLY CO.**  
203 EAST 15th ST., NEW YORK 3, N. Y.

**DURO-MATIC**

# McCOY MIDGET RACER

## more car for your money!

SEE IT AT YOUR HOBBY SHOP



**'1995**  
COMPLETE  
WITH ENGINE

**\$10.95**  
Car complete with  
gears, nothing extra to buy  
except engine

with the REAL **McCOY "19"**

• Beautifully streamlined, finished in new  
iridescent colors. COMPLETE, ready to go,  
nothing to put together. EASY TO START, pow-  
ered with the champion McCoy Engine, holder  
of most AMA and IMRCA World Speed Records

**DURO-MATIC PRODUCTS CO.**  
HOLLYWOOD 38, CALIFORNIA



## MEN WANTED IN AVIATION



Take advantage of training at Teterboro School Of Aeronautics where you are surrounded by AIRCRAFT activities—Maintenance—Aircraft—Passengers—Private Flying—Executive Transport—Manufacturing Here you will train on live aircraft in completely approved aircraft and engine mechanics including jet engines and flying courses. **FREE**—Write today for big aviation training catalog #AT-3.

**TETERBORO SCHOOL OF AERONAUTICS**  
Teterboro Airport, New Jersey

**Dealers! Johnny Clemens says**

**Now Beginners can afford a GAS ENGINE!**

**THE New OK CUB.039**

**\$4.95**

Regular Discount. If no dealer include 1% for postage

**JOHN E. CLEMENS 2114 Greenville Dallas, TEXAS**

## !! SURE !! TRADE IN THAT MOTOR

One trade-in accepted for each new motor ordered. Trade-in allowance regardless of condition equals

**25%**

of the price of the new motor ordered (up to \$15 list price). New motors over \$15 list require individual trade-in appraisals.

## BUT BEFORE YOU DO

If you want propellers, plane kits, accessories, ask about the thriftiest proposition going. A penny postcard brings details about

**THE HOBBY EXCHANGE CLUB**

1 Mount Pleasant St. Nashua, N. H.

## BEAUTIFULLY DETAILED SOLID MODELS



**FBF BEARCAT ... \$2.75**

British Spitfire	\$2.75	P-51 Mustang	\$2.75
FW-190 Focke Wulf	2.75	F6F Hellcat	2.75
P-40 Warhawk	2.75	P-47 Thunderbolt	2.95
F4U Corsair	2.75	P-38 Lightning	3.50
ME-109 Messerschmitt	\$2.75		

Ask your dealer for "Dyna-Me" If he cannot supply you write us direct, enclosing check or money order plus 25c for packing and postage—no C. O. D.'s.

**DYNA-MODEL PRODUCTS COMPANY**  
76 SOUTH STREET, OYSTER BAY, NEW YORK

10:22; 2nd, Larry Boyer, 7:36. 3rd, D. Shepard, 6:09. Class C, Jack Oxley, 12:53; 2nd, Lyle Corby, 11:13; 3rd, Dennis Davis, 10:49.

The Van Nuys Valley Hawks contest was held in the middle of a housing project, so events were limited to Half-A Gas, Half-A payload; Rubber and Towline glider. For four-bits you entered all events, if you cared to. The field was about one-half mile square, so a five-minute limit was placed on all flights. Ralph Kahn, with his four-year-old "Floater," won the towline event with two maximums and a good third flight. Rubber was won by Jack Block. We staggered in with places in all events to win sweepstakes.

The 3rd "Northern California Free Flight Council" contest was held under typical California weather. The Oakland Cloud Dusters pulled a big surprise by donating additional trophies and medals for the rubber category, wherein one of their own members, Carl Rambo, proceeded to take 1st place and one of the trophies, John Tatone of the San Francisco Vultures took high time of the day with 14:15.8 in Class A. The high time Junior Trophy was won by Charles Keyes of San Lorenzo with 13:43.2, which was, incidentally, the second highest time. Bill Maranville of the Elmhurst Prop Busters won Half-A with 12:33.8, while Ed Ghiorzce from Antioch, Calif., racked up 10:06 for first in Class B. Hal Simmons, also from the Elmhurst Prop Busters, won Class C with 12:48.3

## Sidelights and Highlights all over the West

Several of the West Coast boys are back wearing the uniform of service. Carl Rambo has already gone overseas. Hal Roth is stationed at Hamilton Field, and Carl Randall, 1948 International Champ, is in the Navy. Bill Trumball of the Aeronauts is with the Air Force in Oklawaha.

Freddie Morgan of Fresno had visions of a nice new trophy on the mantel when he clocked over 8 minutes on his first flight at the Fresno Semi-annual. Why to have Larry Meucci nose him out with 3 consistent flights. There have never been prouder parents than Larry's when he got that trophy.

Leo Caton's new Beetle Bomb Class B payload was shattered when a Hogan spiraled into it while Leo was waiting for his second flight at Bakersfield. Needless to say, the Hogan got it too. It was a very discouraging sight since Leo really had a fine ship. "Box"

# FREE!



## With Your ONE YEAR Subscription to AIR TRAILS THE AIRPLANE:



It's the Maverick, and you'll steal the show wherever you go. This prefabricated control job sells regularly for \$1 by itself. She's a cinch to build and a dream to fly. You can fly it low and slow as a trainer with motors up to .09, fast and furious as a full stunt airplane with engines from .19 to .29 displacement. Big 24-inch span wing, die-cut and slotted fuselage, carved wing edges.

## THE MAGAZINE:

The best in the field—meaning Air Trails, but natch! You're missing plenty if you're not getting a personal copy each month. Now you can get 12 big issues (\$2.50), plus the Maverick kit (\$1) BOTH FOR ONLY \$2.50. This offer is limited; don't delay.

## AIR TRAILS

304 E. 45th St., New York 17, N. Y.

I enclose \$2.50, please enter the following subscription for 12 big issues of Air Trails and send me the free Maverick kit.

Name (print) .....

Address .....

City ..... Zone ..... State .....

(AT-3-51)

## WHAT'S TOP FLITE

GOT UP THEIR  
SLEEVE ...

COMING SOON!

THE BIGGEST  
NEWS  
FOR THE NOVICE  
MODELER  
IN YEARS



CARL  
GOLDBERG



Wiehle's Wasp-powered Half-A payload is going great guns with a 1st at the Flying Wheels meet and 2nd behind Kreck at Bakersfield. A very unusual circumstance was observed at Bakersfield when we noticed two of the wives doing all the chasing. Hal Roth's wife anchored for winding, then chased and retrieved every flight, both days. Where Rog Jensen had a very good excuse, that he had been sick, Hal offered no excuse—and his wife doesn't look as though she needs the exercise!


Jim Walker paid a visit to San Diego and spent two days showing off his R-C job and R. O. W. Fireball to Consolidated Vultee Aircraft Co. Jim took off his Fireball, flew it alongside the speedboat and then landed it, much to the amazement of a group of engineers. On Sunday, he put on quite a show for the Camp Pendleton Marines, ably assisted by the La Mesa Airfoilers, the San Diego Airliners, and the Aeroneers.

Larry Goodale flew his twin Torp 32 stunt job. That one flight was really funny. The ship took off with a tight pushrod, Larry thought the weight (5½ lbs.) would be enough to free it up, but it didn't. The ship porpoised through the air with Larry really fighting it while his father, Charley, made several vain attempts to get into the circle and take over. They managed to set the ship down in two pieces, though, just knocking off the nose-gear. Charley won the Beauty event at the Santa Ana contest and is really proud of that plaque.

The recently formed Southern California Model Association has a monthly bulletin out which they call the "Thermal Hook." This lists all coming contests, results of contests, and very interesting personality items such as "Seems there is quite a private (?) feud raging between Jack Oxley's scarlet Sailplane and Bill Daniel's nine foot 'Cool.' At last report Jack has been staying just a little bit in front of Bill." . . . The news that Russ Johnson had been named to the Wakefield Committee brought thankful expressions from a large number of the fellows. Russ is quite active and gets along with all the guys. . . . One item stated that Jack Ehrlams' new flying scale Focke Wulf 190 is the model of models. Finish like a mirror with every detail, especially the cockpit, being faithfully reproduced.

This S.C.M.A. was formed because of the slow death model building was taking in Southern California. Its purpose is to assist any and all model builders, conduct contests, and last, but not least, to launch a vigorous program to foster the Junior builders.

We sometimes wonder just where all these Junior builders come from. No sooner does the present class graduate



"Damn if I know—must have landed last night in the fog."

## NEW!! COMBO SPECIALS NEW!!

YOUR CHOICE of Model Plane and Motor listed below plus our big Accessories Kit. All kits completely prefabricated and shipped as advertised. Check the Berkeley Scientific, Sterling, Master Models and Enterprise Co. ads for further info on kits in our combos. Check these terrific values and send your order in today as our supply is limited.



### YOUR CHOICE OF ONE MODEL KIT

CUB 974  
CUB 999  
GLO MITE  
SPITFIRE  
TORP Jr

SCIENTIFIC's Mustang  
BERKELEY's Mini-Hogan 45  
BERKELEY's Mini-Hogan 34  
ENTERPRISE's Knockout  
ENTERPRISE's Baby Era  
ENTERPRISE's Era Bipe

SCIENTIFIC's Aeronca Sedan

MASTER MODEL's S.E. 5  
MASTER MODEL's Wing Ding  
MASTER MODEL's Wing Dingus  
SCIENTIFIC's Cessna 170  
SCIENTIFIC's Cub Special  
SCIENTIFIC's Stinson Vog

INCLUDES OVER 100 ITEMS—Model Kit, motor, metal stunt tank, bellcrank, horn, hinges, cement, fuel, book on engine repairs, nuts, bolts, washers, brush, solder, pliers, battery leads, push rod wire, plastic gas line, propeller, swivels, Glo Plug, gasket, screw driver, control handle, 100 control wire, motor test block, formed landing gear, all metal knife, correct wheels, leather top, case, sandpaper, plans for automatic takeoff helper, steel scale, speed indicator, Trim Film, masking tape, instructions on control flying, motor test chart, club membership, gas line, catalog, etc., etc.

Your Choice Of . . .  
**MOTOR • MODEL KIT  
BIG ACCESSORIES KIT**

**\$7.75**

POSTPAID

### INCLUDE OUTFIT

• McCoy 99  
• MODEL KIT  
(Your choice)  
• ACCESSORIES KIT  
**\$9.75 PP**

## COMPLETE COMBO

CLASS  
**B-2-C**

## BIGGEST VALUES

### PITT'S SPECIAL



### NEW ERA



### YOUR CHOICE OF ONE MODEL KIT

BERKELEY's Pitt's Special  
ENTERPRISE's New Era  
STERLING's Waco

STERLING's Monocoupe  
STERLING's Mr. Mulligan  
STERLING's Polish Fighter

### YOUR CHOICE OF ONE MODEL KIT

OHLSSON 19 or 23  
McCOY 19

PLUS Our Big Accessories Kit  
Listed in the Above Offer

Just send us your order with remittance in full . . . or \$1 and we'll ship C.O.D. for balance

Choice of Model Kit  
Big Accessories Kit  
O & R Deluxe  
19 or 23

**\$13**

Choice of Model Kit  
Big Accessories Kit  
McCoy 29

**\$14**

INCLUDE OUTFIT  
• ACCESSORIES KIT  
• O & R 29-33  
• MODEL KIT  
(Your choice)  
**\$15.75**

Your Choice Of . . .  
**MOTOR • MODEL KIT  
BIG ACCESSORIES KIT**

**\$12**

P.P.

**MERCURY MODEL AIRPLANE CO.** 920-A3 UTICA AVE. BROOKLYN 3, N. Y.

SEND 5c FOR CATALOG and FREE "Motor Hints"

## CANADA'S

## LARGEST AND MOST COMPLETE HOBBY SUPPLIERS

IT IS AS SIMPLE AS A-B-C  
If You Want The BEST In

AMERICAN BRITISH CANADIAN  
Hobby Merchandise  
TRY US

Dealer enquiries  
solicited.

**MODEL CRAFT HOBBIES LTD.**

64 WELLINGTON ST. WEST  
TORONTO, ONTARIO, CANADA

## Amazing MOON ROCKET



Build this spectacular interplanetary space ship. Sleek, massive, colorful. Actually 18½" long, 5½" wide. EASY TO BUILD! Kit includes solid balsa shaped fuselage, and other parts cut to fit, plastic domes, big four color decals, red and silver paint, metal display stand, full size plans. Exclusive. Copyrighted design by the famous RICK YAGER. Terrific bargain special only for this ad. Available only from PILOT MODEL SHOP. Not sold in stores. Shipped postpaid by return mail. Order this sensational MOON ROCKET model now.

only  
**\$249**



**PILOT**

MODEL SHOP

5450 WEST BELMONT AVENUE • CHICAGO



## IMPORTED BINOCULARS



**8 1/2 MILE RANGE**

Guaranteed perfect precision ground lenses. Triple power 8 1/2 mile range. Sturdy construction. Focus is adjustable to your own eye-strength. Thirty-Millimeter objective. **INTRODUCTORY OFFER. ONLY \$2.98** (Sold for much higher). 10 day money-back guarantee. **SEND CHECK or MONEY ORDER FOR \$2.98 and we prepay postage.** Or send C.O.D. and you pay **\$2.98** postage charges.

(De Luxe Model, 38mm Objective, 12 1/2 mile range. Only \$3.98)

**DORAM SALES CO.**

480 Lexington Ave., Dept. D-461, New York, N. Y.

## ENGINEERING DEGREE

### Graduates in Demand

• Speed-up training in Engineering — Aeronautical, Chemical, Civil, Electrical, Mechanical and Radio (including Television). B.S. degree in 27 mos. Frequent trips to outstanding industrial plants. Modern lab facilities. Earn part or all of your expenses in this large industrial center. Low tuition. If you are called into service while still a student, you will be prepared for a specialized military job, AND can return to school without losing credits. Approved for veterans. Enter March, June, Sept. or Dec. Send for free catalog today.

**INDIANA TECHNICAL COLLEGE**

331 E. Washington Blvd., Fort Wayne, Indiana

**27 MONTHS**

**SMALLSTER AUTO KITS**  
AUTHENTIC MINIATURES OF CARS OF YESTERYEAR  
GRANDFATHER'S PRIDE OF YESTERYEAR  
FOR YOUR PLEASURE TODAY!

**KIT OF THE MONTH**  
**1909 EMF**  
Touring  
Three-in-One  
Wheelbase 6 1/4"  
**ONLY \$2.95**

Smaller antique auto kits are designed for easy step-by-step construction. contain precision built die-cut and die-cast parts. Completely prefabricated, kits incorporate realistic details on all metal parts.

OTHER SMALLSTER AUTO KITS AVAILABLE AT YOUR FAVORITE HOBBY SHOP

**FADOR MANUFACTURING CORP.**  
501 E. CUNTON ST. • ELmira, N. Y.

Like to tinker?  
Try The  
**"Little Stinker"**

Pitt's Special  
Easy Section & Championship  
"Little Stinker" \$4.95

**EDWARDS' CAN FIX YOU UP**  
**Edwards' Hobbies**  
108 EAST CASS TAMPA 2 FLORIDA

than some new ones pop up who seem even better than the others. Bill Trumble, Tommy Moffitt, and Les Bartlett are a few of the present old-timers. Now we see Gary Ball and Bob Ehrhardt who are already winning contests against the older fellows. Not too much praise can be heaped on guys like Dennie Davis and Jim Thompson, who often let their own jobs suffer just to help these fellows.

Eight-year-old Dennis Alford really had it shoved down his throat when they made him fly in the Open Expert Division at the Santa Ana All Stunt Contest. It is beginning to look as though it doesn't do any good to become proficient in stunting. Dennis is really good, though, but we think that this contest was just too much.

The Alameda Model Engineers recently elected Chet Haworth, Sr., their new president. Chet took over at the Inaugural Banquet, succeeding Ken Horning. The other new officers are Paul Strebel, Secretary, and George Haberman, Treasurer. This club was organized in 1947 and still boasts quite a few charter members.

The San Francisco Vultures were to hold a contest in the Fleishachen Zoological Extension which goes under the club name of "The Goat Patch." The events on schedule were combined A&B and combined C&D in both speed, advanced, and experts groups, Half-A Precision for the open group; Half-A, combined A&B and C&D Proto Speed for open; Class A&B Combat clockwise and counterclockwise. One interesting note on the contest was rigid enforcement of the rule that each contestant's name and AMA number must be permanently fixed to the models entered. Contest Director for this meet was to be M. L. Lloyd.

There have been a lot of drag contests lately at all the meets, between the different Half-A motors. It is getting so good that every time you see a crowd gathered round, you can depend on hearing two motors rise in pitch until a fine screaming wind is heard. The two motors used most are the Wasp and Torp .049. No one has been able to

definitely determine which is best, since one wins as often as the other.

It seems the whole West is organizing. Another new one is the West Coast Radio Control Society. They managed to get Doc Good to the first meeting and the new Society now is able to have, to quote: "A place where the RK 61, Rudder-vator and Rockwoods can get together and pass the coils, condensers, tubes, etc., around and maybe learn something." Teach and be taught, is the idea. Any West Coast radio man who is interested can contact A. Bazurto at 156 Maynard St., San Francisco, California, for further details.

Speaking of Radio Control, E. J. Brown has really been going whole hog on the radio bug. Starting about a year ago "Don," as he is locally known, decided he wanted to build a radio job. To do this he first had to learn radio, so he went to work and developed a good knowledge. He practiced his code faithfully and after three tries now has his call letters. Don is quite a fellow and his latest gadget is really a deal. He has rudder and elevator control from a single channel and one escapement. Of course he cannot get all of the controls at one time, but by fast sequence operation is able to obtain any control position he desires. We will try to explain this fully next month, for it sure looks good.


—DICK EVERETT

## Petit Pete

(Continued from page 42)

Plastic filler will clean up any rough spots. To get a good fit above the wing, try this—put Scotch Tape on the wing and use the filler above it. After a day, take off the nose section, carefully remove the tape, and you'll see that you have a good fit. Now finish the hold-down set-up. The grommets prevent screwdriver damage.

The wing must be cut out for the fuel tank. Mount it as close to the engine as



"Well, now what?"

you can. Now put on the line guide and paper-cover the rear of the fuselage sides.

In finishing the ship, be sure that it is fuel-proof inside and out. A proofer that won't stop raw fuel can give you a real headache. We know. Our ship is Aerona Yellow with a black Trim-Film cockpit outline. The number is a decal.

We use a small oil can to fill the tank. Backing off the can from the spout a bit will let her fill in a hurry. Overflow will drain out the exhaust opening. Prime the Cub in the front through the cowl opening. If the engine is hard to start, flip the ship over until it does. Test fly on a still day.

#### Bill of Materials—Petit Pete

1 pc. 1/16" x 3" x 36" medium, keel, stabilizer. 1 pc. 1/16" x 1" x 7" hard, elevator. 1 pc. 1/16" x 2" x 15" medium, former G. 1 pc. 3/8" x 2" x 24" soft, blocks A, B. 1 pc. 1/4" x 2" x 36" medium, side pieces. 2 pcs. 3/8" x 2" x 15" soft, wing. 1 pc. 1/16" x 6" x 6" plywood, engine mount, landing gear mount, bell-crank mount, etc. 8" pc. 1/16" landing gear wire. 12" pc. 1/32" wire, control rod. 24" pc. lead-out wire. 1 pc. 1" x 2" 1/16" aluminum, bellcrank. Fuel tank 1 3/8" pc. fuel line. 1 pr. 1 1/2" wheels. Hinge cloth. Sta and thinner. Plastic filler and acetone. 1 tube Ambroid. Trim-Film Decal numbers. Covering paper.

## Passenger

(Continued from page 36)

is no name. Occupant's better and that's lousy too."

**A&B:** "Ditto. Cut out the stalling, Doc. I'm three years old, going on four, and still no name. *Hoo, boo-hoo, hoo.*"

**GG:** "Oh, gosh. Here, use some tissue—it's not doped. I had no idea the thing meant so much to you boys. Uncle George is sorry. He's been busy with the darned old rules, and writing letters to Pop Robbers, and Walt Billett, and Ray Matthews, and Dennie Davis, and talking on the phone to Russ Nichols, Bill Effinger and Frank Ehling and a lot of others, and designing a trophy for 1951 and—and—. Why didn't you speak up sooner?"

**Half-A:** "Who didn't? *Boo-hoo...* You just sit there with the old rules, you don't care about us. I'm hopping a freight to the U. S. Naval Air Station at Dallas and see Captain Nieman. Texas cares."

**A&B:** "I'm heading for Washington and see Russ Nichols. And Lt. Joffe Barton too. You're not going to do—"

**GG:** "Yes, I am boys! In fact, I already have. Been talking to your Uncle Al Lewis, the Editor of Air Trails, and he's promised to help you. Fellows, I'll tell you the truth. The reason you don't have nice, resounding names is that I couldn't think of any that were good enough. So Uncle Al has promised he'll get the readers of Air Trails to help."

"Tell you what to do, boys. Go down to the newsstand—here's a quarter—and get yourself a copy of the March Air Trails. On page 36 read the announcement about a contest to find names for you guys. Hurry, now."

**Half-A:** "WOW! Excuse me, I mean Half-Wow—"

**A&B:** "Let yourself go, kid! Anybody that's due to know who he is has got a right to feel big!"

Plenty Popular

# PLASTIC PLANES

Get them from  
**NATIONAL**

Stock up for the growing popularity of plastic plane models. They're easy to sell because they look so good and are so easy to assemble. Here's a new Hawk and a wonderful 6-in-one deal on new Olin Models.

## Olin's Newest Set of 6 Plastic Planes, Individually Boxed for \$1.50

A sensational item for volume sales. Tremendous value. Individually boxed. Assortment does value. Includes HOWARD PETE, Thompson Winner, 1929—MOONEY MITE, now a personal light plane—CHESTER SWEA, PEA, in 1947 Good-year Races—MIDGET MUSTANG, in 1948 Good-year Races—MONOCOUPLE, Special 110—KNIGHT TWISTER—a 1928 Speedster. Set of 6 kits for \$1.50.

We Sell To Dealers Only

**NATIONAL model distributors**  
2516 N. Greenview Ave. Chicago 14

## Hawk's New SPAD \$1.00

Quarter-inch scale model of the famous World War I SPAD. Kit includes all plastic parts with exceptional detail and decal markings. Goes together in a pretty individually packed in three-color box.



## Sweeping the Country!



1st Place N.Y. Mirror Meet  
1st Place Denver Plymouth  
1st Place National Pay Load  
2 out of first 3 places in all 1/2A events at Nationals.

**Wasp.049**  
DISPLACEMENT

By Far the Best in Its Class



**ATWOOD MANUFACTURING CO. PICO, CALIF.**



**FU-BAR-36**

COMPLETELY DIE CUT

FORMED LANDING GEAR

DIE CUT FIREWALL

DIE CUT BODIES

DIE CUT RIBS

TAPERED EDGES ECT.



"NITRO XX"  
FOR ALL  
1/2 A ENGINES



1546 W. 64th ST.

CHICAGO, ILL.

PRICE! **\$1.75**





## MODELERS—STUDENTS— EXPERIENCED PILOTS

Learn more about gliding and . . .

# Soaring

JOIN

The Soaring Society of America

Start by sending \$1.00 and you will receive the booklet SOARING IN AMERICA and two copies of SOARING, the magazine of motorless flight, without further obligation. Act today.

Official publications of

**THE SOARING SOCIETY OF AMERICA**  
228 BOSTON POST ROAD, WESTON 35, MASS.

## "YOUR SUPPLIERS— NEVER YOUR COMPETITORS!"

NEW CATALOGS AVAILABLE TO  
DEALERS — SEND FOR YOUR  
FREE COPY TODAY!

**SKY HOBBY, INC.**

523 SOUTHWEST BLVD.

KANSAS CITY, MISSOURI

and

**DEALERS HOBBY  
SUPPLY**

POST OFFICE BOX 594-E

OTTUMWA, IOWA

## COOLING "29" ENGINES

IMMEDIATE DELIVERY

DEALERS!

Write for Details

**\$14.95**



# T R O S T

MODEL CRAFT HOBBIES

3111 W. 63rd St. • Chicago, Ill.

**OVER 1,300  
ILLUSTRATIONS**

Motors, Airplanes, Tools,  
Railroads, Boats and Historical  
Models along with Raw  
Materials and  
Supplies.

Complete Catalog **25c**

(Refunded on  
your first order)

**CORR'S**

812-818 Ninth St., N.W.  
Washington 1, D. C.

## Lift Master

(Continued from page 54)

identical ship which did so well at Dallas. The fuselage has been changed to fit the newly specified dummy, and has been strengthened considerably, especially around the nose. The Nats winner had a rather thick wing, as befitted a load-carrying ship, but later experiments showed that a thin wing gave better overall results, even with the new 3 oz. "pilot." The results are so good, in fact, that Ehling strongly advises against flying the plane without the dethermalizer in operation—he lost his prized prototype model by doing just that! The simple pop-up tail dethermalizer is specified. The tail is held on by two rubber bands, one of which supports a short length of fuse; when the fuse burns through, the rear band breaks, allowing the forward band to lift the surface to an angle of about 45 deg., determined by the length of stop-string fitted. For those who like the more elegant style of DT, the timer could be mounted in the spacious cabin and a piece of music wire run out through the extreme tip of the fuselage to hold the tail down.

Before starting assembly of the test model, we studied the plans (full size, of course) and instructions, all the parts in the kit were quickly accounted for, except for two rather long and oddly shaped pieces of 1/16" sheet balsa. We soon realized that these were for movable ailerons—something of an innovation these days, but strongly recommended by Ehling to get that tight spiral climb (O.K., so the plane is "spinning upward") sought by contest flyers.

Fuselage construction was started first. In fact, wing, stab and fuselage were all going at once, for we thumb-tacked the plan to a large piece of Celotex wallboard, and had a regular three-ring building spree underway. The instructions suggest rubbing hard soap over those parts of the plan where glue joints are to be made. Personally, we favor the wax-paper method, but either way your plan will be saved for use another day.

As the many fuselage pieces were cut to build up the framework, we quickly realized the truth of John Zaic's claim that the fuselage was made of specially selected hard stock; a sore "cutting finger" soon verified this. Because of the weight to be carried, it is wise to double-cement the fuselage. In other words, after it is entirely assembled, go over every joint and add another layer of cement. The hour or so it takes to do this carefully will be amply repaid on the flying field; if the ship suffers a collision or crash, you'll pick up a fuselage—not a basketful of sticks!

The dummy fits in from the top. Frank swore off underside trapdoors after a certain PAA-Load meet on Long Island, when, with the ship in a tight high-speed turn, he lost two successive occupants out the trapdoor—dropped to a horrible death minus parachutes. This wasn't a Half-A ship, but the lesson stuck, and it isn't as funny as it seems, for even though the occupant survives the fall, your flight is, naturally, disqualified.

Wing construction is conventional, rugged and simple. Plenty of ribs are used in both wing and stab, but this is no hardship as the ribs are all ready-cut. Leading and trailing edge stock is formed and needs little shaping to finish. Both wing and stab have consider-

able taper, leading to good efficiency and pleasing appearance. The rudder is a simple balsa-sheet job, cemented to the stab.

For covering purposes, the kit includes a new paper recently discovered by Jasco. It is not a wet-strength paper, consequently the model should be covered dry. The paper has been found to be very strong, but though it tightens up beautifully after water-spraying and doping, it doesn't seem to warp the framework a bit. In fact, the final surface has sort of a rubbery feeling when you poke it with a finger. Though our test sample was easily covered with two sheets of paper, three sheets are supplied in the kit, assuring ample for any mistakes the builder might make in cutting (and enough for future repairs, in the unlikely case they are ever needed!). A water-spraying pulled the paper up nicely (though it bulges and puckers horribly when wet), and two coats of dope thinned 50-50 produced a fine finish. Fuel proofing is required, of course, but only around the nose of the fuselage where raw fuel might be spilled.

The sandwich-type firewall includes the landing gear wire, and is large enough to fit any Half-A engine now available. For contest work, only the .049 engines should be fitted, as you need all the pep you can get to pull the heavily loaded ship up.

An eyedropper tank is furnished, as the designer feels it is the simplest, and completely foolproof—you can't forget to set your timer.

As to propellers, the instructions go into considerable detail on the proper selection; you can use 5/3, 5/4, or 6/3, depending upon the flight pattern you require. While the original model was being test-flown, the designers found a single bladed propeller made from a broken 6/3 gave the best results of all.

The instructions include many pointers on actual flying technique that will aid the inexperienced builder to get contest results with the least possible grief. Such tricks as tilting the stab, coordinating model adjustment with prop selection, use of ailerons to prevent spiral dives, and other tricks are fully covered. In fact the instruction sheet and plans both are notable for inclusion of many little ideas gleaned from the long contest careers of both Ehling and Zaic; ideas like "keying" the wing and stab, use of bandage gauze at points of great stress, fitting a wire ring to the wing-holding rubber, et cetera, are typical of the products of this concern.

These simple, but not so widely known hints make for sturdy construction and real contest potentiality. We'll watch you fly your Lift Master at the next PAA-Load contest!

## Dope Can

(Continued from page 41)

the AF competition. He reports, "The Air Force is taking quite an active interest in model aviation activities, both as an off-duty recreation activity and as an educational activity . . . a letter is at this time being processed through Headquarters advising the commands of both the Zone of the Interior and Overseas of the value and potential that exists in this program."

We understand Lt. Vogler was called to Washington to expound on the value of aeromodeling and did so well he was kept there for 10 days while a lot of



the important brass got the "word." The events lined up for the AF Nats are impressive: four classes of speed, stunt, team speed, jet, flying scale and beauty—all U-control.

The AF'ers would also include rubber events: R.O.G. cabin, stick, flying scale and beauty. Hand-launched and tow-line-launched gliders are on the agenda. In the free flight arena would be found every class from Half-A through D, flying scale (this engine powered), beauty, PAA-Load and PAA Clipper Cargo event.

It all sounds stupendous—in fact, a little too much so. Anyone who has done any modeling in the service, or even attempted any, knows of the great difficulty encountered in storage and transport of models. It would be physically impossible for the average G. I. to handle anything like half of these events. Since the Air Force would be able to have ample personnel for officiating if the meet comes off (that "if" is put in there by the international situation), we wonder why the service doesn't come up with some combined events and put Wright Field to work figuring out the proper method of running such categories.

For instance, why not fly all classes of free flight together? Use a "fudge" factor to multiply the performance of the smaller ships if they need it. Why not a combined control line event where the airman flies one plane for speed and stunt and has it judged for beauty and scale points (if any)? Including team racing and jet flying, you'd end up with 3 U-control events, which sounds a lot more reasonable than 8. Ditto for rubber and free flight. Well, we shall see.

**Pen Pals.** Bob Abell, 15, Box 210, Iroquois, Ont., Canada, flies free flight and control line, is a senior in high school, is looking for a U. S. correspondent . . . Fred H. Moystner, 1311 S. 17th St., New Castle, Ind., likes all types of modeling, seeks writing friend 14 or 15. Fred wants to know where he can buy 1/20" basswood planking. Can anybody help him?

**Ouch!** Looks like that hornet's nest we stirred up on rules and events refuses to cool off. Well, we said every man would get his say. Here's Curtis D. Janke of Sheboygan, Wis.

"It is quite true that there are too many events at the Nationals. However, the proposals advanced to cut them to a more reasonable number are neither fair nor logical. Not taking into account age groups and events that are either unclassifiable or of doubtful or non-standard classification, at the Dallas Nationals there were sixteen gas-powered events as against four rubber-powered events. In spite of this already-existing four-to-one discrepancy, one of the proposals advanced is to fly only one rubber event indoors and one outdoors. In other words, there are too many gas events, so let's cut down the rubber events."

"In both indoor and outdoor rubber types there are several size categories, with at least as great a performance differential between the sizes as exists among the various gas size groups; but to contest the several sizes of rubber model separately is utterly unheard of, either at the Nationals or at regional meets. The gas types, on the other hand, are not only flown in separate events for each size group, but there is a large and juicy prize list for each.

(Continued on page 86)

# MAECO TANKS

4 CC PROFILE 50¢ ELMIC

2" 1 1/2" 3/4" 1/2" 1/4" 1/8"

50¢ 25¢ 12.5¢

control-line TANKS free flight

1.25 oz. 1.5 oz. 1 oz.

MODEL AIRCRAFT CONTROL CO. MODEL AERO ENGINEERING CO.

Box 333 Sta. D New York City 3 Box 536 Reseda, Calif.

## It's Here! THE NEW FLO-TORQUE PROP!!

For PRICE and PERFORMANCE

Completely sanded with tumbled lacquer finish—READY TO FLY for sport or free flight.

Manufactured in the following sizes 6x3, 6x5, 7x3, 7x6, 8x4, 8x6, 9x4, 9x6, 10x4, and 10x6.

If your dealer cannot supply you—

ORDER DIRECT!

**FLO-TORQUE CORPORATION**

BARABOO

WISCONSIN

for flights into the Fantastic  
and the best in Mystery

# THE SHADOW

Listen

Sunday afternoons

over Mutual Broadcasting System

SHOW THIS SCHEDULE TIME

4:00 PM. CENTRAL TIME

3:00 PM. MOUNTAIN TIME

2:00 PM. PACIFIC TIME



Did you know?  
**THAT NOW IS  
 THE TIME TO  
 SWITCH TO  
 TRIM-FILM PRODUCTS**

Manufactured by  
**HOBBY DECAL SPECIALIST**  
 323-AT Smith St., Perth Amboy, N.J.

**RADIO  
 CONTROL**

Complete Unit **\$37.50**  
 less Batteries

Consisting of Transmitter & Tube,  
 Antenna, Escapement, and Receiver  
 with Relay and Tube.

Or buy complete  
**BUILD-IT-YOURSELF**  
 KIT for above unit **\$29.00**  
 SPECIAL 2000 Ohm Sensitive Relay with Adjust  
 able silver contacts only \$4.95 Postpaid.

**\$3.00 for Complete set of  
 BUILD-IT-YOURSELF MANUALS**  
 These manuals contain circuit diagrams and com-  
 plete instructions for the beginner.

**RADIO CONTROL HEADQUARTERS**  
 Belmar, New Jersey



**.045 DISP.  
 CLASS 1/2 A**

**SENSATIONAL  
 BUY**

**COMBINATION  
 PACKAGE • ONLY**

**\$4.45**  
 Complete

**MEL ANDERSON  
 Manufacturing Co.**  
 1819 THIRD AVE., LOS ANGELES, CALIF.

# Showcase

Contact your hobby shop for items  
 shown. All information is checked  
 carefully, but is subject to change.

Back again is the R.B. Special 29 motor fitted with a glow plug for  
 g.p. operation. Mfr. says the engine is 100% custom, precision built.




Bore is .750 in.; stroke, .878 in.; displacement,  
 29 cu. in. Crankshaft is mounted on two ball bear-  
 ings. Centave Mfg. Co. (15209 Aspinwall Ave.,  
 Cleveland 10, Ohio) handles it. Sells for \$16.95. . . .  
 Looking for a distinctive gift or an unusual addi-  
 tion to your mantel? The Lunar Phantom should fit  
 the bill. It's an 18.5 inch long moon rocket in  
 kit form with solid balsa shaped fuselage and other  
 parts cut to fit, plastic domes, 4-color decals.

red and silver paint, metal display stand, full size plans—a real  
 deluxe affair. Sells for \$2.49 from Pilot Model Shop (5450 W. Belmont  
 Ave., Chicago). . . . More conventional  
 and making a name for itself in Half-  
 A circles is Knockout, a prefabbed  
 stunt model by Enterprise Model Air-  
 craft & Supply Co. (5107 Avenue  
 "D," Brooklyn 3, NY). It features a  
 prefabricated hollow high-lift sym-  
 metrical airfoiled wing round and  
 hexagonal sections in finish carved-  
 shaped fuselage, rubber wheels, formed landing gear, die-cut firewall,  
 balsa parts and colored decals. With an 18 inch wingspan, Knockout was  
 designed to take motors from .03 to .099 cu. in.  
 displacement. . . . Calling all free fliers.  
 Lookie what Acme Model Engineering Co. (8120  
 7th Ave., Brooklyn 20, NY) has come up with:  
 a real "take-off" tank for your free flying glider.  
 Type "T" in Acme's line, it's used as follows:  
 you hang the tank on the side of your plane until  
 you're ready to release the job, then you remove  
 the tank and the engine runs on the fuel left in  
 the line. You predetermine the motor run by selecting the proper length  
 of tubing to give desired run. Size: 7/8 x 15 16 x 3/4 inches. 50¢ each



One of the many fine features of an  
 Academy of Model Aeronautics' model  
 flyer's license is the public liability cov-  
 erage (\$50,000 and \$100,000 personal  
 injuries; \$10,000 property damage). By  
 subscribing to the safety rules of the  
 AMA, you can obtain the license and  
 liability coverage. All licenses are on  
 a calendar year basis, so the sooner  
 you sign up the more you get for your  
 money.



One of the many fine features of an  
 Academy of Model Aeronautics' model  
 flyer's license is the public liability cov-  
 erage (\$50,000 and \$100,000 personal  
 injuries; \$10,000 property damage). By  
 subscribing to the safety rules of the  
 AMA, you can obtain the license and  
 liability coverage. All licenses are on  
 a calendar year basis, so the sooner  
 you sign up the more you get for your  
 money.

**Academy of Model Aeronautics**  
 1025 Conn. Ave., Washington, D. C.

On July 1, '50, I was ..... years  
 old (license classification is based on your  
 age on July 1). Please issue license checked:  
 Class III—(up to and including 15).....\$1 ( )  
 Class II—(16 through 20).....\$1.50 ( )  
 Class I—(21 years and over).....\$2.00 ( )

Name (print) .....

Address .....

City .....

Zone .....

State .....

(Sign your name below)

**really fine!**

# Showcase

Try your favorite hobby shop for items presented here. Write the manufacturer if you can't find it.

You've probably already spotted the new appearance of the Speed-O-Laq "Flight Tested" aircraft dope bottles in your hobby shop, but in the event you didn't we wanted to pass on the word that the entire line of 23 colors now sports a brand-new label which features the word "dope" in big white letters on brown panel surrounded by bright yellow. The name of the color or finish is on a yellow strip. The brand name Speed-O-Laq, together with the winged "Flight Tested" emblem is at the top of the label in red. S-O-L dopes and aircraft cements are manufactured by The Speed-O-Laq Products Co. (St. Paul, Minn.), suppliers to full-scale aircraft field. . . . That free flight design there is a Henry Struck creation being kitted by



Berkeley Models (West Hempstead, LI, NY). It's a Half-A PAA-Load job called *Bootstraps* and features prefabricated construction with die-cut balsa and plywood parts, formed wire gear, hardware and wheels. With a wingspan of 40 inches, it weighs 5 oz. Priced at \$2.50. The construction method is called "Auto-semble" and has interlocking parts. . . . In the control

line field we call your attention to deBolt Model Eng. Co.'s All American Models and specifically to the A-A Trainer for beginners. It was designed to take Cub engines from 049 to 099 cu inch displacement. Building time is 2 hours, says Harold deBolt. Kit comes ready to assemble with shaped wing parts, fuselage and tail. The job was created to take the knocks of beginners' flying. . . . New way to fly C-D jet models! Experiments by the design dept. of Cleveland Model & Supply Co. (4505 Lorain Ave., Cleveland 2, Ohio) has proven that scale jet models of the type manufactured by concern may be flown far & wide as towline gliders



**THE BIGGEST  
BUY IN  
AIR-MODELING  
AIR TRAILS  
MODEL  
ANNUAL**

35c in U. S. — 40c in Canada

**Veco PRODUCTS**  
*The Champions' Boost*  
*From Coast to Coast!*

**ENGINES**

VECO "29"  
VECO "31"

**CONTROLINE KITS**

Engines • Planes  
Propellers • Wheels • Accessories

**HENRY ENGINEERING CO.**  
Burbank, California



9 beautiful power boat construction kits —25" to 33½" length. \$5.50 to \$9.50. Write for literature on boats, motors, fittings. At all hobby stores. Chris-Craft, Owens, Harbor, Vinyard, Colonial. Large boat construction from factory plans.

## DUMAS PRODUCTS

2347 Aviation Highway, Tucson, Arizona  
World's Largest Builder of Motor Boat Models

## NEW ADDRESS NAME



**MARGO KRAFT.**  
DISTRIBUTORS, INC.

Formerly  
Modelcraft Distributors,  
Inc., of St. Paul, Min-  
nesota

## Same Management

We wish to thank our many dealer friends who have made our move to larger quarters possible—and necessary. In our new location at 419 So. 6th St. in Minneapolis, we have 12,857 square feet, allowing us to stock a greater variety of popular hobby and craft merchandise to serve your needs.

Our liberal and reputable sales policy remains unchanged.

We invite all our dealers, old and new, to come in and look around whenever you are in the vicinity.

DEALERS—Write for new 1961 CATALOG

**MARGO KRAFT.**  
DISTRIBUTORS, INC.


419 So. 6th St. Minneapolis 15, Minn.  
Formerly Modelcraft Distributors, Inc.,  
St. Paul, Minn.

It's to your ad-  
vantage when  
you Buy from  
**CRESCENT**

Remember: Crescent is the only model shop that offers a one year free service and repair.

## A NEW FREE FLIGHT KIT!

SORRY,  
NO C.O.D.'s



New free flight kit for 1/2 A engines, containing highest quality materials. Precision die-cut parts. Finished wheels. New method of fuselage construction assures correct balance and incidence. Wing span 33", wing area 176 sq. in. For .02 to .049 engines.

**\$2.25**

**Crescent**  
MODEL SHOP  
5661 West Pico Blvd., Los Angeles 35, Calif.



## 314 W. 29th St. Chicago 14

**At Your Local Dealer**

## \$1.95

## 86

# AIR TRAILS



# Hobby Shop Directory

Model Builders! Here's a listing of the nation's leading hobby shops. You'll want to file it away—and when you're in the neighborhood, drop in and browse around. They're expecting you.

## CALIFORNIA—LOS ANGELES

Nationally advertised model planes, boats, trains, kits and supplies  
Weekdays and Mon.-Wed.-Fri. Eves.

### PICO MODEL CO.

2540 W. Pico Blvd. DUNKIRK 7-5894

## CALIFORNIA—MODESTO

Central California's largest Hobby Stock, Planes, Boats, Trains. Everything as advertised in Air Trails and Model Railroader

### HAY'S HOBBY HOUSE

908 Jay Street Phone 6365 J

## ILLINOIS—ROCKFORD

Model Airplanes, Race Cars, Boats, H.O. Railroads, Lionel & American Flyer  
Open Mon., Wed & Fri till 8 P.M.

### Howies Hobby House

836 Diamond Ct. 4-8416

## INDIANA—INDIANAPOLIS

The City's Largest Hobby Shop.  
Use Air Trails As Our Catalog  
10 A.M.—5 P.M.

### BROAD RIPPLE HOBBY SUPPLY

Ed Schock, Prop.

929 Westfield Blvd. BR. 7492

## INDIANA—INDIANAPOLIS (1)

Model Planes, Trains, Race Cars  
Motor Parts

Lionel—American Flyer Repairing  
10:30 to 7 P.M. Daily

### BOB STEELE HOBBY CENTER

3324 E. 10th AT 6411

## KENTUCKY—LOUISVILLE

Model Airplanes—Motors, Race Cars  
& Supplies. Complete Parts & Service  
Repair shop with South Bend Lathe

### FISCHER'S HOBBY SERVICE

618 S. Fourth Clay 3213

## MASSACHUSETTS—CAMBRIDGE

Model planes, motors, railroads, ships  
and accessories.

9 to 6 daily and Thurs., Sat. evenings

### CROSBY'S HOBBY CENTRE

1704A Mass. Ave. KI 7-4389

## MISSOURI—KANSAS CITY

Model Airplane, Boat, Race Car,  
Railroad and Hobby Supplies.  
Open 9:00 to 9:00 and Sundays.

### NORTHEAST HOBBY CENTER

4825 Independence Ave. BE 7849

## NEW JERSEY—HADDONFIELD

South Jersey's Complete Model Shop

Largest Stock

Planes Engines Supplies

Open noon till nine daily

### HIGHWAY HOBBY HOUSE

20 Tanner St. Haddonfield 9-6860

## NEW YORK—RICHMOND HILL

Established 1929

Airplanes & Supplies, Engines

Shellcraft—Archery

American Flyer Trains & H-O kits

10 A.M. to 9 P.M. Tues. close 7 P.M.

### TEX. FOSTER

105-14 Jamaica Ave.

## NEW YORK—BROOKLYN HEADQUARTERS!

Everything for model airplane builders  
Accessories our specialty  
Engines, parts and service  
Everything in Air Trails

### PARK HOBBY CENTER

8120 Seventh Ave. Shore Rd. 5-2972

## OHIO—DAYTON

Convince yourself! Since 1928.

Folks traveled many miles to shop  
our mammoth stock; Open Sunday

### GOOD'S HOBBY SHOP

1729 N. Main St. Taylor 5578

## NEW YORK—NEW YORK

DEALERS

Tell the local hobbyists about your  
shop in this inexpensive way  
For details write to

### AIR TRAILS

122 E. 42nd St. MU 3-8910

## OREGON—PORTLAND

Complete lines of Planes—Engines—Boats  
Race Cars - Railroads - Vehicles and  
Handicraft Supplies

10 to 6 Daily - Tues. & Sat. 'Till 8 P.M.

### VIC'S HOBBY SUPPLY

1824 N.E. 40th Ave. Garfield 3108

## NEW YORK—JAMAICA (3)

HOBBIES — THAT'S ALL!

Regular Hours 9 a.m. to 7 p.m.  
9 a.m. to 9 p.m. Mon. & Fri.  
9 a.m. to 7 p.m. Saturdays  
Holiday Hours (Nov. to Feb.)  
11 a.m. to 8 p.m. daily

JAMCO (Jamaica Co. Hobbies, Inc.)

90-04 168th St., Phone JA 3-9140

## PENNSYLVANIA—PHILADELPHIA

America's most complete stock  
Kits, engines, engine parts, Top notch  
model builders as your salesmen

### QUAKER CITY HOBBY SHOPS, INC.

N.E. Cor. 6th & Market LO 3-7465

for a grand and interesting report.

**Northampton, Mass.**—In conjunction with our Kitty Hawk article, the Look Park Aero Club has set up a training program under the direction of Frank Doane to teach fundamentals of free flight to young modelers. Among the models that fit into the program is AT's Cloud Hound along with the Jasco Senior and the Monogram Prate. The beginning modeler is supervised from his first model on through the final adjustment and flight of the hardest in the series, then he or she is ready to take off on his or her own.

**Boston, Mass.**—The Boston Balsa Bees meet every Wednesday night at 135 Federal Ave., Quincy, according to Myron S. Wolf, 6 Colliston Rd., Brookline 46, Mass., who underlines the statement (and well he might!): "We have our own U-control field in Boston." Organized 7 years ago, the Bees have as their president William O. Ellis; Huey Ramage is treasurer; Joan Powers, secretary; and Mr. W. handles publicity.

**Englewood, Calif.**—"Ahem!" says Fred Bonfils, corresponding secretary of the Englewood Flying Circus. "This is to inform you that the E.F.C. put on a flying show at the Federal Correctional Institution at Englewood in the early fall of '49. We repeated the show this year for the boys at the institution upon the request of the officials who

seem to appreciate the values of hobbies in overcoming many of the problems that had brought the boys to the institution.

"Also the flying Circus put on an air show in early 1950 at the Golden, Colo., School for Boys. As you can see, contrary to your information (on a recent story anent modelers staging exhibition flying within prison walls) our boys here have been putting on shows in correctional institutions for two years."

Swell, Fred—but how come you didn't let us know before now?

**Ft. Worth, Texas.**—As a true Texan, Leo R. Holliday, 2915 Primrose, Ft. Worth 14, writes for the express purpose of bragging. He wants to tell the world of the accomplishments of the Sahib Club which has held a control line meet the first Sunday of every month since March, 1949. Leo feels that this is some sort of a record in the nation; he knows it is in the Southwest.

A little about the meet itself, described by LRH: "Two of the local hobby shops contribute some money each month and we charge 50¢ entry fee for each event. A beautiful trophy is given away for 1st and a medal for 2nd. In order to hold an event there must be at least 4 contenders. We give a small 4" cup for events with less than 6 entrants, and a large cup for all events with more than 6. This is done so that

the winter events will be self-supporting.

"We hold as many events as possible and never know which ones will be included from meet to meet. For example, we started out with only one speed class. This, of course, discouraged the small models. We now have a Class A speed, Class B and combined C&D. We are now trying to separate C and D. Events other than speed which we have held up to this time: C&D Combat, A&B Combat, C&D Stunt; A&B Stunt, Beauty and Team Racing. The club has set up combat and skill flying for its Junior flyers. A public address system is utilized at each meet; this and the trophy expense are paid for by entry fees and donations.

"Competition is very keen here. Our club's record has been outstanding in out-of-town meets. We won every combat event entered except two over a 5-month period. In one meet at Wichita Falls, Texas, the Sahibers took 14 of 26 places. For an idea of the competition encountered at such contests here are some times: D speed, 147.58, B speed, 124; A speed, 109.57. Such flyers as Jim Clem, Dick Swenson and Al Temple are frequent visitors to our meets. Non-Texans who flew speed at the Nationals can respect those times. Another note for those who were at the very wet '50 Nats—you might like to know it has not rained in Texas for



# ADVERTISERS' INDEX

March, 1951

Academy of Model Aeronautics...	84	Indiana Technical College.....	80
Acme Model Eng. Co. ....	66	Jamco (Jamaica Co. Hobbies, Inc.)...	87
Aeronautical University. ....	75	Junior Aeronautical Supply Co....	77
Airline Model Co. ....	86	Joy Products.....	86
A-J Aircraft Co. ....	53	K & B Mfg. Co.....	2nd Cover
All American Model Motor Exchange ..	74	Margo Kraft Dist., Inc. ....	85
America's Hobby Center.....	6, 7, 8, 9	Master Modelcraft.....	68
Mel Anderson Mfg. Co.....	18, 19, 84	Mercury Model Airplane Co. ....	79
Chas. Atlas.....	89	Midwest Model Airplane Co.....	81
Atwood Mfg.....	81	Miniature Aircraft Corp.....	70
Berkeley Models, Inc.....	90	Mod-Ad Agency, Inc. ....	6
Broad Ripple .....	87	Model Aircraft Control Co.....	83
Cal-Aero Technical Institute.....	5	Model Craft Hobbies, Ltd.....	79
California Flyers.....	13	Monarch Model Co. Inc.....	89
Centave Mfg. Co.....	67	Monogram Models.....	63
John E. Clemens.....	78	Mutual Broadcasting System.....	83
Cleveland Model & Supply Co.....	72	National Model Distributors.....	81
Comet Model Hobby Craft, Inc.....	71	Northeast Hobby Center.....	87
Consolidated Model Engineering Co....	73	Northeast Hobby Dist.....	86
Corr's Nation Hobby Supply.....	82	Northrop Aeronautical Institute.....	15
Crescent Model Co.....	85	PDQ Products Co.....	89
Crosby's Hobby Centre.....	87	Pactra Chemical Co.....	12
Dallas School of Aviation.....	17	Pan American World Airways.....	69
Darwin Model Aircraft Co.....	76	Park Hobby Center.....	87
Dealers Hobby Supply.....	82	Parks College of St. Louis University...	3
deBolt Model Engineering Co.....	61	Pico Model Co.....	87
Doram Sales Co.....	80	Pilot Model Shop.....	79
Dumas Products.....	85	Polk's Model Craft Hobbies.....	62
Duro-Matic Products Co.....	77	Quaker City Hobby Shops, Inc.....	87
Dyna-Model Products Co.....	78	Radio Control Headquarters.....	84
Edwards' Hobbies.....	80	Ranger Products Co.....	86
Embry-Riddle School of Aviation.....	20	Scientific Model Airplane Co.....	59
Enterprise Model Aircraft & Supply Co. Inc. ....	64	Scranton Hobby Center.....	74
F & B Model Aircraft.....	67	Sky Hobby, Inc.....	82
Fador Mfg. Corp.....	80	Soaring Society of America.....	82
Fischer's Hobby Service.....	87	Spartan School of Aeronautics.....	11
Flo-Torque.....	83	Speed-O-Lag Products Co.....	73
Forster Brothers.....	60	Victor Stanzel Co.....	76
Tex Foster.....	87	Bob Steele Hobby Center.....	87
Francisco Laboratories.....	66	Step-A-Head Mfg. Co.....	89
From Mfg. Co.....	71	Sterling Models.....	75
Good's Hobby Shop.....	87	Testor Chemical Co.....	3rd cover, 46, 47
Gotham Hobby Corp.....	89	Teterboro School of Aeronautics.....	78
Paul K. Guillow.....	57	Thomas Products.....	76
H & P Plastic Products Co.....	16	Top Flite Models, Inc.....	78
Harley-Davidson Motor Co.....	10	Trost Modelcraft Hobbies.....	82
Hay's Hobby House.....	87	United States Army and United States Air Force Recruiting Service.....	55
Henry Engineering Co.....	85	Vic's Hobby Supply.....	87
Herkimer Tool & Model Works, Inc. ....	Back Cover		
Highway Hobby House.....	87		
Hobby Decal Specialists.....	84		
Hobby Exchange Club.....	78		
Howie's Hobby House.....	87		

While every precaution is taken to insure accuracy, we cannot guarantee against the possibility of an occasional change or omission in the preparation of this March, 1951 index.

3 months to the time of writing. Doesn't seem possible, does it?"

**Letter from "Over-There."** "I was greatly intrigued by your discourse on the '50 Nats," writes Lt. Eric E. Ericson, Hq Sq FEAMCOM, USAF, through the San Francisco armed forces postal service. "Of course, I have been out of competition since '40, but I can well sympathize with you on the panic button pushing that must have reigned at the '50 Nats . . . but the one outstanding feature of my modeling days was that even the smallest of contests such as the old Junior Birdmen had at Central Park (NYC) were a confused mess and we all took it for granted that panic and confusion were inherent features of our racket."

"In conjutating this subject from all

angles it is apparent that (1) there are too many people gathered on one spot for the events scheduled, rather than too many events for those poor married souls who through some stroke of fate cannot enter all events and hence blow verbally one way or the other. (2) As in many other great sporting events, the industry has failed to keep pace with the natural expansion of the modelers—we are running a 1950 Nats on the 1935 basis.

"Let's face another fact—the Nats is not the only nationally recognized annual modeling event in the USA, wherein thousands of modelers come from all states of the union, and thus, in a few short years we may have rival camps. Therefore it behooves not the modeler to make the decision, but rather those entrusted with leadership

"Many potential GREAT modelers do NOT get due recognition all because they do not go to the Nationals, for reasons all too obvious these days, i.e., lack of \$\$\$\$\$. In the spirit of a truly National event, we need playoffs—wherein all get their fair chance to get later National recognition.

"Granted that a smaller contest is run more smoothly, let's propose:

"Based on proportional representation (N.Y.C. legislative system) let there be contests on a regional basis. It amounts to that N. Y., Penna., and N. J. modelers should have a contest to see who is going to the Nationals.

"Of these regional contests there would emerge certain winners. Let us say that the first three in each event would be the representatives at the Nationals, where the winners of all events of the other regional districts would meet to hash out the Grand Prize Winner.

"The lads who were winners at the Regionals would have ample time to scout up a sponsor to send them with all or most expenses paid. It should be the responsibility of the National officials to see that each lad would have a fair chance to attend and would if necessary furnish bed and board.

"Consequently we have our Regionals, and now approach the Nats. With only the winners of the Regies able to compete at the Nats we have the cream of the Region to vie at the Nats for top honors.

"Hence with winners present only, events can be scheduled and run most efficiently for the benefit of all concerned. Then and only then will you have a National that is a National.

"I can actually see a greater lift given to the industry as a whole by a Regional set-up. It would create more fellows trying out for certain fields they normally shy from, and most certainly it beats even a State meet which is usually sponsored by only one club and the business-men of the city in which the competition is being held.

"I expect that if you discuss this proposal with your cronies great cries of pain and anguish will emanate from way down deep, but it is my contention that there is a great void in the organization of this fine sport, we have top-level, and we have bottom-level, but the meat of the thing, the middle substance—this is totally lacking."

## Sikorsky

(Continued from page 62)


complex traffic pattern of our highly developed urban centers.

"For example, we have developed executive transport service between United Aircraft's Pratt & Whitney plant in East Hartford and our factory here in Bridgeport. We cover the 55 air miles in under thirty minutes, door to door. No vehicle on earth, not even a rocket plane, could match that speed, for most of the time consumed in making the hop in a fixed-wing airplane would be lost going to and from the airport. For mail and express, this system of flying over the city's congestion is much akin to the job of flying over the jungle, and should be the next logical step. This will probably evolve as sort of an aerial taxi service, one run by professional air-men, with high prices in the beginning, coming down as time goes on and as the cost of vehicles and operation is reduced.



# WE'VE BIG PLANS FOR YOU!

If you build from plans try these outstanding designs from Air Trails



"I couldn't win a thing until I switched to AT plans!"

#351—Matthews' Crowbar PAA-Loader f.f.; Beck's Petit Pete A/2'er; Ehling's Wakefield design; plus enlarged 3-views.

#251—Ole Slippery team racer; Li'l Lightning; Unliner; Javelin glider.

#ATA-51—F82 twin-engine U-control scale; Bellanca Pacemaker; Easy-Bo free flight.

#151—Reinhardt's stunt winner; Little Twister free flight; Semi-scale Bellanca; Sopwith Dolphin.

#1250—Heath Parasol and Mid-wing; Hi-Pressure Pete stunt job; Miss Quito free flight; El Dobo rubber.

#1150—Wee Bee scale free flight and U-Control; DeHavilland Moth; Screamliner "60"; Kinglet.

#1050—Delanne semi-scale Duo-Mono; Strato Flash free flight; Buhl Pup; Peppy U-Control trainer.

#950—Pitts-Skelton aerobatic biplane; DeHavilland twin-engine Comet; Little Senator A/2 free flight.

NOTE: Allow 3 weeks for delivery by Third Class Mail. For First Class add 8c postage per plan ordered; for Airmail add 18c postage per plan ordered.

## Air Trails Plan Service

304 East 45th St., New York 17, N. Y.

I enclose 25c for each plan listed:

List by number

Name (print)

Address

City-Zone-State

(AT-351)

"The next step is the helicopter bus, a 20- to 50-place vehicle, used as a form of large-scale rapid transit. The personal helicopter, in my opinion, will arrive last. I see this as a developmental offshoot of the helicopter taxi, and will resemble it as the surface cab resembles the private automobile. However, there are both technical and operational problems to be solved before the personal helicopter will become a reality.

"The time schedule for these events depends, I repeat, on the extent to which our civilization actually needs the particular kind of transportation."

What do you think the helicopter of the future will look like?

Mr. Sikorsky: "Not too much different from our current machines in general outline. I believe that the single rotor type would remain the most important and efficient among the different possible helicopter configurations. I believe that this would be in direct analogy and largely for the same reason which caused the monoplane to emerge as the most prominent type among the fixed-wing aircraft. Indeed, on this subject one should not be too dogmatic, and different kinds of service or other special requirements may, in some cases, suggest the use of different forms and configurations.

"The excessive tip-speed argument which has been used against large rotor disks has not proven valid within the range of practical-sized helicopters. For example, we have a 10-place machine in our H-19 model. A 20-place airplane would not be very much larger, since increasing the capacity of any air vehicle is a job in geometric, not arithmetic increase.

"Those who object to the tail rotor on the grounds that it consumes power have failed to calculate the problem accurately. The tail rotor uses no more power than a fixed tail group, being pulled through the air by main engine power.

"I envision the helicopter bus of the future as having a fuselage much like a DC-3. The main rotor would be above, the two engines in streamlined nacelles outboard of the fuselage. I like this outboard installation, since it isolates the noise and vibration of the engine from the passenger compartment.

"Such aircraft would operate at only 200 or 300 miles range, and would have to be designed for reasonable one-engine-out characteristics.

"In all three classifications of future helicopters, bus, taxi and personal machine, I see two trends in common—trends that were followed in the development of fixed-wing designs. These

## NEW BODIES FOR OLD!



Give me a skinny, peepless, second-rate body—and I'll cram it so full of handsome new muscles that your friends will grow bug-eyed with amazement. See what I did for Thomas Manfre (above). Let me show you what I've done for thousands of others—and let me prove what I can do for you, in just 15 minutes a day.

Charles Atlas

FREE BOOK. Send your name, address for 48-page illustrated book filled with valuable advice, actual photos of men who got handsome new bodies my way. Yours ABSOLUTELY FREE! Address me personally:

CHARLES ATLAS, Dept. 153C  
115 E. 23rd St., N. Y.



## BLUE TIPPED KINETIC SPINNER

"IT'S HERE TO STAY"

Eleven Sizes 2 3/4" to 1 1/4" O.D.

Get the thrill of flying that only a

"Blue Tipped Flywheel" Spinner Can Give

Smoothness, Power or Speed—  
It's What You Have Been  
Waiting for.

Step-A-Head Mfg. Co.

P. O. Box 12633

Los Angeles 39 - California

## PDQ Super Clown

FLYING STUNT PLANE

\$2.95



### SPECIFICATIONS


WING SPAN—38" LENGTH—27 1/2"  
WING AREA—350 SQ. IN. WEIGHT COMPLETE—20 OZ.  
WING LOADING—6 OZ. ENGINE—33 TO 45 DISP.

PDQ PRODUCTS CO.

TULIP & CAULPIN STREETS  
PHILADELPHIA 33, PA.

## MEMO

WATCH FOR  
THE GREAT  
NEW MODELS  
BY  
Monarch



Our 358th Advertisement

REAL DIESEL ENGINE!

\$2.95

You can't beat this price!

• Ideal for planes, boats, midget cars  
• Actually runs at 7500 RPM.  
• Produces 1 1/2 HP  
• Weight a full 3 1/2 inches;  
• Weight 5 ounces  
• Comes completely assembled, ready for operation

MAYBE WE'RE CRAZY, giving away a precision diesel engine, complete with cylinder and piston, carburetor, crankshaft, connecting rod, etc. for ONLY \$2.95. But we're selling thousands of DEEZILS all over the world, and that keeps our production costs down. DEEZIL is streamlined, compact, rugged. Starts quickly, easy to install, runs for years! Fast delivery if you ORDER DEEZIL today!

SEND \$2.95 plus 25¢ postage

GOTHAM HOBBY CORP., Dept. A  
107 E. 126th St., New York 35, N. Y.



# LOOK TO

# Berkeley FOR LEADERSHIP- IN "PAA-LOAD" MODELS!



**NEW!** Only \$2.50

*Henry Struck's*

## HALF-A "BOOTSTRAPS"

Here's another great model by the former National Champ—

**40" WINGSPAN — FOR .035 TO .049 ENGINES**

"1/2A" BOOTSTRAPS is the improved version of Henry Struck's 1950 PAA-Load winner of the Mirror Flying Fair. "1/2A" BOOTSTRAPS meets all Pan American Airways contest requirements for PAA-Load contest flying.

### FEATURING "AUTO-SEMBLE" PRE-FABRICATED CONSTRUCTION

An entirely new type of assembly that automatically aligns itself during construction. Only by building the model can you realize how revolutionary and time-saving "AUTO-SEMBLE" really is.

The design is so aerodynamically perfect, it can compete in duration contests and even be flown with light-weight Radio Control equipment.

#### KIT INCLUDES:

- PRE-FABRICATED PARTS
- FORMED LANDING GEAR
- COMPLETE HARDWARE
- WHEELS
- COVERING MATERIAL
- FULL-SIZE LAYOUT PLANS!

Complete Kit \$2.50



**\$4.95**

*For "A" & "B" PAA-Load & Radio Control*

## "SUPER BRIGADIER"

**58" WINGSPAN — FOR .19 TO .36 ENGINES**

Here is the model that has won the PAA-Load National Championship. It's the perfect model for Radio Control and Sport Flying. The kit is completely pre-fabricated. Plans show details for installation of Radio Control. only **\$4.95**

#### KIT INCLUDES:

- PRE-FABRICATED PARTS
- FORMED LANDING GEAR
- COMPLETE HARDWARE
- WHEELS
- COVERING MATERIAL
- FULL-SIZE LAYOUT PLANS!

## NEW SPRING CATALOG

**READY IN MARCH... 25c  
ORDER YOUR COPY TODAY!**



IF NO LOCAL DEALER IS CONVENIENT, MAIL ORDERS WILL BE FILLED BY BERKELEY MODEL SUPPLIES, DEPT. AT., WEST HEMPSTEAD, L. I., N. Y. PLEASE INCLUDE 25c PACKING AND POST.

**SOLD THRU  
BERKELEY  
DEALERS & DISTRIBUTORS**

are a reduction in power loading and an increase in disk loading. This will result in faster, more stable and generally more efficient machines. The increased horsepower output per pound of engine weight being made available through the development of gas turbines will effectively increase the rate of technical development of the helicopter. As for performance, I see the helicopter-bus cruising at between 175 and 200 mph—any faster cruising speeds are in the province of fixed-wing aircraft, which serve an entirely different purpose in the world transport picture.

"Likewise, the helicab and the helicar will, in my opinion, be simply streamlined refinements of the present single-rotor designs. Main rotor disks are apt to be smaller, but this is likely to be the main visible difference."

*What do you envision as the ultimate impact of the helicopter on society?*

Mr. Sikorsky: "Every form of fast, flexible transportation has had its effect on the complexion of society. At the present time, our systems of transportation between residential areas and the centers of commerce and industry are notoriously weak. Even the automobile has limitations. For example, here in Connecticut I can buy a 40-acre farm back on a dirt road for the same price as four acres on a paved highway that is kept clear all year round. Both locations are about the same number of road miles from town. However, the larger farm's artery of transportation breaks down about three percent of the time, which takes it out of the commuter-class of property. The development of a form of transportation that could dependably increase the practical commuter radius around any city would have a salutary effect on our whole civilization.

"On a station-to-station basis, commuter trains average under 40 mph. The use of a 120 mph vehicle for the same job would triple the radius, and permit those people who depend on cities for their livelihood to have more living space for themselves and their families.

"The helicab would permit moderate-range transportation within our cities at speeds hitherto deemed impractical for urban transportation. It would permit practical multi-level transportation for our multi-level cities. It would permit the use of outlying sections for offices and stores, instead of concentrating them in closely knotted centers at the crossroads of transportation.

"The effect of the personal helicopter staggers the imagination; it would be more flexible a vehicle than the automobile, and would at least triple the diameter of our daily lives.

"There are, however, numerous problems to be solved before the helicopter millennium arrives. There are practical matters like traffic control, electronics, operational procedure and myriad other problems that have to be solved as they arise.

"As one who has dreamed of a practical helicopter since 1909, I would not like to see its future hampered by unwarranted haste. We have developed the science and the technique of helicopter building to a high degree. We have proven to ourselves that any intelligent technician, applying the known laws and information, can build successful rotating wing aircraft.

"I want to see us all make haste slowly, so that we will be able to fit this vehicle comfortably into the pattern of living for that better world that is surely to be."



# ANNOUNCING



## SENIOR SUPER STUNT KITS


...in "9", "19", and "29" models for the McCoy "9", "19", and "29" engines

THIS TESTOR KIT IS RATED — AS INDICATED BELOW — IN ACCORDANCE WITH FOUR APPROVED ACHIEVEMENT LEVELS OF CONSTRUCTION AND FLIGHT PERFORMANCE:

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1st KIT FRESHMAN TRAINER	2nd KIT SOPHOMORE STUNT TRAINER	3rd KIT JUNIOR STUNT	4th KIT SENIOR SUPER-STUNT


## ...featuring 2 REVOLUTIONARY NEW DEVELOPMENTS

### 1 MOLDED FUSELAGE (Patents Pending)



This drawing shows two fuselage half-sections just as you find them in a Testor Senior Kit. Note that they are actually molded into shape! The importance of this new and exclusive molding technique cannot be over-emphasized. In the first place, it makes possible a higher strength-to-weight ratio for your model, because the grain of the wood now follows the contour of the fuselage. Furthermore, the molded sections add realism to appearance... enable you to obtain a more perfect finish... provide more effective structural integration.

### 2 KEY-LOCK ASSEMBLY (Patents Pending)



This drawing of keel and formers in a Senior Kit illustrates the construction principle of Testor's new "Key-Lock" assembly... shows how formers fit securely into place with the simple slot-slide action of a key turning in a lock. This exclusive construction technique (also used for wing rib assembly) insures positive location and correct alignment of parts... gives your model reinforced structural rigidity... saves building time and work... establishes a higher strength-to-weight ratio than is possible with conventional design.

TESTOR CHEMICAL COMPANY  
(WOODWORKING DIVISION) ROCKFORD, ILLINOIS



# High Spots in the "OK" Miniature Engine Line



## AT BARGAIN PRICES

Now—a tiny new engine at a price so low it's a steal—with a money-back guarantee! Now—save \$1.20 while you have the fun of assembling your own engine! Now—at your request—a potent new fuel that produces maximum power—cheaper because it lengthens engine life!

Who else brings you all these bargains but "OK"?—the lowest-priced, most complete line on the market! Remember the name: "OK". Say "OK" to your dealer.

### New "OK" CUB .039

A brand new "Half A" Cub priced for beginners on small weekly allowances. Includes glow plug, starting pulley, prop and tank—a sensational engine at a sensational price!

Bore .390 — Stroke .334

ONLY **\$4.45**

### "OK" CUB .049

#### POWER KIT

Assemble this \$6.15 value Cub—save \$1.20. That's a big saving of 20%.

ONLY **\$4.75**



### "OK" GLOW FUEL

Assures easy starting, smooth operation, prolongs engine life. Great for break-in purposes.

**75¢** PINT



### COMBINATION PACKAGE

Cub .049	. . .	\$5.75
.074	. . .	\$6.75
.099	. . .	\$6.75

Includes assembled engine, prop and tank—more for the money!



Other famous "OK" products. "OK" CO2, "OK" Bantam, "OK" Hothead, "OK" Super 60, "OK" Twin.

SEE YOUR DEALER—SAY "OK" . . . OR WRITE!

## HERKIMER TOOL & MODEL WORKS

13 Harter St.

Herkimer, N. Y.